



Complete Drug List (Formulary) 2024

UnitedHealthcare® Group Medicare Advantage (PPO)
PEEHIP

Important notes: This document has information about the drugs covered by this plan. For more up-to-date information or if you have any questions, please call Customer Service at:



Toll-free **1-877-298-2341**, TTY **711**

8 a.m.-8 p.m. local time, Monday-Friday



retiree.uhc.com/peehip

**United
Healthcare®**



PEEHIP

Formulary ID Number 00024010, Version 16
Y0066_070523_024000_C

Last updated April 1, 2024

Table of contents

| | |
|--|-----|
| What is a Drug List? | 3 |
| Note to existing members:..... | 3 |
| How can I find a drug on the Drug List? | 4 |
| What are generic drugs?..... | 4 |
| What is a compounded drug? | 4 |
| Drug payment stage and drug tiers | 5 |
| Getting Extra Help | 5 |
| Are there any rules or limits on my drug coverage? | 6 |
| What if my drug is not on this list? | 8 |
| How can I get an exception? | 8 |
| Can I get my drug while I wait for an exception? | 9 |
| Can the Drug List change? | 10 |
| Drugs with dosages other than a 1-month supply | 11 |
| Covered drugs by name (Drug index)..... | 12 |
| Covered drugs by category | 33 |
| Covered drugs with a quantity limit (QL) | 102 |

What is a Drug List?

A Drug List, or Formulary, is a list of prescription drugs covered by your plan. Your plan and a team of health care providers work together in selecting drugs that are needed for well-rounded care and treatment.

Your plan will generally cover the drugs listed in our Drug List as long as:

- The drug is used for a medically accepted indication
- The prescription is filled at a network pharmacy, and
- Other plan rules are followed

For more information about your drug coverage, please review your Evidence of Coverage.

Note to existing members:

This **complete** list of prescription drugs covered by your plan is current as of April 1, 2024.

To get updated information about the covered drugs or if you have questions, please call Customer Service. Our contact information is on the cover.

This Drug List has changed since last year. Please review this document to make sure your prescription drugs are still covered. In most cases, you must use network pharmacies to have your prescriptions covered by the plan.

When this Drug List refers to “we,” “us,” or “our,” it means UnitedHealthcare. When it refers to “plan,” “our plan,” or “your plan,” it means UnitedHealthcare Group Medicare Advantage.

Important message about what you pay for vaccines - Some vaccines are considered medical benefits. Other vaccines are considered Part D drugs. Our plan covers most adult Part D vaccines at no cost to you. Review your Evidence of Coverage or call Customer Service for more information. Our contact information is on the cover.

Important message about what you pay for insulin - You won't pay more than \$35 for a 1-month supply of each Part D insulin product covered by our plan. Review your Evidence of Coverage for more information.

Important message about what you pay for Paxlovid - You will pay \$0 for Paxlovid through December 31, 2024, even if you haven't met your deductible.

How can I find a drug on the Drug List?

There are 2 ways to find your prescription drugs in this Drug List:

1. **By name.** Turn to the section “Covered drugs by name (**Drug index**)” on pages 12-32 to see the list of drug names in alphabetical order. Find the name of your drug. The page number where you can find the drug will be next to it.
2. **By medical condition.** Turn to the section “Covered drugs by category” on pages 33-101. The drugs in this Drug List are grouped into categories depending on the type of medical condition they are used to treat. For example, if you have a heart condition, you should look in the category Cardiovascular Agents. This is where you will find drugs that treat heart conditions.

What are generic drugs?

Generic drugs have the same active ingredients as brand name drugs. They usually cost less than brand name drugs and are approved by the Food and Drug Administration (FDA). Our plan covers both brand name and generic drugs.

Talk with your doctor to see if any of the brand name drugs you take have generic versions. Then review the Drug List to make sure you are getting the drug you need for the least amount of money.

The Drug List shows BRAND NAME drugs in CAPITALIZED type (for example, HUMALOG) and generic drugs in plain type italic (for example, *Simvastatin*).

What is a compounded drug?

A compounded drug is created by a pharmacist by combining or mixing ingredients to create a prescription medication customized to the needs of an individual patient. Compounded drugs may be Part D eligible. For more information about compounded drugs, please review your Evidence of Coverage.

Drug payment stage and drug tiers

The amount you pay for a covered prescription drug will depend on:

- **Your drug payment stage.** Your plan has different stages of drug coverage. When you fill a prescription, the amount you pay depends on the coverage stage you're in.
- **Your drug's tier.** Each covered drug is in 1 of 4 drug tiers. Each tier has a copay or coinsurance amount. The chart below shows the differences between the tiers.

If you need help or have any questions about your drug costs, please review your Evidence of Coverage or call Customer Service. Our contact information is on the cover.

| Drug tier | Includes |
|---|---|
| Tier 1: Preferred Generic | All covered generic drugs. In addition, Part D eligible generic drug compound medications are covered in Tier 1. |
| Tier 2: Preferred Brand | Many common brand name drugs, called preferred brands. |
| Tier 3: Non-preferred Drug | Non-preferred brand name drugs. In addition, Part D eligible brand drug compound medications are covered in Tier 3. |
| Tier 4: Specialty Tier | Unique and/or very high-cost brand drugs. |

Getting Extra Help

If you qualify for Extra Help paying for your prescription drugs, your copays and coinsurance may be lower. Members who qualify for Extra Help will receive the Evidence of Coverage Rider for people who get Extra Help paying for prescription drugs (also called a Low Income Subsidy (LIS) Rider). Please read it to learn about your costs. You can also call Customer Service. Our contact information is on the cover.

Are there any rules or limits on my drug coverage?

Yes, some drugs may have coverage rules or have limits on the amount you can get. If your drug has any coverage rules or limits, there will be a code(s) in the “Coverage rules or limits on use” column of the “Covered drugs by category” chart starting on page 33. The codes and what they mean are shown below and on the next page.

You can also get more information about the coverage rules and/or limits applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. If you would like a copy sent to you, please call Customer Service. Our contact information is on the cover.

Coverage rules and limits

PA - Prior authorization

The plan requires you or your doctor to get prior approval for certain drugs. This means the plan needs more information from your doctor to make sure the drug is being used and covered correctly by Medicare for your medical condition. Certain drugs may be covered by either Medicare Part B (doctor and outpatient health care) or Medicare Part D (prescription drugs) depending on how it is used. If you don't get prior approval, the plan may not cover the drug.

QL - Quantity limits

The plan will cover only a certain amount of this drug for 1 copay/coinsurance or over a certain number of days. These limits may be in place to ensure safe and effective use of the drug. If your doctor prescribes more than this amount or thinks the limit is not right for your situation, you or your doctor can ask the plan to cover the additional quantity.

ST - Step therapy

There may be effective, lower-cost drugs that treat the same medical condition as this drug. You may be required to try 1 or more of these other drugs before the plan will cover your drug. If you have already tried other drugs or your doctor thinks they are not right for you, you or your doctor can ask the plan to cover this drug.

You and your doctor may ask the plan for an exception to the coverage rules and/or limits for your drug. See the section “How can I get an exception?” on page 8 or see your Evidence of Coverage to learn more.

If you don't get approval from the plan before you fill a prescription for a drug with coverage rules or limits, you may have to pay the full cost of the drug.

Other special coverage rules

B/D - Medicare Part B or Part D

Depending on how this drug is used, it may be covered by either Medicare Part B (doctor and outpatient health care) or Medicare Part D (prescription drugs). Your doctor may need to provide the plan with more information about how this drug will be used to make sure it's correctly covered by Medicare.

HRM - High-risk medication

This drug is known as a high-risk medication (HRM) for patients 65 years and older. This drug may cause side effects if taken on a regular basis. We suggest you talk with your doctor to see if an alternative drug is available to treat your condition.

LA - Limited access

Drugs are considered "limited access" if the FDA says the drug can be given out only by certain facilities or doctors. These drugs may require extra handling, provider coordination or patient education that can't be done at a network pharmacy.

MME - Morphine milligram equivalent

Additional quantity limits may apply across all drugs in the opioid class used for the treatment of pain. This additional limit is called a cumulative morphine milligram equivalent (MME) and is designed to monitor safe dosing levels of opioids for individuals who may be taking more than 1 opioid drug for pain management. If your doctor prescribes more than this amount or thinks the limit is not right for your situation, you or your doctor can ask the plan to cover the additional quantity.

7D - 7-day limit

An opioid drug used for the treatment of acute pain may be limited to a 7-day supply for members with no recent history of opioid use. This limit is intended to minimize long-term opioid use. For members who are new to the plan and have a recent history of using opioids, the limit may be overridden by the pharmacy when appropriate.

DL - Dispensing limit

Dispensing limits apply to this drug. This drug is limited to a 1-month supply per prescription.

What if my drug is not on this list?

If your drug is not included in this Drug List, we may still cover it. Call Customer Service toll-free at **1-877-298-2341**, TTY **711**, 8 a.m.-8 p.m. local time, Monday-Friday to ask if it's covered. Or go to retiree.uhc.com/peehip to look it up online. The information is updated on a regular basis.

If you find out that your drug is not covered, you can do either of the following options:

1. **Ask Customer Service for a list** of similar drugs that are covered by the plan. When you get the list, show it to your doctor and ask them to prescribe a covered drug.
2. **Ask the plan to make an exception** and cover your drug. Review the next section for more exception information.

How can I get an exception?

Sometimes you may need to ask for drug coverage that's not normally provided by your plan. This is called asking for an exception. When you do, the plan will review your request and give you a coverage decision known as a coverage determination.

Types of exceptions you can ask for

- **Drug List exception:** Ask the plan to cover your drug even if it's not on the Drug List. If approved, this drug will be covered at a pre-determined cost-sharing level. You will not be able to ask us to provide the drug at a lower cost-sharing level.
- **Utilization exception:** Ask the plan to revise the coverage rules or limits on your drug. For example, if your drug has a quantity limit, you can ask the plan to change the limit and cover more.
- **Tiering exception:** Ask the plan to cover your drug on our list at a lower cost-sharing level if this drug is not on the Specialty Tier.

The plan may approve your request for an exception if the covered alternative drugs wouldn't be as effective in treating your condition or would cause adverse medical effects.

Who can ask for an exception?

You, your authorized representative or your doctor can ask for an exception by calling Customer Service. Our contact information is on the cover. Your doctor must give us a supporting statement with the reason for the exception.

How long does it take to get an exception?

After we get the statement from your doctor supporting your request for an exception, we'll give you a decision within 72 hours. You can ask for an expedited (fast) decision if you or your doctor believes that your health could be seriously harmed by waiting 72 hours. If your request for an expedited review is approved, we'll give you a decision within 24 hours after we get your doctor's supporting statement.

Can I get my drug while I wait for an exception?

As a new or continuing member in our plan, we may cover a temporary supply of your drug if it's not on our Drug List or if it has rules or limits. For example, you may need a prior authorization from us before you can fill your prescription. During the time when you are getting a temporary supply, you should talk with your doctor to decide if there is a similar drug on the Drug List you can take instead. If you and your doctor decide this is the only drug that will work for you, you will need to ask for an exception. For more information about exceptions, please review your Evidence of Coverage.

We may cover your drug in certain cases during the first 90 days of your membership. The following chart shows how much of your drug we may cover while you ask for an exception.

| If you... | And you are... | We may cover... |
|--|---|------------------------------------|
| are a new member in the first 90 days of your membership | not in a nursing home or long-term care facility | at least a 30-day temporary supply |
| OR were a member last year and it's the first 90 days of your plan year | in a nursing home or long-term care facility | at least a 31-day temporary supply |
| have been in the plan for more than 90 days | in a nursing home or long-term care facility and need a supply right away | at least a 31-day emergency supply |
| are going through a change in your level of care, such as being transferred from a hospital to a long-term care facility, any time during the year | not in a nursing home or long-term care facility | at least a 30-day temporary supply |
| | in a nursing home or long-term care facility | at least a 31-day temporary supply |

The prescription must be filled at a network pharmacy. If your prescription is written for fewer days, we'll allow refills to provide at least the day supply listed in the chart above. Note: The long-term care pharmacy may provide the drug in smaller amounts at a time to prevent waste.

We will not pay for more of your drug after you get this temporary or emergency supply unless you receive authorization from the plan.

Can the Drug List change?

Most changes in drug coverage happen on January 1. We may need to make changes during the plan year for safety or other reasons that can affect you. We must follow the Medicare rules in making these changes.

Changes that can affect you this year

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions.

If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to the market to replace a brand name drug currently on the Drug List; or add new restrictions to the brand name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our Drug List, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change.

We will notify members at least 30 days before the change becomes effective, or when the member requests a refill of the drug, at which time you will receive at least a 30-day supply of the drug.

If we add new generic drugs or make other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section “How can I get an exception?” on page 8.

- **Drugs removed from the market.** If the Food and Drug Administration (FDA) says a drug you are taking is not effective or is unsafe, we will let you know and take it off the Drug List right away.

Changes that will not affect you if you are currently taking the drug

Usually, if you're taking a drug on this Drug List that was covered at the beginning of the year, we will not remove or reduce coverage during the year except as described above. You will not get a notice this year about changes that do not affect you. However, on January 1 of the next year these changes will affect you, therefore it is important to check the Drug List for any changes to drugs for the new plan year.

Drugs with dosages other than a 1-month supply

Drugs packaged in an extended day supply

Some drugs are packaged from the manufacturer to provide more than a 1-month supply. When you fill these drugs, you may have to pay more than 1 copay/coinsurance for a single prescription. For more information, please call Customer Service. Our contact information is on the cover.

Daily cost-sharing for oral medications filled for less than a 1-month supply

A daily cost-sharing rate may apply when your doctor prescribes less than a full month's supply of certain drugs for you and you are required to pay a copay. A daily cost-sharing rate is the copay divided by the number of days in a month's supply.

Daily cost-sharing applies only if the drug is in the form of a solid oral dose (e.g., tablet or capsule) when dispensed for a supply of less than 1-month under applicable law. The daily cost-sharing requirements do not apply to either of the following:

1. Solid oral doses of antibiotics
2. Solid oral doses that are dispensed in their original container or are usually dispensed in their original packaging to help patients comply with usage and dosage directions

For more information

For more detailed information about your plan's prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about your plan's prescription drug coverage, we're here to help. Call Customer Service toll-free at **1-877-298-2341**, TTY **711**, 8 a.m.-8 p.m. local time, Monday-Friday. You can also visit us online at **retiree.uhc.com/peehip**.

If you have general questions about Medicare prescription drug coverage, visit www.medicare.gov or call Medicare at 1-800-633-4227, TTY 1-877-486-2048, 24 hours a day, 7 days a week.

Covered drugs by name (Drug index)

| A | | |
|--|---|--|
| Abacavir Sulfate58 | Advair HFA99 | Amiloride HCl69 |
| Abacavir Sulfate -Lamivudine58 | Aimovig47 | Amiloride -Hydrochlorothiazide68 |
| Abelcet46 | Akeega49 | Amiodarone HCl66 |
| Abilify Maintena55 | Ala -Cort73 | Amitriptyline HCl45 |
| Abiraterone Acetate48 | Albendazole53 | Amlodipine Besylate67 |
| Abrysvo91 | Albuterol Sulfate98 | Amlodipine -Atorvastatin68 |
| Acamprosate Calcium35 | Albuterol Sulfate HFA98 | Amlodipine -Benazepril68 |
| Acarbose60 | Alclometasone Dipropionate73 | Amlodipine -Olmesartan68 |
| Accutane73 | Alcohol Prep Pads.....94 | Amlodipine -Valsartan68 |
| Acebutolol HCl67 | Alecensa50 | Amlodipine -Valsartan -HCTZ68 |
| Acetaminophen -Caffeine -Dihydrocodeine34 | Alendronate Sodium93 | Ammonium Lactate73 |
| Acetaminophen -Codeine34 | Alfuzosin HCl ER81 | Amnesteem73 |
| Acetazolamide68 | Aliskiren Fumarate68 | Amoxapine45 |
| Acetazolamide ER68 | Allopurinol47 | Amoxicillin38 |
| Acetic Acid97 | Alosetron HCl78 | Amoxicillin -Clarithromycin -Lansoprazole79 |
| Acetylcysteine99 | Alphagan P96 | Amoxicillin -Potassium Clavulanate38 |
| Acitretin73 | Alprazolam60 | Amoxicillin -Potassium Clavulanate ER38 |
| ActHIB91 | Alprazolam ER60 | Amphetamine -Dextroamphetamine71 |
| Actemra89 | Alprazolam Intensol60 | Amphetamine -Dextroamphetamine ER71 |
| Actemra ACTPen89 | Alprazolam ODT60 | Amphotericin B46 |
| Actimmune90 | Altavera82 | Amphotericin B Liposome ..46 |
| Acyclovir57 | Alunbrig50 | Ampicillin38 |
| Acyclovir Sodium57 | Alyacen 1/3582 | Ampicillin Sodium38 |
| Adacel91 | Alyq99 | Ampicillin -Sulbactam Sodium38 |
| Adapalene73 | Amabelz83 | Anagrelide HCl64 |
| Adapalene -Benzoyl Peroxide73 | Amantadine HCl54 | Anastrozole50 |
| Adefovir Dipivoxil56 | Ambrisentan99 | Anoro Ellipta99 |
| Adempas99 | Amethia83 | Apomorphine HCl54 |
| | Amikacin Sulfate36 | |

| | | | | | |
|---------------------------------|-----|--|-----|--|----|
| Apraclonidine HCl | 96 | Aubra EQ | 83 | Benlysta | 89 |
| Aprepitant | 45 | Augtyro | 50 | Benznidazole | 53 |
| Apri | 83 | Austedo | 71 | Benzoyl Peroxide -Erythromycin | 73 |
| Aptiom | 42 | Auvelity | 43 | Benztropine Mesylate | 53 |
| Aptivus | 59 | Aviane | 83 | Berinert | 88 |
| Aralast NP | 80 | Avonex Pen | 72 | Besremi | 90 |
| Aranelle | 83 | Avonex Prefilled | 72 | Betaine | 80 |
| Aranesp | 64 | Ayvakit | 50 | Betamethasone Dipropionate | 73 |
| Arcalyst | 89 | Azathioprine | 90 | Betamethasone Dipropionate Aug | 73 |
| Arexvy | 91 | Azelaic Acid | 73 | Betamethasone Valerate | 73 |
| Arformoterol Tartrate | 98 | Azelastine HCl | 97 | Betaseron | 72 |
| Aripiprazole | 55 | Azithromycin | 39 | Betaxolol HCl | 96 |
| Aripiprazole ODT | 55 | Aztreonam | 36 | Bethanechol Chloride | 81 |
| Aristada | 55 | B | | Bevespi Aerosphere | 99 |
| Aristada Initio | 55 | BCG Vaccine | 91 | Bexarotene | 53 |
| Armodafinil | 101 | BIVIGAM | 88 | Bexsero | 91 |
| Arnuity Ellipta | 97 | BRIVIACT | 40 | Bicalutamide | 48 |
| Asenapine Maleate | 55 | Bacitracin | 95 | Bicillin C -R | 38 |
| Ashlyna | 83 | Bacitracin -Polymyxin B | 95 | Bicillin C -R 900/300 | 38 |
| Aspirin -Dipyridamole ER | 65 | Baclofen | 56 | Bicillin L -A | 39 |
| Atazanavir Sulfate | 59 | Balsalazide Disodium | 93 | Biktarvy | 57 |
| Atenolol | 67 | Balversa | 50 | Bismuth Subcitrate/Metronidazole/Tetracycline. | 79 |
| Atenolol -Chlorthalidone | 68 | Balziva | 83 | Bisoprolol Fumarate | 67 |
| Atomoxetine HCl | 71 | Baqsimi One Pack | 62 | Bisoprolol -Hydrochlorothiazide | 68 |
| Atorvastatin Calcium | 69 | Baraclude | 57 | Blisovi 24 Fe | 83 |
| Atovaquone | 53 | Belbuca | 34 | Blisovi Fe 1.5/30 | 83 |
| Atovaquone -Proguanil HCl | 53 | Belsomra | 100 | Boostrix | 91 |
| Atropine Sulfate | 94 | Benazepril HCl | 66 | Bosentan | 99 |
| Atrovent HFA | 97 | Benazepril -Hydrochlorothiazide | 68 | | |

| | | | | | |
|---|-----|---|-------------------|-----------------------------------|-----|
| Bosulif | 50 | C | Cayston | 98 | |
| Braftovi | 50 | Cabergoline | 87 | Cefaclor | 37 |
| Breo Ellipta | 99 | Cablivi | 65 | Cefadroxil | 37 |
| Breyna | 99 | Cabometyx | 50 | Cefazolin Sodium | 37 |
| Breztri Aerosphere | 99 | Calcipotriene | 75 | Cefdinir | 37 |
| Briellyn | 83 | Calcitonin Salmon | 93 | Cefepime HCl | 37 |
| Brilinta | 65 | Calcitriol | 93 | Cefixime | 37 |
| Brimonidine Tartrate | 96 | Calcium Acetate | 78 | Cefotetan Disodium | 37 |
| Brimonidine Tartrate -Timolol | 94 | Calquence | 50 | Cefoxitin Sodium | 37 |
| Brinzolamide | 96 | Camila | 86 | Cefpodoxime Proxetil | 38 |
| Bromfenac Sodium | 95 | Camrese Lo | 83 | Cefprozil | 38 |
| Bromocriptine Mesylate | 54 | Candesartan Cilexetil | 66 | Ceftazidime | 38 |
| Bronchitol | 100 | Candesartan Cilexetil -HCTZ | 68 | Ceftriaxone Sodium | 38 |
| Brukinsa | 50 | Caplyta | 55 | Cefuroxime Axetil | 38 |
| Budesonide | 97 | Caprelsa | 50 | Cefuroxime Sodium | 38 |
| Budesonide ER | 93 | Captopril | 66 | Celecoxib | 33 |
| Budesonide -Formoterol Fumarate | 100 | Carbamazepine | 42 | Celontin | 42 |
| Bumetanide | 69 | Carbamazepine ER | 42 | Cephalexin | 38 |
| Buprenorphine | 34 | Carbidopa | 54 | Cerdelga | 80 |
| Buprenorphine HCl | 36 | Carbidopa -Levodopa | 54 | Cetirizine HCl | 97 |
| Buprenorphine HCl -Naloxone HCl | 36 | Carbidopa -Levodopa ER | 54 | Cevimeline HCl | 72 |
| Bupropion HCl | 44 | Carbidopa -Levodopa ODT | 54 | Chemet | 77 |
| Bupropion HCl SR | 43 | Carbidopa -Levodopa -Entacapone | 54 | Chenodal | 79 |
| Bupropion HCl XL | 44 | Carglumic Acid | 76 | Chlordiazepoxide HCl | 60 |
| Buspiron HCl | 59 | Carisoprodol | 100 | Chlorhexidine Gluconate | 72 |
| Butalbital -Acetaminophen -Caffeine | 34 | Carteolol HCl | 96 | Chloroquine Phosphate | 53 |
| Butorphanol Tartrate | 35 | Cartia XT | 67 | Chlorpromazine HCl | 54 |
| Bydureon BCise | 60 | Carvedilol | 67 | Chlorthalidone | 69 |
| | | Caspofungin Acetate | 46 | Chlorzoxazone | 100 |

| | | | | | |
|--|----|---|-----|--|-----|
| Cholbam | 80 | Clobetasol Propionate | 74 | Copiktra | 50 |
| Cholestyramine | 70 | Clobetasol Propionate Emollient Base | 73 | Corlanor | 68 |
| Cholestyramine Light | 69 | Clobetasol Propionate Emulsion | 73 | Cosentyx | 89 |
| Ciclopirox | 75 | Clodan | 74 | Cosentyx Sensoready | 89 |
| Ciclopirox Olamine | 75 | Clomipramine HCl | 45 | Cosentyx UnoReady | 89 |
| Cilostazol | 65 | Clonazepam | 60 | Cotellic | 50 |
| Cimduo | 58 | Clonazepam ODT | 60 | Creon | 80 |
| Cimetidine | 79 | Clonidine | 66 | Cresemba | 46 |
| Cimzia | 90 | Clonidine HCl | 65 | Crinone | 86 |
| Cimzia Prefilled | 90 | Clonidine HCl ER | 71 | Cromolyn Sodium | 98 |
| Cinacalcet HCl | 93 | Clopidogrel Bisulfate | 65 | Cryselle -28 | 83 |
| Ciprofloxacin HCl | 95 | Clorazepate Dipotassium | 60 | Cyclobenzaprine HCl | 100 |
| Ciprofloxacin in D5W | 40 | Clotrimazole | 75 | Cyclophosphamide | 48 |
| Ciprofloxacin -Dexamethasone | 97 | Clotrimazole -Betamethasone | 75 | Cycloset | 60 |
| Citalopram Hydrobromide | 44 | Clozapine | 56 | Cyclosporine | 94 |
| Claravis | 73 | Clozapine ODT | 56 | Cyclosporine Modified | 90 |
| Clarithromycin | 39 | Coartem | 53 | Cyltezo | 90 |
| Clarithromycin ER | 39 | Codeine Sulfate | 35 | Cyltezo -CD/UC/HS Starter .. | 90 |
| Clenpiq | 79 | Colchicine | 47 | Cyltezo -Psoriasis/UV Starter | 90 |
| Climara Pro | 83 | Colchicine -Probenecid | 47 | Cyproheptadine HCl | 97 |
| Clindacin ETZ | 75 | Colesevelam HCl | 70 | Cyred EQ | 83 |
| Clindamycin HCl | 36 | Colestipol HCl | 70 | Cystagon | 80 |
| Clindamycin Palmitate HCl . | 36 | Colistimethate Sodium | 36 | Cystaran | 94 |
| Clindamycin Phosphate | 75 | CombiPatch | 83 | | |
| Clindamycin Phosphate in D5W | 36 | Combivent Respimat | 100 | D | |
| Clindamycin Phosphate -Benzoyl Peroxide | 73 | Cometriq | 50 | Dabigatran Etxilate Mesylate | 64 |
| Clinimix E/Dextrose | 76 | Complera | 58 | Dalfampridine ER | 72 |
| Clinimix/Dextrose | 76 | Compro | 45 | Danazol | 82 |
| Clobazam | 42 | Constulose | 78 | Dantrolene Sodium | 56 |
| | | | | Dapsone | 48 |

| | | | | | |
|---|-----|---|----|---|-----|
| Daptacel | 91 | Dextroamphetamine Sulfate ER | 71 | Diphtheria -Tetanus Toxoids DT | 91 |
| Daptomycin | 36 | Dextrose | 76 | Dipyridamole | 65 |
| Darunavir | 59 | Dextrose -NaCl | 76 | Disulfiram | 35 |
| Daurismo | 50 | Diacomit | 42 | Diuril | 69 |
| DayVigo | 100 | Diazepam | 60 | Divalproex Sodium | 60 |
| Deblitane | 86 | Diazepam Intensol | 60 | Divalproex Sodium ER | 60 |
| Deferasirox | 78 | Diazoxide | 62 | Dofetilide | 66 |
| Deferasirox Granules | 77 | Diclofenac Potassium | 33 | Dojolvi | 94 |
| Delstrigo | 58 | Diclofenac Sodium | 96 | Dolishale | 83 |
| Demeclocycline HCl | 40 | Diclofenac Sodium ER | 33 | Donepezil HCl | 43 |
| Demser | 68 | Diclofenac -Misoprostol | 33 | Donepezil HCl ODT | 43 |
| Depo -Estradiol | 83 | Dicloxacillin Sodium | 39 | Doptelet | 65 |
| Depo -SubQ Provera 104 | 86 | Dicyclomine HCl | 79 | Dorzolamide HCl | 96 |
| Descovy | 58 | Difcid | 39 | Dorzolamide HCl -Timolol Maleate | 94 |
| Desipramine HCl | 45 | Diflunisal | 33 | Dorzolamide HCl -Timolol Maleate Preservative Free | 94 |
| Desloratadine | 97 | Difluprednate | 96 | Dotti | 83 |
| Desmopressin Acetate | 82 | Digoxin | 68 | Dovato | 57 |
| Desmopressin Acetate Spray | 82 | Dihydroergotamine Mesylate | 47 | Doxazosin Mesylate | 66 |
| Desogestrel -Ethinyl Estradiol | 83 | Dilantin | 43 | Doxepin HCl | 100 |
| Desonide | 74 | Dilantin INFATABS | 42 | Doxercalciferol | 93 |
| Desoximetasone | 74 | Dilt -XR | 67 | Doxy 100 | 40 |
| Desvenlafaxine Succinate ER | 44 | Diltiazem HCl | 67 | Doxycycline Hyclate | 40 |
| Dexamethasone | 81 | Diltiazem HCl ER | 67 | Doxycycline Monohydrate | 40 |
| Dexamethasone Sodium Phosphate | 95 | Diltiazem HCl ER Beads | 67 | Dronabinol | 45 |
| Dexlansoprazole | 79 | Diltiazem HCl ER Coated Beads | 67 | Drospirenone -Ethinyl Estradiol | 83 |
| Dexmethylphenidate HCl | 71 | Dimethyl Fumarate | 72 | Droxia | 49 |
| Dexmethylphenidate HCl ER | 71 | Dimethyl Fumarate Starter Pack | 72 | Droxidopa | 66 |
| Dextroamphetamine Sulfate | 71 | Diphenoxylate -Atropine | 78 | Duavee | 83 |

| | | | | | |
|---|-----|----------------------------|----|--|----|
| Dulera | 100 | Enbrel | 90 | Errin | 86 |
| Duloxetine HCl | 72 | Enbrel Mini | 90 | Ertapenem Sodium | 39 |
| Dupixent | 89 | Enbrel SureClick | 90 | Ery | 76 |
| Dutasteride | 81 | Endari | 76 | Erythrocin Lactobionate | 39 |
| Dutasteride -Tamsulosin HCl | 81 | Endocet | 35 | Erythrocin Stearate | 39 |
| E | | | | | |
| Econazole Nitrate | 75 | Engerix -B | 92 | Erythromycin | 95 |
| Edarbi | 66 | EnilloRing | 83 | Erythromycin Base | 39 |
| Edarbyclor | 68 | Enoxaparin Sodium | 64 | Erythromycin Ethylsuccinate | 39 |
| Edurant | 58 | Enpresse -28 | 83 | Escitalopram Oxalate | 44 |
| Efavirenz | 58 | Enskyce | 83 | Esomeprazole Magnesium . . | 79 |
| Efavirenz -Emtricitabine -Tenofovir | 58 | Enstilar | 75 | Estarylla | 83 |
| Efavirenz -Lamivudine -Tenofovir | 58 | Entacapone | 54 | Estradiol | 83 |
| Egrifta SV | 82 | Entecavir | 57 | Estradiol Valerate | 83 |
| Elestrin | 83 | Entresto | 68 | Estradiol -Norethindrone Acetate | 83 |
| Eligard | 87 | Enulose | 78 | Estring | 83 |
| Eliquis | 64 | Envarsus XR | 90 | Ethambutol HCl | 48 |
| Eliquis Starter Pack | 64 | Epclusa | 57 | Ethosuximide | 42 |
| Elmiron | 81 | Epidiolex | 40 | Ethinodiol Diacetate -Ethinyl Estradiol | 83 |
| EluRyng | 83 | Epinastine HCl | 95 | Etodolac | 33 |
| Emcyt | 49 | Epinephrine | 98 | Etodolac ER | 33 |
| Emgality | 47 | Epitol | 43 | Etonogestrel -Ethinyl Estradiol | 83 |
| Emsam | 44 | Eplerenone | 69 | Etravirine | 58 |
| Emtricitabine | 58 | Epogen | 64 | Euthyrox | 87 |
| Emtricitabine -Tenofovir Disoproxil Fumarate | 58 | Eprontia | 40 | Everolimus | 90 |
| Emtriva | 58 | Equetro | 60 | Evotaz | 59 |
| Enalapril Maleate | 66 | Ergotamine -Caffeine | 47 | Exemestane | 50 |
| Enalapril -Hydrochlorothiazide | 68 | Erivedge | 50 | Exkivity | 50 |
| | | Erleada | 48 | Extavia | 72 |
| | | Erlotinib HCl | 50 | | |

| | | | | | |
|--------------------------------|-----|--------------------------------------|-----|-----------------------------------|----|
| Ezetimibe | 70 | Firmagon | 87 | Fosamprenavir Calcium | 59 |
| Ezetimibe -Simvastatin | 70 | Flac | 97 | Fosinopril Sodium | 66 |
| F | | | | | |
| Falmina | 83 | Flavoxate HCl | 80 | Fosinopril Sodium -HCTZ | 68 |
| Famciclovir | 57 | Flecainide Acetate | 66 | Fosrenol | 78 |
| Famotidine | 79 | Fluconazole | 46 | Fotivda | 48 |
| Fanapt | 55 | Fluconazole in Sodium Chloride | 46 | Fruzaqla | 50 |
| Fanapt Titration Pack | 55 | Flucytosine | 46 | Fulphila | 64 |
| Farxiga | 60 | Fludrocortisone Acetate | 81 | Furosemide | 69 |
| Fasenra Pen | 100 | Flunisolide | 97 | Fuzeon | 59 |
| Febuxostat | 47 | Fluocinolone Acetonide | 97 | Fyavolv | 84 |
| Felbamate | 40 | Fluocinolone Acetonide Scalp | 74 | Fycompa | 41 |
| Felodipine ER | 67 | Fluocinonide | 74 | Fylintra | 65 |
| Fenofibrate | 69 | Fluocinonide Emulsified Base | 74 | G | |
| Fenofibrate Micronized | 69 | Fluorometholone | 96 | Gabapentin | 42 |
| Fenofibric Acid | 69 | Fluorouracil | 75 | Galantamine Hydrobromide | 43 |
| Fentanyl | 34 | Fluoxetine HCl | 44 | Galantamine Hydrobromide ER | 43 |
| Fentanyl Citrate | 35 | Fluphenazine Decanoate | 54 | Gammagard | 88 |
| Fesoterodine Fumarate ER | 80 | Fluphenazine HCl | 54 | Gammagard S/D Less IgA | 88 |
| Fetzima | 44 | Flurbiprofen | 33 | Gammaked | 88 |
| Fetzima Titration | 44 | Flurbiprofen Sodium | 96 | Gammaplex | 88 |
| Fiasp | 62 | Fluticasone Propionate | 97 | Gamunex -C | 88 |
| Fiasp FlexTouch | 62 | Fluticasone -Salmeterol | 100 | Gardasil 9 | 92 |
| Fiasp PenFill | 62 | Fluvastatin Sodium | 69 | Gatifloxacin | 95 |
| Finasteride | 81 | Fluvastatin Sodium ER | 69 | Gattex | 79 |
| Fingolimod HCl | 72 | Fluvoxamine Maleate | 44 | Gauze | 94 |
| Fintepla | 40 | Fluvoxamine Maleate ER | 44 | GaviLyte -C | 79 |
| Finzala | 84 | Fondaparinux Sodium | 64 | GaviLyte -G | 79 |
| Firdapse | 71 | Formoterol Fumarate | 98 | Gavreto | 50 |
| | | Forteo | 93 | Gefitinib | 50 |

| | | | | | | |
|---|----|--|-----|---|----|--|
| Gemfibrozil | 69 | Guanfacine HCl | 66 | Humira Pen Crohn's Disease/Ulcerative Colitis/Hidradenitis Suppurativa Starter | 90 | |
| Gemtesa | 81 | Guanfacine HCl ER | 71 | Humira Pen Psoriasis Starter | 90 | |
| Generlac | 78 | Gvoke HypoPen 2 -Pack | 62 | Humira Pen Psoriasis/Uveitis Starter | 91 | |
| Gengraf | 90 | Gvoke Kit | 62 | Humira Pen -Pediatric UC Start | 90 | |
| Genotropin | 82 | Gvoke PFS | 62 | | | |
| Genotropin MiniQuick | 82 | H | | | | |
| Gentamicin Sulfate | 95 | Haegarda | 88 | Humulin 70/30 | 62 | |
| Gentamicin Sulfate -0.9% Sodium Chloride | 36 | Hailey 24 Fe | 84 | Humulin 70/30 KwikPen | 62 | |
| Genvoya | 57 | Halobetasol Propionate | 74 | Humulin N | 62 | |
| Gilenya | 72 | Haloette | 84 | Humulin N KwikPen | 62 | |
| Gilotrif | 50 | Haloperidol | 54 | Humulin R | 62 | |
| Glatiramer Acetate | 72 | Haloperidol Decanoate | 54 | Humulin R U -500 | 62 | |
| Glatopa | 72 | Haloperidol Lactate | 54 | Humulin R U -500 KwikPen . | 62 | |
| Gleostine | 48 | Harvoni | 57 | Hydralazine HCl | 70 | |
| Glimepiride | 60 | Havrix | 92 | Hydrochlorothiazide | 69 | |
| Glipizide | 60 | Heparin Sodium | 64 | Hydrocodone -Acetaminophen | 35 | |
| Glipizide ER | 60 | Heplisav -B | 92 | Hydrocodone -Ibuprofen | 35 | |
| Glipizide -Metformin HCl | 60 | Hetlioz LQ | 100 | Hydrocortisone | 93 | |
| GlucaGen HypoKit | 62 | Hiberix | 92 | Hydrocortisone Butyrate | 74 | |
| Glucagon | 62 | Humalog | 62 | Hydrocortisone Valerate | 74 | |
| Glyburide | 60 | Humalog Junior KwikPen | 62 | Hydrocortisone -Acetic Acid | 97 | |
| Glyburide Micronized | 60 | Humalog KwikPen | 62 | Hydromorphone HCl | 35 | |
| Glyburide -Metformin | 61 | Humalog Mix 50/50 KwikPen | 62 | Hydromorphone HCl ER | 34 | |
| Glycopyrrolate | 79 | Humalog Mix 75/25 | 62 | Hydromorphone HCl Preservative Free | 35 | |
| Glyxambi | 61 | Humalog Mix 75/25 KwikPen | 62 | Hydroxychloroquine Sulfate . | 53 | |
| Granisetron HCl | 45 | Humatrope | 82 | Hydroxyurea | 49 | |
| Granix | 65 | Humira | 90 | Hydroxyzine HCl | 59 | |
| Griseofulvin Microsize | 46 | Humira Pediatric Crohns Start | 90 | Hydroxyzine Pamoate | 60 | |
| Griseofulvin Ultramicrosize ... | 46 | | | | | |

| I | | | | | |
|----------------------------|----|---|-----|------------------------------|----|
| IDHIFA | 49 | Inrebic | 51 | Isoniazid | 48 |
| IPOL | 92 | Insulin Aspart | 63 | Isosorbide Dinitrate | 70 |
| Ibandronate Sodium | 94 | Insulin Aspart FlexPen | 63 | Isosorbide Mononitrate | 70 |
| Ibrance | 50 | Insulin Aspart PenFill | 63 | Isosorbide Mononitrate ER .. | 70 |
| Ibu | 33 | Insulin Aspart Prot & Aspart .. | 63 | Isotretinoin | 73 |
| Ibuprofen | 33 | Insulin Aspart Prot & Aspart FlexPen | 63 | Isradipine | 67 |
| Icatibant Acetate | 88 | Insulin Lispro | 63 | Isturisa | 87 |
| Iclevia | 84 | Insulin Lispro Junior KwikPen | 63 | Itraconazole | 46 |
| Iclusig | 50 | Insulin Lispro Prot & Lispro .. | 63 | Ivermectin | 53 |
| Icosapent Ethyl | 70 | Insulin Syringes, Needles. | 94 | Iwilfin | 49 |
| Ilevro | 96 | Intelence | 58 | Ixiaro | 92 |
| Imatinib Mesylate | 50 | Intralipid | 76 | J | |
| Imbruvica | 51 | Introvale | 84 | Jakafi | 51 |
| Imipenem -Cilastatin | 39 | Invega Hafyera | 55 | Jantoven | 64 |
| Imipramine HCl | 45 | Invega Sustenna | 55 | Janumet | 61 |
| Imipramine Pamoate | 45 | Invega Trinza | 55 | Janumet XR | 61 |
| Imiquimod | 75 | Invokamet | 61 | Januvia | 61 |
| Imovax Rabies | 92 | Invokamet XR | 61 | Jardiance | 61 |
| Impavido | 53 | Invokana | 61 | Jasmiel | 84 |
| Incassia | 86 | Ipratropium Bromide | 97 | Jaypirca | 51 |
| Increlex | 82 | Ipratropium -Albuterol | 100 | Jentaduetto | 61 |
| Incruse Ellipta | 97 | Irbesartan | 66 | Jentaduetto XR | 61 |
| Indapamide | 69 | Irbesartan -Hydrochlorothiazide | 68 | Jinteli | 84 |
| Indomethacin | 33 | Iressa | 51 | Joyeaux | 84 |
| Indomethacin ER | 33 | Isentress | 57 | Juleber | 84 |
| Infanrix | 92 | Isentress HD | 57 | Juluca | 57 |
| Inlyta | 51 | Isibloom | 84 | Junel 1.5/30 | 84 |
| Inqovi | 51 | Isolyte -P in D5W | 76 | Junel 1/20 | 84 |
| | | Isolyte -S pH 7.4 | 76 | Junel Fe 1.5/30 | 84 |

| | | | | | |
|---------------------------------------|----|---|----|---|----|
| Junel Fe 1/20 | 84 | Kourzeq | 72 | Ledipasvir -Sofosbuvir | 57 |
| Junel Fe 24 | 84 | Krazati | 49 | Leena | 84 |
| Juxtapid | 70 | Krintafel | 53 | Leflunomide | 91 |
| Jynneos | 92 | Kurvelo | 84 | Lenalidomide | 48 |
| K | | L | | Lenvima 10MG Daily Dose .. | 51 |
| KCl in Dextrose -NaCl | 76 | LARIN 1.5/30 | 84 | Lenvima 12MG Daily Dose .. | 51 |
| KCl -Lactated Ringers -D5W | 76 | LARIN 1/20 | 84 | Lenvima 14MG Daily Dose .. | 51 |
| Kaitlib Fe | 84 | LARIN Fe 1.5/30 | 84 | Lenvima 18MG Daily Dose .. | 51 |
| Kalydeco | 98 | LARIN Fe 1/20 | 84 | Lenvima 20MG Daily Dose .. | 51 |
| Kariva | 84 | Labetalol HCl | 67 | Lenvima 24MG Daily Dose .. | 51 |
| Kelnor 1/35 | 84 | Lacosamide | 43 | Lenvima 4MG Daily Dose | 51 |
| Kelnor 1/50 | 84 | Lactulose | 78 | Lenvima 8MG Daily Dose | 51 |
| Kerendia | 68 | Lagevrio | 94 | Lessina | 84 |
| Kesimpta | 72 | Lamivudine | 58 | Letrozole | 50 |
| Ketoconazole | 76 | Lamivudine -Zidovudine | 58 | Leucovorin Calcium | 53 |
| Ketoprofen | 33 | Lamotrigine | 41 | Leukeran | 48 |
| Ketorolac Tromethamine | 96 | Lamotrigine ER | 41 | Leukine | 65 |
| Kevzara | 89 | Lamotrigine ODT | 41 | Leuprolide Acetate | 87 |
| Kineret | 89 | Lamotrigine Starter Kit -Blue | 41 | Levalbuterol HCl | 98 |
| Kinrix | 92 | Lamotrigine Starter Kit -Green | 41 | Levemir | 63 |
| Kisqali | 51 | Lamotrigine Starter Kit -Orange | 41 | Levemir FlexPen | 63 |
| Kisqali Femara | 51 | Lampit | 53 | Levetiracetam | 41 |
| Klor -Con 10 | 76 | Lansoprazole | 79 | Levetiracetam ER | 41 |
| Klor -Con 8 | 77 | Lanthanum Carbonate | 78 | Levobunolol HCl | 96 |
| Klor -Con M10 | 77 | Lantus | 63 | Levocarnitine | 80 |
| Klor -Con M15 | 77 | Lantus SoloStar | 63 | Levocetirizine Dihydrochloride | 97 |
| Klor -Con M20 | 77 | Lapatinib Ditosylate | 51 | Levofloxacin | 95 |
| Korlym | 82 | Latanoprost | 96 | Levofloxacin in D5W | 40 |
| Koselugo | 51 | Layolis Fe | 84 | Levonest | 84 |

| | | | | | |
|---|-----|--|-----|--|----|
| Metformin HCl | 61 | Microgestin 1/20 | 85 | Myalept | 79 |
| Metformin HCl ER | 61 | Microgestin 24 Fe | 85 | Mycophenolate Mofetil | 91 |
| Methadone HCl | 34 | Microgestin Fe 1.5/30 | 85 | Mycophenolate Sodium | 91 |
| Methazolamide | 96 | Microgestin Fe 1/20 | 85 | Myrbetriq | 81 |
| Methenamine Hippurate | 37 | Midodrine HCl | 66 | N | |
| Methimazole | 88 | Migergot | 47 | Nabumetone | 33 |
| Methocarbamol | 100 | Miglustat | 80 | Nadolol | 67 |
| Methotrexate Sodium | 91 | Mili | 85 | Nafcillin Sodium | 39 |
| Methoxsalen Rapid | 75 | Mimvey | 85 | Naloxone HCl | 36 |
| Methscopolamine Bromide | 79 | Minocycline HCl | 40 | Naltrexone HCl | 35 |
| Methsuximide | 42 | Minoxidil | 70 | Namzaric | 43 |
| Methylphenidate HCl | 71 | Mirtazapine | 44 | Naproxen | 33 |
| Methylphenidate HCl CD | 71 | Mirtazapine ODT | 44 | Naproxen DR | 33 |
| Methylphenidate HCl ER | 71 | Misoprostol | 79 | Naproxen Sodium | 33 |
| Methylphenidate HCl ER Osmotic Release | 71 | Mitigare | 47 | Naratriptan HCl | 47 |
| Methylphenidate HCl LA | 71 | Modafinil | 101 | Natacyn | 95 |
| Methylprednisolone | 81 | Moexipril HCl | 66 | Nateglinide | 61 |
| Metoclopramide HCl | 45 | Molindone HCl | 54 | Natpara | 94 |
| Metolazone | 69 | Mometasone Furoate | 97 | Nayzilam | 42 |
| Metoprolol Succinate ER | 67 | Montelukast Sodium | 97 | Nebivolol HCl | 67 |
| Metoprolol Tartrate | 67 | Morphine Sulfate | 35 | Necon 0.5/35 | 85 |
| Metoprolol -Hydrochlorothiazide | 68 | Morphine Sulfate ER | 34 | Nefazodone HCl | 44 |
| Metronidazole | 37 | Mounjaro | 61 | Neo -Polycin | 95 |
| Metyrosine | 68 | Movantik | 78 | Neo -Polycin HC | 95 |
| Mexiletine HCl | 66 | Moxifloxacin HCl | 95 | Neomycin Sulfate | 36 |
| Mibelas 24 Fe | 85 | Moxifloxacin HCl in NaCl | 40 | Neomycin -Bacitracin -Polymyxin | 95 |
| Micafungin Sodium | 46 | Multaq | 66 | Neomycin -Polymyxin -Bacitracin -Hydrocortisone | 94 |
| Miconazole 3 | 46 | Multiple Electrolytes Type 1 pH 5.5 | 77 | Neomycin -Polymyxin -Dexamethasone | 94 |
| Microgestin 1.5/30 | 85 | Mupirocin | 76 | Neomycin -Polymyxin -Gramicidin | 95 |

| | | |
|--|---|---------------------------------|
| Neomycin -Polymyxin -HC97 | Nitroglycerin70 | Novolin R FlexPen63 |
| Nerlynx51 | Nitrostat70 | Noxafil46 |
| Neuac73 | Nivestym65 | Nubeqa48 |
| Neulasta65 | Nizatidine79 | Nucala100 |
| Neupogen65 | Nora -BE87 | Nucynta35 |
| Neupro54 | Norelgestromin -Ethinyl Estradiol85 | Nucynta ER34 |
| Nevirapine58 | Norethindrone87 | Nuedexta71 |
| Nevirapine ER58 | Norethindrone Acetate87 | Nuplazid55 |
| Nexium80 | Norethindrone Acetate -Ethinyl Estradiol85 | Nurtec ODT47 |
| Nexletol70 | Norethindrone Acetate -Ethinyl Estradiol -Fe85 | Nutrilipid77 |
| Nexlizet70 | Norethindrone -Ethinyl Estradiol -Fe85 | Nyamyc76 |
| Nexplanon87 | Norgestimate -Ethinyl Estradiol85 | Nylia 1/3585 |
| Niacin70 | Norgestimate -Ethinyl Estradiol Triphasic85 | Nylia 7/7/785 |
| Niacin ER70 | Nortrel 0.5/3585 | Nymyo85 |
| Niacor70 | Nortrel 1/3585 | Nystatin76 |
| Nicotrol36 | Nortrel 7/7/785 | Nystatin -Triamcinolone75 |
| Nicotrol NS36 | Nortriptyline HCl45 | Nystop76 |
| Nifedipine ER67 | Norvir59 | Nyvepria65 |
| Nifedipine ER Osmotic Release67 | NovoLog63 | O |
| Nikki85 | NovoLog FlexPen63 | Ocella85 |
| Nilutamide48 | NovoLog Mix 70/3063 | Octagam88 |
| Nimodipine67 | NovoLog Mix 70/30 FlexPen63 | Octreotide Acetate88 |
| Ninlaro49 | NovoLog PenFill63 | Odefsey58 |
| Nitazoxanide53 | Novolin 70/3063 | Odomzo51 |
| Nitisinone80 | Novolin 70/30 FlexPen63 | Ofev99 |
| Nitro -Bid70 | Novolin N63 | Ofloxacin97 |
| Nitrofurantoin37 | Novolin N FlexPen63 | Ogsiveo49 |
| Nitrofurantoin Macrocrystal ..37 | Novolin R63 | Ojjaara51 |
| Nitrofurantoin Monohydrate .37 | | Olanzapine55 |

| | | | | | |
|---|----|---|----|---|----|
| Olanzapine ODT | 55 | Oxaprozin | 33 | Penicillin G Potassium | 39 |
| Olanzapine -Fluoxetine HCl .. | 44 | Oxazepam | 60 | Penicillin G Potassium in Dextrose | 39 |
| Olmesartan Medoxomil | 66 | Oxcarbazepine | 43 | Penicillin G Sodium | 39 |
| Olmesartan Medoxomil -HCTZ | 68 | Oxtellar XR | 43 | Penicillin V Potassium | 39 |
| Olmesartan -Amlodipine -HCTZ | 68 | OxyContin | 34 | Pentacel | 92 |
| Omega -3 -Acid Ethyl Esters | 70 | Oxybutynin Chloride | 81 | Pentamidine Isethionate | 53 |
| Omeprazole | 80 | Oxybutynin Chloride ER | 81 | Pentoxifylline ER | 68 |
| Omnitrope | 82 | Oxycodone HCl | 35 | Perindopril Erbumine | 66 |
| Ondansetron HCl | 46 | Oxycodone -Acetaminophen | 35 | Periogard | 72 |
| Ondansetron ODT | 46 | Oxymorphone HCl | 35 | Permethrin | 75 |
| Onureg | 49 | Oxymorphone HCl ER | 34 | Perphenazine | 45 |
| Opsumit | 99 | Ozempic | 61 | Perphenazine -Amitriptyline . | 44 |
| Orencia | 89 | P | | Perseris | 55 |
| Orencia ClickJect | 89 | PEG -3350 -Electrolytes | 79 | Phenelzine Sulfate | 44 |
| Orenitram | 99 | PEG -3350 -NaCl -Na Bicarbonate -KCl | 79 | Phenobarbital | 42 |
| Orenitram Month 1 | 99 | Paliperidone ER | 55 | Phenytek | 43 |
| Orenitram Month 2 | 99 | Panretin | 53 | Phenytoin | 43 |
| Orenitram Month 3 | 99 | Pantoprazole Sodium | 80 | Phenytoin Sodium Extended | 43 |
| Orfadin | 80 | Panzyga | 88 | Pifeltro | 58 |
| Orgovyx | 88 | Paricalcitol | 94 | Pilocarpine HCl | 96 |
| Orkambi | 98 | Paroxetine HCl | 44 | Pimecrolimus | 74 |
| Orserdu | 49 | Paxlovid | 94 | Pimozide | 55 |
| Oseltamivir Phosphate | 59 | Pazopanib HCl | 52 | Pimtrea | 85 |
| Osphena | 87 | Pediarix | 92 | Pindolol | 67 |
| Otezla | 89 | Pedvax HIB | 92 | Pioglitazone HCl | 61 |
| Otrexup | 91 | Pegasys | 90 | Pioglitazone HCl -Metformin HCl | 61 |
| Oxacillin Sodium | 39 | Pemazyre | 49 | Piperacillin -Tazobactam . | 39 |
| Oxacillin Sodium in Dextrose | 39 | Penbraya | 92 | Piqray | 52 |
| | | Penicillamine | 81 | Pirfenidone | 99 |

| | | | | | |
|---|----|-------------------------------------|----|------------------------------|----|
| Piroxicam | 34 | Prednisolone Sodium Phosphate | 96 | Prolia | 94 |
| Plasma -Lyte 148 | 77 | Prednisone | 82 | Promacta | 65 |
| Plasma -Lyte A | 77 | Prednisone Intensol | 81 | Promethazine HCl | 45 |
| Plegridy | 72 | Pregabalin | 72 | Propafenone HCl | 66 |
| Plenamaine | 77 | Premarin | 85 | Propafenone HCl ER | 66 |
| Podofilox | 75 | Premasol | 77 | Propranolol HCl | 67 |
| Polycin | 95 | Prenatal | 78 | Propranolol HCl ER | 67 |
| Polymyxin B Sulfate | 37 | Prevalite | 70 | Propylthiouracil | 88 |
| Polymyxin B -Trimethoprim .. | 95 | Prevymis | 56 | Prosol | 77 |
| Pomalyst | 48 | Prezcobix | 59 | Protriptyline HCl | 45 |
| Portia -28 | 85 | Prezista | 59 | Pulmozyme | 98 |
| Posaconazole | 46 | Priftin | 48 | Purixan | 49 |
| Potassium Chloride | 77 | Primaquine Phosphate .. | 53 | Pylera | 79 |
| Potassium Chloride ER | 77 | Primidone | 42 | Pyrazinamide | 48 |
| Potassium Chloride Microencapsulated ER | 77 | Priorix | 92 | Pyridostigmine Bromide | 47 |
| Potassium Chloride in Dextrose 5% | 77 | Privigen | 88 | Pyridostigmine Bromide ER .. | 47 |
| Potassium Chloride in NaCl .. | 77 | ProAir RespiClick | 98 | Pyrimethamine | 53 |
| Potassium Citrate ER | 77 | ProQuad | 92 | Pyrukynd | 65 |
| Pradaxa | 64 | Probenecid | 47 | Pyrukynd Taper Pack | 65 |
| Praluent | 70 | Prochlorperazine | 45 | | |
| Pramipexole Dihydrochloride .. | 54 | Prochlorperazine Maleate .. | 45 | Q | |
| Prasugrel HCl | 65 | Procrit | 65 | Qinlock | 48 |
| Pravastatin Sodium | 69 | Procto -Med HC | 93 | Quadracel | 92 |
| Praziquantel | 53 | Proctosol HC | 93 | Quetiapine Fumarate | 55 |
| Prazosin HCl | 66 | Proctozone -HC | 93 | Quetiapine Fumarate ER | 55 |
| PreHevbrio | 92 | Progesterone | 87 | Quillivant XR | 71 |
| Prednisolone | 81 | Prograf | 91 | Quinapril HCl | 66 |
| Prednisolone Acetate | 96 | Prolastin -C | 80 | Quinidine Gluconate ER | 66 |
| | | Prolensa | 96 | Quinidine Sulfate | 66 |
| | | | | Quinine Sulfate | 53 |

| | | | | | |
|-------------------------------------|-----|-----------------------------------|----|-----------------------------------|----|
| Qulipta | 47 | Restasis MultiDose | 95 | Rocklatan | 95 |
| Quviviq | 71 | Restasis Single -Use Vials | 95 | Roflumilast | 98 |
| Qvar RediHaler | 97 | Retacrit | 65 | Ropinirole HCl | 54 |
| R | | | | | |
| RabAvert | 92 | Retevmo | 49 | Ropinirole HCl ER | 54 |
| Rabeprazole Sodium | 80 | Revcovi | 80 | Rosuvastatin Calcium | 69 |
| Raloxifene HCl | 87 | Revlimid | 48 | RotaTeq | 92 |
| Ramelteon | 100 | Rexulti | 56 | Rotarix | 92 |
| Ramipril | 66 | Reyataz | 59 | Roweepra | 41 |
| Ranolazine ER | 68 | Rezlidhia | 52 | Rozlytrek | 52 |
| Rasagiline Mesylate | 54 | Rezurock | 91 | Rubraca | 52 |
| Rasuvo | 91 | Rhopressa | 96 | Rufinamide | 43 |
| Ravicti | 80 | Ribavirin | 57 | Rukobia | 59 |
| Rayaldee | 94 | Ridaura | 89 | Rybelsus | 61 |
| Rebif | 72 | Rifabutin | 48 | Rydapt | 52 |
| Rebif Rebidose | 72 | Rifampin | 48 | Rytary | 54 |
| Rebif Rebidose Titration Pack | 72 | Riluzole | 71 | S | |
| Rebif Titration Pack | 72 | Rimantadine HCl | 59 | SPS | 78 |
| Reclipsen | 85 | Rinvoq | 89 | SSD | 75 |
| Recombivax HB | 92 | Risedronate Sodium | 94 | Sajazir | 88 |
| Rectiv | 70 | Risperdal Consta | 56 | Sancuso | 46 |
| Regranex | 75 | Risperidone | 56 | Sandimmune | 91 |
| Relenza Diskhaler | 59 | Risperidone Microspheres ER | 56 | Santyl | 75 |
| Releuko | 65 | Risperidone ODT | 56 | Sapropterin Dihydrochloride | 80 |
| Relistor | 78 | Ritonavir | 59 | Savella | 72 |
| Repaglinide | 61 | Rivastigmine | 43 | Savella Titration Pack | 72 |
| Repatha | 70 | Rivastigmine Tartrate | 43 | Saxagliptin HCl | 61 |
| Repatha Pushtronex System | 70 | Rivelsa | 85 | Saxagliptin -Metformin ER | 61 |
| Repatha SureClick | 70 | Rizatriptan Benzoate | 47 | Scemblix | 52 |
| | | Rizatriptan Benzoate ODT | 47 | Scopolamine | 45 |

| | | | | |
|-------------------------------|-----|--|-----|--|
| Secuado | 56 | Sodium Phenylbutyrate | 80 | Subvenite Starter Kit -Green .41 |
| Selegiline HCl | 54 | Sodium Polystyrene Sulfonate | 78 | Subvenite Starter Kit -Orange |
| Selenium Sulfide | 74 | Sodium Sulfate -Potassium Sulfate -Magnesium Sulfate | 79 | Sucraid |
| Selzentry | 59 | Sofosbuvir -Velpatasvir | 57 | Sucralfate |
| Serevent Diskus | 98 | Solifenacin Succinate | 81 | Sulfacetamide Sodium |
| Serostim | 82 | Soliqua | 61 | Sulfacetamide -Prednisolone |
| Sertraline HCl | 44 | Soltamox | 49 | Sulfadiazine |
| Setlakin | 85 | Somavert | 88 | Sulfamethoxazole -Trimethoprim |
| Sevelamer Carbonate | 78 | Sorafenib Tosylate | 52 | Sulfasalazine |
| Sevelamer HCl | 78 | Sorine | 66 | Sulindac |
| Sharobel | 87 | Sotalol HCl | 67 | Sumatriptan |
| Shingrix | 92 | Spiriva HandiHaler | 97 | Sumatriptan Succinate |
| Signifor | 88 | Spiriva Respimat | 97 | Sunitinib Malate |
| Sildenafil Citrate | 99 | Spirolactone | 69 | Sunlenca |
| Silodosin | 81 | Spirolactone -HCTZ | 68 | Sutab |
| Silver Sulfadiazine | 75 | Sprintec 28 | 86 | Syeda |
| Simbrinza | 96 | Spritam ODT | 41 | Symbicort |
| Simponi | 91 | Sprix | 34 | Symdeko |
| Simvastatin | 69 | Sprycel | 52 | SymlinPen 120 |
| Sirolimus | 91 | Sronyx | 86 | SymlinPen 60 |
| Sirturo | 48 | Stelara | 89 | Sympazan |
| Sivextro | 37 | Stimufend | 65 | Symtuza |
| Skyclarys | 71 | Stiolto Respimat | 100 | Syndros |
| Skyrizi | 89 | Stivarga | 52 | Synjardy |
| Skyrizi Pen | 89 | Streptomycin Sulfate | 36 | Synjardy XR |
| Slynd | 87 | Stribild | 57 | Synthroid |
| Sodium Chloride | 77 | Striverdi Respimat | 98 | |
| Sodium Fluoride | 77 | Subvenite | 41 | T |
| Sodium Oxybate | 101 | Subvenite Starter Kit -Blue | 41 | TDVAX |
| | | | | TPN Electrolytes |

| | | | | | |
|--|-----|---|----|--------------------------------------|----|
| Tabloid | 49 | Terconazole | 46 | Tobi Podhaler | 98 |
| Tabrecta | 48 | Teriflunomide | 72 | TobraDex | 95 |
| Tacrolimus | 91 | Teriparatide | 94 | Tobramycin | 98 |
| Tadalafil | 99 | Testosterone | 82 | Tobramycin Sulfate | 36 |
| Tafinlar | 52 | Testosterone Cypionate | 82 | Tobramycin -Dexamethasone | 95 |
| Tagrisso | 52 | Testosterone Enanthate | 82 | Tobrex | 95 |
| Talzenna | 52 | Testosterone Pump | 82 | Tolcapone | 54 |
| Tamoxifen Citrate | 49 | Tetrabenazine | 72 | Tolterodine Tartrate | 81 |
| Tamsulosin HCl | 81 | Tetracycline HCl | 40 | Tolterodine Tartrate ER | 81 |
| Tarina 24 Fe | 86 | Thalomid | 48 | Tolvaptan | 78 |
| Tarina Fe 1/20 EQ | 86 | Theophylline | 99 | Topiramate | 41 |
| Tasigna | 52 | Theophylline ER | 99 | Topiramate ER | 41 |
| Tasimelteon | 100 | Thioridazine HCl | 55 | Toremifene Citrate | 49 |
| Tazarotene | 73 | Thiothixene | 55 | Torseamide | 69 |
| Tazicef | 38 | Tiadyt ER | 67 | Toujeo Max SoloStar | 63 |
| Taztia XT | 67 | Tiagabine HCl | 42 | Toujeo SoloStar | 64 |
| Tazverik | 49 | Tibsovo | 52 | Tovet | 74 |
| Teflaro | 38 | Ticovac | 93 | Tracleer | 99 |
| Tegsedi | 80 | Tigecycline | 37 | Tradjenta | 61 |
| Telmisartan | 66 | Tilia Fe | 86 | Tramadol HCl | 35 |
| Telmisartan -Amlodipine | 68 | Timolol Maleate | 96 | Tramadol HCl ER | 34 |
| Telmisartan -HCTZ | 68 | Timolol Maleate Ophthalmic Gel Forming | 96 | Tramadol -Acetaminophen . | 35 |
| Temazepam | 100 | Timolol Maleate PF | 96 | Trandolapril | 66 |
| Tenivac | 93 | Tinidazole | 37 | Tranexamic Acid | 65 |
| Tenofovir Disoproxil Fumarate | 58 | Tiopronin | 81 | Tranylcypromine Sulfate | 44 |
| Tepmetko | 52 | Tiotropium Bromide Monohydrate | 97 | Travasol | 77 |
| Terazosin HCl | 81 | Tivicay | 57 | Travoprost | 96 |
| Terbinafine HCl | 46 | Tivicay PD | 57 | Trazodone HCl | 44 |
| Terbutaline Sulfate | 98 | Tizanidine HCl | 56 | Trecator | 48 |

| | | | | | |
|-------------------------------|-----|----------------------------|----|---|----|
| Trelegy Ellipta | 100 | Trintellix | 44 | Ursodiol | 79 |
| Trelstar Mixject | 88 | Triumeq | 58 | V | |
| Tremfya | 89 | Triumeq PD | 58 | Valacyclovir HCl | 57 |
| Tresiba | 64 | Trivora | 86 | Valchlor | 48 |
| Tresiba FlexTouch | 64 | Trizivir | 58 | Valganciclovir HCl | 56 |
| Tretinoin | 73 | Trokendi XR | 41 | Valproic Acid | 41 |
| Trexall | 91 | TrophAmine | 77 | Valsartan | 66 |
| Tri -Estarylla | 86 | Trospium Chloride | 81 | Valsartan -Hydrochlorothiazide | 69 |
| Tri -Legest Fe | 86 | Trospium Chloride ER | 81 | Valtoco 10MG Dose | 42 |
| Tri -Lo -Estarylla | 86 | Trulicity | 61 | Valtoco 15MG Dose | 42 |
| Tri -Lo -Sprintec | 86 | Trumenba | 93 | Valtoco 20MG Dose | 42 |
| Tri -Mili | 86 | Truqap | 52 | Valtoco 5MG Dose | 42 |
| Tri -Nymyo | 86 | Tudorza Pressair | 98 | Vancomycin HCl | 37 |
| Tri -Sprintec | 86 | Tukysa | 49 | Vanflyta | 52 |
| Tri -VyLibra | 86 | Turalio | 52 | Vaqta | 93 |
| Tri -VyLibra Lo | 86 | Turqoz | 86 | Varenicline Tartrate | 36 |
| Triamcinolone Acetonide | 75 | Twinrix | 93 | Varivax | 93 |
| Triamterene | 69 | Tyblume | 86 | Vascepa | 70 |
| Triamterene -HCTZ | 68 | Tybost | 59 | Velivet | 86 |
| Triderm | 75 | Tydemy | 86 | Velphoro | 78 |
| Trientine HCl | 78 | Tymlos | 94 | Veltassa | 78 |
| Trifluoperazine HCl | 55 | Typhim VI | 93 | Vemlidy | 57 |
| Trifluridine | 95 | Tyrvaya | 95 | Venclexta | 52 |
| Trihexyphenidyl HCl | 53 | U | | Venclexta Starting Pack | 52 |
| Trijardy XR | 61 | Ubrelvy | 47 | Venlafaxine Besylate ER | 45 |
| Trikafta | 98 | Udenyca | 65 | Venlafaxine HCl | 45 |
| Trimethobenzamide HCl | 45 | Unithroid | 87 | Venlafaxine HCl ER | 45 |
| Trimethoprim | 37 | Uptravi | 99 | Ventavis | 99 |
| Trimipramine Maleate | 45 | Uptravi Titration | 99 | Ventolin HFA | 98 |

| | | | | | |
|----------------------------|----|--------------------------------|-----|--------------------------------|-----|
| Verapamil HCl | 68 | Vyndaqel | 80 | Yuflyma | 91 |
| Verapamil HCl ER | 67 | Vyzulta | 96 | Yuvaferm | 86 |
| Verquvo | 70 | W | | Z | |
| Versacloz | 56 | Warfarin Sodium | 64 | Zafemy | 86 |
| Verzenio | 52 | Welireg | 52 | Zafirlukast | 97 |
| Vestura | 86 | Wixela Inhub | 100 | Zaleplon | 100 |
| Viberzi | 78 | Wymzya Fe | 86 | Zarxio | 65 |
| Vibramycin | 40 | X | | Zejula | 52 |
| Victoza | 62 | Xalkori | 52 | Zelboraf | 52 |
| Vienna | 86 | Xarelto | 64 | Zenatane | 73 |
| Vigabatrin | 42 | Xarelto Starter Pack | 64 | Zenpep | 80 |
| Vigadrone | 42 | Xatmep | 91 | Zepatier | 57 |
| Vigpoder | 42 | Xcopri | 41 | Zerbaxa | 38 |
| Viiibryd | 45 | Xeljanz | 89 | Zidovudine | 58 |
| Vilazodone HCl | 45 | Xeljanz XR | 89 | Ziextenzo | 65 |
| Viracept | 59 | Xermelo | 78 | Ziprasidone HCl | 56 |
| Viread | 58 | Xgeva | 94 | Ziprasidone Mesylate | 56 |
| Vitrakvi | 52 | Xifaxan | 37 | Zirgan | 56 |
| Vivitrol | 35 | Xigduo XR | 62 | Zokinvy | 80 |
| Vizimpro | 52 | Xiidra | 95 | Zolinza | 49 |
| Vonjo | 49 | Xofluza | 59 | Zolmitriptan | 47 |
| Voriconazole | 46 | Xolair | 89 | Zolmitriptan ODT | 47 |
| Vosevi | 57 | Xospata | 52 | Zolpidem Tartrate | 101 |
| Votrient | 52 | Xpovio | 49 | Zonisade | 43 |
| Vowst | 79 | Xtampza ER | 34 | Zonisamide | 43 |
| Vraylar | 56 | Xtandi | 48 | Zovia 1/35 | 86 |
| VyLibra | 86 | Xulane | 86 | Ztalmy | 42 |
| Vyfemla | 86 | Xultophy | 62 | Zubsolv | 36 |
| Vyndamax | 80 | Y | | Zurzuvae | 44 |
| | | YF -VAX | 93 | | |

Zydelig53
Zykadia53
Zylet95
Zypitamag69
Zyprexa Relprew56

Covered drugs by category

The list below has information about the drugs covered by this plan. If you have trouble finding your drug, turn to the “Covered drugs by name (**Drug index**)” on pages 12-32.

The first column lists the drug name, which may include the dosage form and strength. BRAND NAME drugs are listed in CAPITALIZED type (for example, HUMALOG) and generic drugs are listed in plain type italic (for example, *Simvastatin*). The information in the “Coverage rules or limits on use” column lists any special requirements for coverage of your drug. If quantity limits (QL) apply to a drug, the restriction amounts are shown in the chart on pages 102-133.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| Analgesics | | |
| Nonsteroidal Anti-inflammatory Drugs | | |
| <i>Celecoxib (Oral Capsule)</i> | 1 | QL |
| <i>Diclofenac Potassium (50MG Oral Tablet)</i> | 1 | |
| <i>Diclofenac Sodium ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Diclofenac Sodium (1% External Gel)</i> | 1 | |
| <i>Diclofenac Sodium (Oral Tablet Delayed Release)</i> | 1 | |
| <i>Diclofenac-Misoprostol (Oral Tablet Delayed Release)</i> | 1 | |
| <i>Diflunisal (Oral Tablet)</i> | 1 | |
| <i>Etodolac ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Etodolac (Oral Capsule)</i> | 1 | |
| <i>Etodolac (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Flurbiprofen (100MG Oral Tablet)</i> | 1 | |
| <i>Ibu (600MG Oral Tablet, 800MG Oral Tablet)</i> | 1 | |
| <i>Ibuprofen (Oral Suspension)</i> | 1 | |
| <i>Ibuprofen (400MG Oral Tablet, 600MG Oral Tablet, 800MG Oral Tablet)</i> | 1 | |
| <i>Indomethacin ER (Oral Capsule Extended Release)</i> | 1 | HRM |
| <i>Indomethacin (25MG Oral Capsule Immediate Release, 50MG Oral Capsule Immediate Release)</i> | 1 | HRM |
| <i>Ketoprofen (25MG Oral Capsule Immediate Release, 50MG Oral Capsule Immediate Release)</i> | 1 | |
| <i>Ketorolac Tromethamine (Oral Tablet)</i> | 1 | HRM |
| <i>Mefenamic Acid (Oral Capsule)</i> | 1 | |
| <i>Meloxicam (Oral Tablet)</i> | 1 | |
| <i>Nabumetone (Oral Tablet)</i> | 1 | |
| <i>Naproxen (Oral Suspension)</i> | 1 | |
| <i>Naproxen (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Naproxen DR (Oral Tablet Delayed Release) (Generic EC-Naprosyn)</i> | 1 | |
| <i>Naproxen Sodium (275MG Oral Tablet Immediate Release, 550MG Oral Tablet Immediate Release)</i> | 1 | |
| <i>Oxaprozin (Oral Tablet)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Piroxicam (Oral Capsule)</i> | 1 | |
| SPRIX (NASAL SOLUTION) | 4 | |
| <i>Sulindac (Oral Tablet)</i> | 1 | |
| Opioid Analgesics, Long-acting | | |
| BELBUCA (150MCG BUCCAL FILM, 300MCG BUCCAL FILM, 450MCG BUCCAL FILM, 600MCG BUCCAL FILM, 75MCG BUCCAL FILM) | 3 | 7D; DL; QL |
| BELBUCA (750MCG BUCCAL FILM, 900MCG BUCCAL FILM) | 4 | 7D; DL; QL |
| <i>Buprenorphine (Transdermal Patch Weekly)</i> | 1 | 7D; DL; QL |
| <i>Fentanyl (Transdermal Patch 72 Hour)</i> | 1 | 7D; MME; DL; QL |
| <i>Hydromorphone HCl ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | 7D; MME; DL; QL |
| <i>Methadone HCl (Oral Solution)</i> | 1 | 7D; MME; DL; QL |
| <i>Methadone HCl (Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Morphine Sulfate ER (Oral Tablet Extended Release) (Generic MS Contin)</i> | 1 | 7D; MME; DL; QL |
| NUCYNTA ER (100MG ORAL TABLET EXTENDED RELEASE 12 HOUR, 150MG ORAL TABLET EXTENDED RELEASE 12 HOUR, 200MG ORAL TABLET EXTENDED RELEASE 12 HOUR, 250MG ORAL TABLET EXTENDED RELEASE 12 HOUR) | 4 | 7D; MME; DL; QL |
| NUCYNTA ER (50MG ORAL TABLET EXTENDED RELEASE 12 HOUR) | 3 | 7D; MME; DL; QL |
| OXYCONTIN (10MG ORAL TABLET ER 12 HOUR ABUSE-DETERRENT, 15MG ORAL TABLET ER 12 HOUR ABUSE-DETERRENT, 20MG ORAL TABLET ER 12 HOUR ABUSE-DETERRENT, 30MG ORAL TABLET ER 12 HOUR ABUSE-DETERRENT) | 2 | 7D; MME; DL; QL |
| OXYCONTIN (40MG ORAL TABLET ER 12 HOUR ABUSE-DETERRENT, 60MG ORAL TABLET ER 12 HOUR ABUSE-DETERRENT, 80MG ORAL TABLET ER 12 HOUR ABUSE-DETERRENT) | 4 | 7D; MME; DL; QL |
| <i>Oxymorphone HCl ER (Oral Tablet Extended Release 12 Hour)</i> | 1 | 7D; MME; DL; QL |
| <i>Tramadol HCl (ER Biphasic) (Oral Tablet Extended Release 24 Hour)</i> | 1 | 7D; MME; DL; QL |
| <i>Tramadol HCl ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | 7D; MME; DL; QL |
| XTAMPZA ER (ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT) | 2 | 7D; MME; DL; QL |
| Opioid Analgesics, Short-acting | | |
| <i>Acetaminophen-Caffeine-Dihydrocodeine (Oral Capsule)</i> | 1 | 7D; MME; DL; QL |
| <i>Acetaminophen-Codeine (120-12MG/5ML Oral Solution)</i> | 1 | 7D; MME; DL; QL |
| <i>Acetaminophen-Codeine (300-15MG Oral Tablet, 300-30MG Oral Tablet, 300-60MG Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Butalbital-Acetaminophen-Caffeine (50-325-40MG Oral Capsule)</i> | 1 | HRM; QL |
| <i>Butalbital-Acetaminophen-Caffeine (Oral Tablet)</i> | 1 | HRM; QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| <i>Butorphanol Tartrate (Nasal Solution)</i> | 1 | 7D; MME; DL; QL |
| <i>Codeine Sulfate (Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Endocet (Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Fentanyl Citrate (Buccal Lozenge On A Handle)</i> | 1 | PA; DL; QL |
| <i>Hydrocodone-Acetaminophen (7.5-325MG/15ML Oral Solution)</i> | 1 | 7D; MME; DL; QL |
| <i>Hydrocodone-Acetaminophen (10-300MG Oral Tablet, 10-325MG Oral Tablet, 5-300MG Oral Tablet, 5-325MG Oral Tablet, 7.5-300MG Oral Tablet, 7.5-325MG Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Hydrocodone-Ibuprofen (Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Hydromorphone HCl (Oral Liquid)</i> | 1 | 7D; MME; DL; QL |
| <i>Hydromorphone HCl (Oral Tablet Immediate Release)</i> | 1 | 7D; MME; DL; QL |
| <i>Hydromorphone HCl Preservative Free (10MG/ML Injection Solution, 50MG/5ML Injection Solution)</i> | 1 | 7D; DL |
| <i>Morphine Sulfate (Concentrate) (20MG/ML Oral Solution)</i> | 1 | 7D; MME; DL; QL |
| <i>Morphine Sulfate (Oral Solution)</i> | 1 | 7D; MME; DL; QL |
| <i>Morphine Sulfate (Oral Tablet Immediate Release)</i> | 1 | 7D; MME; DL; QL |
| NUCYNTA (100MG ORAL TABLET IMMEDIATE RELEASE) | 4 | 7D; MME; DL; QL |
| NUCYNTA (50MG ORAL TABLET IMMEDIATE RELEASE, 75MG ORAL TABLET IMMEDIATE RELEASE) | 3 | 7D; MME; DL; QL |
| <i>Oxycodone HCl (Oral Capsule)</i> | 1 | 7D; MME; DL; QL |
| <i>Oxycodone HCl (Oral Concentrate)</i> | 1 | 7D; MME; DL; QL |
| <i>Oxycodone HCl (Oral Solution)</i> | 1 | 7D; MME; DL; QL |
| <i>Oxycodone HCl (Oral Tablet Immediate Release)</i> | 1 | 7D; MME; DL; QL |
| <i>Oxycodone-Acetaminophen (10-325MG Oral Tablet, 2.5-325MG Oral Tablet, 5-325MG Oral Tablet, 7.5-325MG Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| <i>Oxymorphone HCl (Oral Tablet Immediate Release)</i> | 1 | 7D; MME; DL; QL |
| <i>Tramadol HCl (100MG Oral Tablet Immediate Release, 50MG Oral Tablet Immediate Release)</i> | 1 | 7D; MME; DL; QL |
| <i>Tramadol-Acetaminophen (Oral Tablet)</i> | 1 | 7D; MME; DL; QL |
| Anesthetics | | |
| Local Anesthetics | | |
| <i>Lidocaine (5% External Patch)</i> | 1 | PA; QL |
| <i>Lidocaine HCl (4% External Solution)</i> | 1 | |
| <i>Lidocaine Viscous (2% Mouth/Throat Solution)</i> | 1 | |
| <i>Lidocaine-Prilocaine (External Cream)</i> | 1 | |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| Alcohol Deterrents/Anti-craving | | |
| <i>Acamprosate Calcium (Oral Tablet Delayed Release)</i> | 1 | |
| <i>Disulfiram (Oral Tablet)</i> | 1 | |
| <i>Naltrexone HCl (Oral Tablet)</i> | 1 | |
| VIVITROL (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 4 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| Opioid Dependence | | |
| <i>Buprenorphine HCl (Tablet Sublingual)</i> | 1 | QL |
| <i>Buprenorphine HCl-Naloxone HCl (Sublingual Film)</i> | 1 | QL |
| <i>Buprenorphine HCl-Naloxone HCl (Tablet Sublingual)</i> | 1 | QL |
| ZUBSOLV (TABLET SUBLINGUAL) | 2 | QL |
| Opioid Reversal Agents | | |
| <i>Naloxone HCl (0.4MG/ML Injection Solution)</i> | 1 | |
| <i>Naloxone HCl (Injection Solution Cartridge)</i> | 1 | |
| <i>Naloxone HCl (Injection Solution Prefilled Syringe)</i> | 1 | |
| <i>Naloxone HCl (Nasal Liquid)</i> | 1 | |
| Smoking Cessation Agents | | |
| <i>Bupropion HCl SR (150MG Oral Tablet Extended Release 12 Hour Smoking-Deterrent)</i> | 1 | |
| NICOTROL (INHALATION INHALER) | 3 | |
| NICOTROL NS (NASAL SOLUTION) | 3 | |
| <i>Varenicline Tartrate (Starter) (Oral Tablet Therapy Pack)</i> | 1 | |
| <i>Varenicline Tartrate (Oral Tablet)</i> | 1 | |
| Antibacterials | | |
| Aminoglycosides | | |
| <i>Amikacin Sulfate (500MG/2ML Injection Solution)</i> | 1 | |
| <i>Gentamicin Sulfate-0.9% Sodium Chloride (Intravenous Solution)</i> | 1 | |
| <i>Gentamicin Sulfate (40MG/ML Injection Solution)</i> | 1 | |
| <i>Neomycin Sulfate (Oral Tablet)</i> | 1 | |
| <i>Streptomycin Sulfate (Intramuscular Solution Reconstituted)</i> | 1 | |
| <i>Tobramycin Sulfate (10MG/ML Injection Solution, 80MG/2ML Injection Solution)</i> | 1 | |
| Antibacterials, Other | | |
| <i>Aztreonam (Injection Solution Reconstituted)</i> | 1 | |
| <i>Clindamycin HCl (Oral Capsule)</i> | 1 | |
| <i>Clindamycin Palmitate HCl (Oral Solution Reconstituted)</i> | 1 | |
| <i>Clindamycin Phosphate in D5W (Intravenous Solution)</i> | 1 | |
| <i>Clindamycin Phosphate (600MG/4ML Injection Solution, 900MG/6ML Injection Solution)</i> | 1 | |
| <i>Clindamycin Phosphate (Vaginal Cream)</i> | 1 | |
| <i>Colistimethate Sodium (CBA) (Injection Solution Reconstituted)</i> | 1 | |
| <i>Daptomycin (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Linezolid (Intravenous Solution)</i> | 1 | |
| <i>Linezolid (Oral Suspension Reconstituted)</i> | 1 | QL |
| <i>Linezolid (Oral Tablet)</i> | 1 | QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Methenamine Hippurate (Oral Tablet)</i> | 1 | |
| <i>Metronidazole (External Cream)</i> | 1 | |
| <i>Metronidazole (External Gel)</i> | 1 | |
| <i>Metronidazole (External Lotion)</i> | 1 | |
| <i>Metronidazole (Intravenous Solution)</i> | 1 | |
| <i>Metronidazole (Oral Tablet)</i> | 1 | |
| <i>Metronidazole (Vaginal Gel)</i> | 1 | |
| <i>Nitrofurantoin Macrocrystal (Oral Capsule) (Generic Macrochantin)</i> | 1 | HRM |
| <i>Nitrofurantoin Monohydrate (Generic Macrobid)</i> | 1 | HRM |
| <i>Nitrofurantoin (25MG/5ML Oral Suspension)</i> | 1 | HRM |
| <i>Polymyxin B Sulfate (Injection Solution Reconstituted)</i> | 1 | |
| SIVEXTRO (INTRAVENOUS SOLUTION RECONSTITUTED) | 4 | |
| SIVEXTRO (ORAL TABLET) | 4 | |
| <i>Tigecycline (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Tinidazole (Oral Tablet)</i> | 1 | |
| <i>Trimethoprim (Oral Tablet)</i> | 1 | |
| <i>Vancomycin HCl (10GM Intravenous Solution Reconstituted, 1GM Intravenous Solution Reconstituted, 500MG Intravenous Solution Reconstituted, 750MG Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Vancomycin HCl (Oral Capsule)</i> | 1 | QL |
| XIFAXAN (200MG ORAL TABLET) | 3 | PA |
| XIFAXAN (550MG ORAL TABLET) | 4 | PA |
| Beta-lactam, Cephalosporins | | |
| <i>Cefaclor (Oral Capsule)</i> | 1 | |
| <i>Cefaclor (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Cefadroxil (Oral Capsule)</i> | 1 | |
| <i>Cefadroxil (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Cefadroxil (Oral Tablet)</i> | 1 | |
| <i>Cefazolin Sodium (10GM Injection Solution Reconstituted, 1GM Injection Solution Reconstituted, 500MG Injection Solution Reconstituted)</i> | 1 | |
| <i>Cefdinir (Oral Capsule)</i> | 1 | |
| <i>Cefdinir (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Cefepime HCl (Injection Solution Reconstituted)</i> | 1 | |
| <i>Cefepime HCl (2GM Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Cefixime (Oral Capsule)</i> | 1 | |
| <i>Cefixime (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Cefotetan Disodium (Injection Solution Reconstituted)</i> | 1 | |
| <i>Cefoxitin Sodium (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Cefpodoxime Proxetil (Oral Suspension Reconstituted)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Cefpodoxime Proxetil (Oral Tablet)</i> | 1 | |
| <i>Cefprozil (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Cefprozil (Oral Tablet)</i> | 1 | |
| <i>Ceftazidime (Injection Solution Reconstituted)</i> | 1 | |
| <i>Ceftazidime (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Ceftriaxone Sodium (1GM Injection Solution Reconstituted, 250MG Injection Solution Reconstituted, 2GM Injection Solution Reconstituted, 500MG Injection Solution Reconstituted)</i> | 1 | |
| <i>Ceftriaxone Sodium (10GM Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Cefuroxime Axetil (Oral Tablet)</i> | 1 | |
| <i>Cefuroxime Sodium (Injection Solution Reconstituted)</i> | 1 | |
| <i>Cefuroxime Sodium (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Cephalexin (Oral Capsule)</i> | 1 | |
| <i>Cephalexin (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Cephalexin (Oral Tablet)</i> | 1 | |
| <i>Tazicef (Injection Solution Reconstituted)</i> | 1 | |
| <i>Tazicef (2GM Intravenous Solution Reconstituted, 6GM Intravenous Solution Reconstituted)</i> | 1 | |
| TEFLARO (INTRAVENOUS SOLUTION RECONSTITUTED) | 4 | |
| ZERBAXA (INTRAVENOUS SOLUTION RECONSTITUTED) | 4 | |
| Beta-lactam, Penicillins | | |
| <i>Amoxicillin (Oral Capsule)</i> | 1 | |
| <i>Amoxicillin (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Amoxicillin (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Amoxicillin (Oral Tablet Chewable)</i> | 1 | |
| <i>Amoxicillin-Potassium Clavulanate ER (Oral Tablet Extended Release 12 Hour)</i> | 1 | |
| <i>Amoxicillin-Potassium Clavulanate (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Amoxicillin-Potassium Clavulanate (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Amoxicillin-Potassium Clavulanate (Oral Tablet Chewable)</i> | 1 | |
| <i>Ampicillin (Oral Capsule)</i> | 1 | |
| <i>Ampicillin Sodium (125MG Injection Solution Reconstituted, 1GM Injection Solution Reconstituted)</i> | 1 | |
| <i>Ampicillin Sodium (10GM Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Ampicillin-Sulbactam Sodium (Injection Solution Reconstituted)</i> | 1 | |
| <i>Ampicillin-Sulbactam Sodium (15 (10-5)GM Intravenous Solution Reconstituted)</i> | 1 | |
| BICILLIN C-R 900/300 (INTRAMUSCULAR SUSPENSION) | 3 | |
| BICILLIN C-R (INTRAMUSCULAR SUSPENSION) | 3 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| BICILLIN L-A (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 3 | |
| <i>Dicloxacillin Sodium (Oral Capsule)</i> | 1 | |
| <i>Nafcillin Sodium (Injection Solution Reconstituted)</i> | 1 | |
| <i>Nafcillin Sodium (10GM Intravenous Solution Reconstituted)</i> | 1 | |
| OXACILLIN SODIUM IN DEXTROSE (INTRAVENOUS SOLUTION) | 3 | |
| <i>Oxacillin Sodium (Injection Solution Reconstituted)</i> | 1 | |
| <i>Oxacillin Sodium (Intravenous Solution Reconstituted)</i> | 1 | |
| PENICILLIN G POTASSIUM IN DEXTROSE (40000UNIT/ML INTRAVENOUS SOLUTION, 60000UNIT/ML INTRAVENOUS SOLUTION) | 2 | |
| <i>Penicillin G Potassium (20000000UNIT Injection Solution Reconstituted)</i> | 1 | |
| <i>Penicillin G Sodium (Injection Solution Reconstituted)</i> | 1 | |
| <i>Penicillin V Potassium (Oral Solution Reconstituted)</i> | 1 | |
| <i>Penicillin V Potassium (Oral Tablet)</i> | 1 | |
| <i>Piperacillin-Tazobactam (2.25 (2-0.25)GM Intravenous Solution Reconstituted, 3.375 (3-0.375)GM Intravenous Solution Reconstituted, 4.5 (4-0.5)GM Intravenous Solution Reconstituted, 40.5 (36-4.5)GM Intravenous Solution Reconstituted)</i> | 1 | |
| Carbapenems | | |
| <i>Ertapenem Sodium (Injection Solution Reconstituted)</i> | 1 | |
| <i>Imipenem-Cilastatin (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Meropenem (1GM Intravenous Solution Reconstituted, 500MG Intravenous Solution Reconstituted)</i> | 1 | |
| Macrolides | | |
| <i>Azithromycin (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Azithromycin (Oral Packet)</i> | 1 | |
| <i>Azithromycin (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Azithromycin (Oral Tablet)</i> | 1 | |
| <i>Clarithromycin ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Clarithromycin (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Clarithromycin (Oral Tablet Immediate Release)</i> | 1 | |
| DIFICID (ORAL SUSPENSION RECONSTITUTED) | 4 | |
| DIFICID (ORAL TABLET) | 4 | |
| ERYTHROCIN LACTOBIONATE (INTRAVENOUS SOLUTION RECONSTITUTED) | 3 | |
| ERYTHROCIN STEARATE (ORAL TABLET) | 3 | |
| <i>Erythromycin Base (Oral Capsule Delayed Release Particles)</i> | 1 | |
| <i>Erythromycin Base (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Erythromycin Ethylsuccinate (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Erythromycin Ethylsuccinate (Oral Tablet)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Erythromycin (Oral Tablet Delayed Release)</i> | 1 | |
| Quinolones | | |
| <i>Ciprofloxacin HCl (250MG Oral Tablet Immediate Release, 500MG Oral Tablet Immediate Release, 750MG Oral Tablet Immediate Release)</i> | 1 | |
| <i>Ciprofloxacin in D5W (200MG/100ML Intravenous Solution)</i> | 1 | |
| <i>Levofloxacin in D5W (500MG/100ML Intravenous Solution, 750MG/150ML Intravenous Solution)</i> | 1 | |
| <i>Levofloxacin (Oral Solution)</i> | 1 | |
| <i>Levofloxacin (Oral Tablet)</i> | 1 | |
| <i>Moxifloxacin HCl in NaCl (Intravenous Solution)</i> | 1 | |
| <i>Moxifloxacin HCl (Oral Tablet)</i> | 1 | |
| <i>Ofloxacin (Oral Tablet)</i> | 1 | |
| Sulfonamides | | |
| <i>Sulfadiazine (Oral Tablet)</i> | 1 | |
| <i>Sulfamethoxazole-Trimethoprim (Oral Suspension)</i> | 1 | |
| <i>Sulfamethoxazole-Trimethoprim (Oral Tablet)</i> | 1 | |
| Tetracyclines | | |
| <i>Demeclocycline HCl (Oral Tablet)</i> | 1 | |
| <i>Doxy 100 (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Doxycycline Hyclate (Oral Capsule)</i> | 1 | |
| <i>Doxycycline Hyclate (100MG Oral Tablet Immediate Release, 20MG Oral Tablet Immediate Release)</i> | 1 | |
| <i>Doxycycline Monohydrate (100MG Oral Capsule, 50MG Oral Capsule, 75MG Oral Capsule)</i> | 1 | |
| <i>Doxycycline Monohydrate (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Doxycycline Monohydrate (Oral Tablet)</i> | 1 | |
| <i>Minocycline HCl (Oral Capsule)</i> | 1 | |
| <i>Tetracycline HCl (Oral Capsule)</i> | 1 | |
| VIBRAMYCIN (50MG/5ML ORAL SYRUP) | 3 | |
| Anticonvulsants | | |
| Anticonvulsants, Other | | |
| BRIVIACT (ORAL SOLUTION) | 4 | PA |
| BRIVIACT (ORAL TABLET) | 4 | PA |
| EPIDIOLEX (ORAL SOLUTION) | 4 | PA |
| EPRONTIA (ORAL SOLUTION) | 3 | |
| <i>Felbamate (Oral Suspension)</i> | 1 | |
| <i>Felbamate (Oral Tablet)</i> | 1 | |
| FINTEPLA (ORAL SOLUTION) | 4 | PA; QL |
| FYCOMPA (ORAL SUSPENSION) | 4 | QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| FYCOMPA (10MG ORAL TABLET, 12MG ORAL TABLET, 4MG ORAL TABLET, 6MG ORAL TABLET, 8MG ORAL TABLET) | 4 | QL |
| FYCOMPA (2MG ORAL TABLET) | 3 | QL |
| <i>Lamotrigine ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Lamotrigine ODT (Oral Tablet Dispersible Kit)</i> | 1 | |
| <i>Lamotrigine (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Lamotrigine (Oral Tablet Chewable)</i> | 1 | |
| <i>Lamotrigine ODT (Oral Tablet Dispersible)</i> | 1 | |
| <i>Lamotrigine Starter Kit-Blue (Oral Kit)</i> | 1 | |
| <i>Lamotrigine Starter Kit-Green (Oral Kit)</i> | 1 | |
| <i>Lamotrigine Starter Kit-Orange (Oral Kit)</i> | 1 | |
| <i>Levetiracetam ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Levetiracetam (Oral Solution)</i> | 1 | |
| <i>Levetiracetam (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Roweepra (Oral Tablet Immediate Release)</i> | 1 | |
| SPRITAM ODT (ORAL TABLET DISINTEGRATING SOLUBLE) | 3 | |
| <i>Subvenite (100MG Oral Tablet, 150MG Oral Tablet, 200MG Oral Tablet, 25MG Oral Tablet)</i> | 1 | |
| <i>Subvenite Starter Kit-Blue (Oral Kit)</i> | 1 | |
| <i>Subvenite Starter Kit-Green (Oral Kit)</i> | 1 | |
| <i>Subvenite Starter Kit-Orange (Oral Kit)</i> | 1 | |
| <i>Topiramate ER (Oral Capsule Extended Release 24 Hour Sprinkle)</i> | 1 | PA |
| <i>Topiramate ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | PA |
| <i>Topiramate (Oral Capsule Sprinkle Immediate Release)</i> | 1 | |
| <i>Topiramate (Oral Tablet)</i> | 1 | |
| TROKENDI XR (100MG ORAL CAPSULE EXTENDED RELEASE 24 HOUR, 200MG ORAL CAPSULE EXTENDED RELEASE 24 HOUR) | 4 | PA |
| TROKENDI XR (25MG ORAL CAPSULE EXTENDED RELEASE 24 HOUR, 50MG ORAL CAPSULE EXTENDED RELEASE 24 HOUR) | 3 | PA |
| <i>Valproic Acid (Oral Capsule)</i> | 1 | |
| <i>Valproic Acid (Oral Solution)</i> | 1 | |
| XCOPRI (250MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XCOPRI (350MG DAILY DOSE) (150MG & 200MG ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XCOPRI (100MG ORAL TABLET, 150MG ORAL TABLET, 200MG ORAL TABLET, 50MG ORAL TABLET) | 4 | PA; QL |
| XCOPRI (14 X 12.5MG & 14 X 25MG ORAL TABLET THERAPY PACK) | 3 | PA; QL |
| XCOPRI (14 X 150MG & 14 X 200MG ORAL TABLET THERAPY PACK, 14 X 50MG & 14 X 100MG ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| Calcium Channel Modifying Agents | | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| CELONTIN (ORAL CAPSULE) | 3 | |
| <i>Ethosuximide (Oral Capsule)</i> | 1 | |
| <i>Ethosuximide (Oral Solution)</i> | 1 | |
| <i>Methsuximide (Oral Capsule)</i> | 1 | |
| Gamma-aminobutyric Acid (GABA) Augmenting Agents | | |
| <i>Clobazam (Oral Suspension)</i> | 1 | PA; QL |
| <i>Clobazam (Oral Tablet)</i> | 1 | PA; QL |
| DIACOMIT (ORAL CAPSULE) | 4 | QL |
| DIACOMIT (ORAL PACKET) | 4 | QL |
| <i>Diazepam (10MG Rectal Gel, 2.5MG Rectal Gel, 20MG Rectal Gel)</i> | 1 | QL |
| <i>Gabapentin (Oral Capsule)</i> | 1 | |
| <i>Gabapentin (250MG/5ML Oral Solution)</i> | 1 | |
| <i>Gabapentin (600MG Oral Tablet, 800MG Oral Tablet)</i> | 1 | |
| NAYZILAM (NASAL SOLUTION) | 3 | PA; QL |
| <i>Phenobarbital (Oral Elixir)</i> | 1 | HRM |
| <i>Phenobarbital (Oral Tablet)</i> | 1 | HRM |
| <i>Primidone (Oral Tablet)</i> | 1 | |
| SYMPAZAN (10MG ORAL FILM, 20MG ORAL FILM) | 4 | PA; QL |
| SYMPAZAN (5MG ORAL FILM) | 3 | PA; QL |
| <i>Tiagabine HCl (Oral Tablet)</i> | 1 | |
| VALTOCO 10MG DOSE (NASAL LIQUID) | 3 | PA; QL |
| VALTOCO 15MG DOSE (NASAL LIQUID THERAPY PACK) | 4 | PA; QL |
| VALTOCO 20MG DOSE (NASAL LIQUID THERAPY PACK) | 4 | PA; QL |
| VALTOCO 5MG DOSE (NASAL LIQUID) | 3 | PA; QL |
| <i>Vigabatrin (Oral Packet)</i> | 1 | PA; QL |
| <i>Vigabatrin (Oral Tablet)</i> | 1 | PA; QL |
| <i>Vigadrone (Oral Packet)</i> | 1 | PA; QL |
| <i>Vigadrone (Oral Tablet)</i> | 1 | PA; QL |
| <i>Vigpoder (Oral Packet)</i> | 1 | PA; QL |
| ZTALMY (ORAL SUSPENSION) | 4 | PA |
| Sodium Channel Agents | | |
| APTIOM (ORAL TABLET) | 4 | QL |
| <i>Carbamazepine ER (Oral Capsule Extended Release 12 Hour)</i> | 1 | |
| <i>Carbamazepine ER (Oral Tablet Extended Release 12 Hour)</i> | 1 | |
| <i>Carbamazepine (Oral Suspension)</i> | 1 | |
| <i>Carbamazepine (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Carbamazepine (Oral Tablet Chewable)</i> | 1 | |
| DILANTIN INFATABS (ORAL TABLET CHEWABLE) | 2 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| DILANTIN (ORAL CAPSULE) | 2 | |
| <i>Epitol (Oral Tablet)</i> | 1 | |
| <i>Lacosamide (Oral Solution)</i> | 1 | QL |
| <i>Lacosamide (Oral Tablet)</i> | 1 | QL |
| <i>Oxcarbazepine (Oral Suspension)</i> | 1 | |
| <i>Oxcarbazepine (Oral Tablet)</i> | 1 | |
| OXTELLAR XR (150MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 300MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | 3 | |
| OXTELLAR XR (600MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | 4 | |
| <i>Phenytek (Oral Capsule)</i> | 1 | |
| <i>Phenytoin (125MG/5ML Oral Suspension)</i> | 1 | |
| <i>Phenytoin (Oral Tablet Chewable)</i> | 1 | |
| <i>Phenytoin Sodium Extended (Oral Capsule)</i> | 1 | |
| <i>Rufinamide (Oral Suspension)</i> | 1 | |
| <i>Rufinamide (Oral Tablet)</i> | 1 | |
| ZONISADE (ORAL SUSPENSION) | 4 | ST |
| <i>Zonisamide (Oral Capsule)</i> | 1 | |
| Antidementia Agents | | |
| Antidementia Agents, Other | | |
| NAMZARIC (ORAL CAPSULE ER 24 HOUR THERAPY PACK) | 2 | PA; QL |
| NAMZARIC (ORAL CAPSULE EXTENDED RELEASE 24 HOUR) | 2 | PA; QL |
| Cholinesterase Inhibitors | | |
| <i>Donepezil HCl (10MG Oral Tablet, 5MG Oral Tablet)</i> | 1 | QL |
| <i>Donepezil HCl ODT (Oral Tablet Dispersible)</i> | 1 | QL |
| <i>Galantamine Hydrobromide ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Galantamine Hydrobromide (Oral Solution)</i> | 1 | |
| <i>Galantamine Hydrobromide (Oral Tablet)</i> | 1 | |
| <i>Rivastigmine Tartrate (Oral Capsule)</i> | 1 | |
| <i>Rivastigmine (Transdermal Patch 24 Hour)</i> | 1 | QL |
| N-methyl-D-aspartate (NMDA) Receptor Antagonist | | |
| <i>Memantine HCl ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | PA; QL |
| <i>Memantine HCl (Oral Solution)</i> | 1 | PA; QL |
| <i>Memantine HCl (Oral Tablet)</i> | 1 | PA; QL |
| <i>Memantine HCl Titration Pak (Oral Tablet)</i> | 1 | PA; QL |
| Antidepressants | | |
| Antidepressants, Other | | |
| AUVELITY (ORAL TABLET EXTENDED RELEASE) | 3 | |
| <i>Bupropion HCl SR (Oral Tablet Extended Release 12 Hour)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Bupropion HCl XL (150MG Oral Tablet Extended Release 24 Hour, 300MG Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Bupropion HCl (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Mirtazapine (Oral Tablet)</i> | 1 | |
| <i>Mirtazapine ODT (Oral Tablet Dispersible)</i> | 1 | |
| <i>Olanzapine-Fluoxetine HCl (Oral Capsule)</i> | 1 | |
| <i>Perphenazine-Amitriptyline (Oral Tablet)</i> | 1 | HRM |
| ZURZUVAE (ORAL CAPSULE) | 4 | PA; QL |
| Monoamine Oxidase Inhibitors | | |
| EMSAM (TRANSDERMAL PATCH 24 HOUR) | 4 | QL |
| MARPLAN (ORAL TABLET) | 3 | |
| <i>Phenelzine Sulfate (Oral Tablet)</i> | 1 | |
| <i>Tranylcypromine Sulfate (Oral Tablet)</i> | 1 | |
| SSRI/SNRI (Selective Serotonin Reuptake Inhibitors/Serotonin and Norepinephrine Reuptake Inhibitors) | | |
| <i>Citalopram Hydrobromide (Oral Solution)</i> | 1 | |
| <i>Citalopram Hydrobromide (Oral Tablet)</i> | 1 | |
| <i>Desvenlafaxine Succinate ER (Oral Tablet Extended Release 24 Hour) (Generic Pristiq)</i> | 1 | |
| <i>Escitalopram Oxalate (Oral Solution)</i> | 1 | |
| <i>Escitalopram Oxalate (Oral Tablet)</i> | 1 | |
| FETZIMA (ORAL CAPSULE EXTENDED RELEASE 24 HOUR) | 3 | ST; QL |
| FETZIMA TITRATION (ORAL CAPSULE ER 24 HOUR THERAPY PACK) | 3 | ST; QL |
| <i>Fluoxetine HCl (PMDD) (Oral Tablet)</i> | 1 | |
| <i>Fluoxetine HCl (10MG Oral Capsule Immediate Release, 20MG Oral Capsule Immediate Release, 40MG Oral Capsule Immediate Release)</i> | 1 | |
| <i>Fluoxetine HCl (Oral Capsule Delayed Release)</i> | 1 | |
| <i>Fluoxetine HCl (20MG/5ML Oral Solution)</i> | 1 | |
| <i>Fluoxetine HCl (10MG Oral Tablet, 20MG Oral Tablet)</i> | 1 | |
| <i>Fluvoxamine Maleate ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Fluvoxamine Maleate (Oral Tablet)</i> | 1 | |
| <i>Nefazodone HCl (Oral Tablet)</i> | 1 | |
| <i>Paroxetine HCl (Oral Suspension)</i> | 1 | HRM |
| <i>Paroxetine HCl (Oral Tablet Immediate Release)</i> | 1 | HRM |
| <i>Sertraline HCl (Oral Concentrate)</i> | 1 | |
| <i>Sertraline HCl (Oral Tablet)</i> | 1 | |
| <i>Trazodone HCl (Oral Tablet)</i> | 1 | |
| TRINTELLIX (ORAL TABLET) | 3 | QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| VENLAFAXINE BESYLATE ER (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 3 | |
| <i>Venlafaxine HCl ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Venlafaxine HCl ER (150MG Oral Tablet Extended Release 24 Hour, 37.5MG Oral Tablet Extended Release 24 Hour, 75MG Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Venlafaxine HCl (Oral Tablet Immediate Release)</i> | 1 | |
| VIIBRYD (ORAL TABLET) | 3 | QL |
| <i>Vilazodone HCl (Oral Tablet)</i> | 1 | QL |
| Tricyclics | | |
| <i>Amitriptyline HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Amoxapine (Oral Tablet)</i> | 1 | HRM |
| <i>Clomipramine HCl (Oral Capsule)</i> | 1 | HRM |
| <i>Desipramine HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Doxepin HCl (Oral Capsule)</i> | 1 | HRM |
| <i>Doxepin HCl (Oral Concentrate)</i> | 1 | HRM |
| <i>Imipramine HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Imipramine Pamoate (Oral Capsule)</i> | 1 | HRM |
| <i>Nortriptyline HCl (Oral Capsule)</i> | 1 | HRM |
| <i>Nortriptyline HCl (Oral Solution)</i> | 1 | HRM |
| <i>Protriptyline HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Trimipramine Maleate (Oral Capsule)</i> | 1 | HRM |
| Antiemetics | | |
| Antiemetics, Other | | |
| <i>Compro (Rectal Suppository)</i> | 1 | |
| <i>Meclizine HCl (12.5MG Oral Tablet, 25MG Oral Tablet)</i> | 1 | HRM |
| <i>Metoclopramide HCl (5MG/5ML Oral Solution)</i> | 1 | |
| <i>Metoclopramide HCl (Oral Tablet)</i> | 1 | |
| <i>Perphenazine (Oral Tablet)</i> | 1 | |
| <i>Prochlorperazine Maleate (Oral Tablet)</i> | 1 | |
| <i>Prochlorperazine (Rectal Suppository)</i> | 1 | |
| <i>Promethazine HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Promethazine HCl (12.5MG Rectal Suppository)</i> | 1 | HRM; QL |
| <i>Scopolamine (Transdermal Patch 72 Hour)</i> | 1 | HRM |
| <i>Trimethobenzamide HCl (Oral Capsule)</i> | 1 | B/D,PA; QL |
| Emetogenic Therapy Adjuncts | | |
| <i>Aprepitant (Oral Therapy Pack, Oral Capsule)</i> | 1 | PA; QL |
| <i>Dronabinol (Oral Capsule)</i> | 1 | PA |
| <i>Granisetron HCl (Oral Tablet)</i> | 1 | B/D,PA; QL |
| <i>Ondansetron HCl (Oral Solution)</i> | 1 | B/D,PA; QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Ondansetron HCl (4MG Oral Tablet, 8MG Oral Tablet)</i> | 1 | B/D,PA; QL |
| <i>Ondansetron ODT (Oral Tablet Dispersible)</i> | 1 | B/D,PA; QL |
| SANCUSO (TRANSDERMAL PATCH) | 4 | QL |
| SYNDROS (ORAL SOLUTION) | 4 | PA |
| Antifungals | | |
| Antifungals | | |
| ABELCET (INTRAVENOUS SUSPENSION) | 3 | B/D,PA |
| <i>Amphotericin B (Intravenous Solution Reconstituted)</i> | 1 | B/D,PA |
| <i>Amphotericin B Liposome (Intravenous Suspension Reconstituted)</i> | 1 | B/D,PA |
| <i>Caspofungin Acetate (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Clotrimazole (Mouth/Throat Troche)</i> | 1 | |
| CRESEMBA (ORAL CAPSULE) | 4 | PA |
| <i>Fluconazole in Sodium Chloride (200-0.9MG/100ML-% Intravenous Solution, 400-0.9MG/200ML-% Intravenous Solution)</i> | 1 | |
| <i>Fluconazole (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Fluconazole (Oral Tablet)</i> | 1 | |
| <i>Flucytosine (Oral Capsule)</i> | 1 | |
| <i>Griseofulvin Microsize (Oral Suspension)</i> | 1 | |
| <i>Griseofulvin Microsize (Oral Tablet)</i> | 1 | |
| <i>Griseofulvin Ultramicrosize (Oral Tablet)</i> | 1 | |
| <i>Itraconazole (Oral Capsule)</i> | 1 | |
| <i>Itraconazole (Oral Solution)</i> | 1 | |
| <i>Ketoconazole (Oral Tablet)</i> | 1 | |
| <i>Micafungin Sodium (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Miconazole 3 (Vaginal Suppository)</i> | 1 | |
| NOXAFIL (ORAL PACKET) | 4 | PA; QL |
| NOXAFIL (ORAL SUSPENSION) | 4 | QL |
| <i>Nystatin (Mouth/Throat Suspension)</i> | 1 | |
| <i>Nystatin (Oral Tablet)</i> | 1 | |
| <i>Posaconazole (Oral Suspension)</i> | 1 | QL |
| <i>Posaconazole (Oral Tablet Delayed Release)</i> | 1 | PA; QL |
| <i>Terbinafine HCl (Oral Tablet)</i> | 1 | QL |
| <i>Terconazole (Vaginal Cream)</i> | 1 | |
| <i>Terconazole (Vaginal Suppository)</i> | 1 | |
| <i>Voriconazole (Intravenous Solution Reconstituted)</i> | 1 | PA |
| <i>Voriconazole (Oral Suspension Reconstituted)</i> | 1 | QL |
| <i>Voriconazole (Oral Tablet)</i> | 1 | QL |
| Antigout Agents | | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| Antigout Agents | | |
| <i>Allopurinol (100MG Oral Tablet, 300MG Oral Tablet)</i> | 1 | |
| COLCHICINE (0.6MG ORAL CAPSULE) (BRAND EQUIVALENT MITIGARE) | 1 | |
| <i>Colchicine (0.6MG Oral Tablet) (Generic Colcrys)</i> | 1 | |
| <i>Colchicine-Probenecid (Oral Tablet)</i> | 1 | |
| <i>Febuxostat (Oral Tablet)</i> | 1 | ST |
| MITIGARE (ORAL CAPSULE) | 2 | |
| <i>Probenecid (Oral Tablet)</i> | 1 | |
| Antimigraine Agents | | |
| Acute | | |
| <i>Naratriptan HCl (Oral Tablet)</i> | 1 | QL |
| NURTEC ODT (ORAL TABLET DISPERSIBLE) | 4 | PA; QL |
| <i>Rizatriptan Benzoate (Oral Tablet)</i> | 1 | QL |
| <i>Rizatriptan Benzoate ODT (Oral Tablet Dispersible)</i> | 1 | QL |
| <i>Sumatriptan (Nasal Solution)</i> | 1 | QL |
| <i>Sumatriptan Succinate (Oral Tablet)</i> | 1 | QL |
| <i>Sumatriptan Succinate (Subcutaneous Solution Auto-Injector)</i> | 1 | QL |
| <i>Sumatriptan Succinate (Subcutaneous Solution)</i> | 1 | QL |
| UBRELVY (ORAL TABLET) | 4 | PA; QL |
| <i>Zolmitriptan (Oral Tablet)</i> | 1 | QL |
| <i>Zolmitriptan ODT (Oral Tablet Dispersible)</i> | 1 | QL |
| Ergot Alkaloids | | |
| <i>Dihydroergotamine Mesylate (Nasal Solution)</i> | 1 | QL |
| <i>Ergotamine-Caffeine (Oral Tablet)</i> | 1 | |
| MIGERGOT (RECTAL SUPPOSITORY) | 4 | |
| Prophylactic | | |
| AIMOVIG (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 3 | PA; QL |
| EMGALITY (300MG DOSE) (100MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 3 | PA; QL |
| EMGALITY (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 3 | PA; QL |
| EMGALITY (120MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 3 | PA; QL |
| QULIPTA (ORAL TABLET) | 4 | PA; QL |
| <i>Timolol Maleate (Oral Tablet)</i> | 1 | |
| Antimyasthenic Agents | | |
| Parasympathomimetics | | |
| <i>Pyridostigmine Bromide ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Pyridostigmine Bromide (Oral Tablet Immediate Release)</i> | 1 | |
| Antimycobacterials | | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| Antimycobacterials, Other | | |
| <i>Dapsone (Oral Tablet)</i> | 1 | |
| <i>Rifabutin (Oral Capsule)</i> | 1 | |
| Antituberculars | | |
| <i>Ethambutol HCl (Oral Tablet)</i> | 1 | |
| <i>Isoniazid (Oral Syrup)</i> | 1 | |
| <i>Isoniazid (Oral Tablet)</i> | 1 | |
| PRIFTIN (ORAL TABLET) | 3 | |
| <i>Pyrazinamide (Oral Tablet)</i> | 1 | |
| <i>Rifampin (Intravenous Solution Reconstituted)</i> | 1 | |
| <i>Rifampin (Oral Capsule)</i> | 1 | |
| SIRTURO (ORAL TABLET) | 4 | PA |
| TRECTOR (ORAL TABLET) | 3 | |
| Antineoplastics | | |
| Alkylating Agents | | |
| <i>Cyclophosphamide (Oral Capsule)</i> | 1 | B/D,PA |
| CYCLOPHOSPHAMIDE (ORAL TABLET) | 2 | B/D,PA |
| GLEOSTINE (100MG ORAL CAPSULE) | 4 | |
| GLEOSTINE (10MG ORAL CAPSULE, 40MG ORAL CAPSULE) | 3 | |
| LEUKERAN (ORAL TABLET) | 4 | |
| MATULANE (ORAL CAPSULE) | 4 | |
| VALCHLOR (EXTERNAL GEL) | 4 | PA; QL |
| Antiandrogens | | |
| <i>Abiraterone Acetate (Oral Tablet)</i> | 1 | PA |
| <i>Bicalutamide (Oral Tablet)</i> | 1 | |
| ERLEADA (ORAL TABLET) | 4 | PA |
| <i>Nilutamide (Oral Tablet)</i> | 1 | |
| NUBEQA (ORAL TABLET) | 4 | PA |
| XTANDI (ORAL CAPSULE) | 4 | PA |
| XTANDI (ORAL TABLET) | 4 | PA |
| Antiangiogenic Agents | | |
| FOTIVDA (ORAL CAPSULE) | 4 | PA; QL |
| <i>Lenalidomide (Oral Capsule)</i> | 1 | PA |
| POMALYST (ORAL CAPSULE) | 4 | PA |
| QINLOCK (ORAL TABLET) | 4 | PA; QL |
| REVLIMID (ORAL CAPSULE) | 4 | PA |
| TABRECTA (ORAL TABLET) | 4 | PA; QL |
| THALOMID (ORAL CAPSULE) | 4 | PA; QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| Antiestrogens/Modifiers | | |
| EMCYT (ORAL CAPSULE) | 3 | |
| ORSERDU (ORAL TABLET) | 4 | PA; QL |
| SOLTAMOX (ORAL SOLUTION) | 4 | |
| <i>Tamoxifen Citrate (Oral Tablet)</i> | 1 | |
| <i>Toremifene Citrate (Oral Tablet)</i> | 1 | |
| Antimetabolites | | |
| DROXIA (ORAL CAPSULE) | 2 | |
| <i>Hydroxyurea (Oral Capsule)</i> | 1 | |
| <i>Mercaptopurine (Oral Tablet)</i> | 1 | |
| ONUREG (ORAL TABLET) | 4 | PA; QL |
| PURIXAN (ORAL SUSPENSION) | 4 | |
| TABLOID (ORAL TABLET) | 4 | PA |
| Antineoplastics, Other | | |
| AKEEGA (ORAL TABLET) | 4 | PA; QL |
| IDHIFA (ORAL TABLET) | 4 | PA; QL |
| IWILFIN (ORAL TABLET) | 4 | PA; QL |
| KRAZATI (ORAL TABLET) | 4 | PA; QL |
| LONSURF (ORAL TABLET) | 4 | PA |
| LUMAKRAS (ORAL TABLET) | 4 | PA; QL |
| NINLARO (ORAL CAPSULE) | 4 | PA |
| OGSIVEO (ORAL TABLET) | 4 | PA; QL |
| PEMAZYRE (ORAL TABLET) | 4 | PA; QL |
| RETEVMO (ORAL CAPSULE) | 4 | PA; QL |
| TAZVERIK (ORAL TABLET) | 4 | PA; QL |
| TUKYSA (ORAL TABLET) | 4 | PA; QL |
| VONJO (ORAL CAPSULE) | 4 | PA; QL |
| XPOVIO (100MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XPOVIO (40MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XPOVIO (40MG TWICE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XPOVIO (60MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XPOVIO (60MG TWICE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XPOVIO (80MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| XPOVIO (80MG TWICE WEEKLY) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| ZOLINZA (ORAL CAPSULE) | 4 | PA |
| Aromatase Inhibitors, 3rd Generation | | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Anastrozole (Oral Tablet)</i> | 1 | |
| <i>Exemestane (Oral Tablet)</i> | 1 | |
| <i>Letrozole (Oral Tablet)</i> | 1 | |
| Molecular Target Inhibitors | | |
| ALECENSA (ORAL CAPSULE) | 4 | PA |
| ALUNBRIG (ORAL TABLET) | 4 | PA; QL |
| ALUNBRIG (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| AUGTYRO (ORAL CAPSULE) | 4 | PA; QL |
| AYVAKIT (ORAL TABLET) | 4 | PA; QL |
| BALVERSA (ORAL TABLET) | 4 | PA; QL |
| BOSULIF (ORAL CAPSULE) | 4 | PA |
| BOSULIF (ORAL TABLET) | 4 | PA |
| BRAFTOVI (ORAL CAPSULE) | 4 | PA |
| BRUKINSA (ORAL CAPSULE) | 4 | PA; QL |
| CABOMETYX (ORAL TABLET) | 4 | PA |
| CALQUENCE (100MG ORAL CAPSULE) | 4 | PA; QL |
| CALQUENCE (ORAL TABLET) | 4 | PA; QL |
| CAPRELSA (ORAL TABLET) | 4 | PA |
| COMETRIQ (100MG DAILY DOSE) (ORAL KIT) | 4 | PA |
| COMETRIQ (140MG DAILY DOSE) (ORAL KIT) | 4 | PA |
| COMETRIQ (60MG DAILY DOSE) (ORAL KIT) | 4 | PA |
| COPIKTRA (ORAL CAPSULE) | 4 | PA; QL |
| COTELLIC (ORAL TABLET) | 4 | PA |
| DAURISMO (ORAL TABLET) | 4 | PA; QL |
| ERIVEDGE (ORAL CAPSULE) | 4 | PA |
| <i>Erlotinib HCl (Oral Tablet)</i> | 1 | PA |
| <i>Everolimus (10MG Oral Tablet, 2.5MG Oral Tablet, 5MG Oral Tablet, 7.5MG Oral Tablet)</i> | 1 | PA |
| <i>Everolimus (Oral Tablet Soluble)</i> | 1 | PA |
| EXKIVITY (ORAL CAPSULE) | 4 | PA; QL |
| FRUZAQLA (ORAL CAPSULE) | 4 | PA; QL |
| GAVRETO (ORAL CAPSULE) | 4 | PA; QL |
| <i>Gefitinib (Oral Tablet)</i> | 1 | PA |
| GILOTRIF (ORAL TABLET) | 4 | PA |
| IBRANCE (ORAL CAPSULE) | 4 | PA |
| IBRANCE (ORAL TABLET) | 4 | PA |
| ICLUSIG (ORAL TABLET) | 4 | PA; QL |
| <i>Imatinib Mesylate (Oral Tablet)</i> | 1 | PA |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| IMBRUVICA (ORAL CAPSULE) | 4 | PA; QL |
| IMBRUVICA (ORAL SUSPENSION) | 4 | PA; QL |
| IMBRUVICA (140MG ORAL TABLET, 280MG ORAL TABLET, 420MG ORAL TABLET) | 4 | PA; QL |
| INLYTA (ORAL TABLET) | 4 | PA; QL |
| INQOVI (ORAL TABLET) | 4 | PA; QL |
| INREBIC (ORAL CAPSULE) | 4 | PA; QL |
| IRESSA (ORAL TABLET) | 4 | PA |
| JAKAFI (ORAL TABLET) | 4 | PA |
| JAYPIRCA (ORAL TABLET) | 4 | PA; QL |
| KISQALI (200MG DOSE) (ORAL TABLET) | 4 | PA |
| KISQALI (400MG DOSE) (ORAL TABLET) | 4 | PA |
| KISQALI (600MG DOSE) (ORAL TABLET) | 4 | PA |
| KISQALI FEMARA (200MG DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA |
| KISQALI FEMARA (400MG DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA |
| KISQALI FEMARA (600MG DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA |
| KOSELUGO (ORAL CAPSULE) | 4 | PA; QL |
| <i>Lapatinib Ditosylate (Oral Tablet)</i> | 1 | PA |
| LENVIMA 10MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 12MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 14MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 18MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 20MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 24MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 4MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LENVIMA 8MG DAILY DOSE (ORAL CAPSULE THERAPY PACK) | 4 | PA |
| LORBRENA (ORAL TABLET) | 4 | PA; QL |
| LYNPARZA (ORAL TABLET) | 4 | PA |
| LYTGOBI (12MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| LYTGOBI (16MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| LYTGOBI (20MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| MEKINIST (ORAL SOLUTION RECONSTITUTED) | 4 | PA |
| MEKINIST (ORAL TABLET) | 4 | PA |
| MEKTOVI (ORAL TABLET) | 4 | PA |
| NERLYNX (ORAL TABLET) | 4 | PA; QL |
| ODOMZO (ORAL CAPSULE) | 4 | PA |
| OJJAARA (ORAL TABLET) | 4 | PA; QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Pazopanib HCl (Oral Tablet)</i> | 1 | PA |
| PIQRAY (200MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| PIQRAY (250MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| PIQRAY (300MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| REZLIDHIA (ORAL CAPSULE) | 4 | PA; QL |
| ROZLYTREK (ORAL CAPSULE) | 4 | PA; QL |
| RUBRACA (ORAL TABLET) | 4 | PA |
| RYDAPT (ORAL CAPSULE) | 4 | PA; QL |
| SCSEMBLIX (ORAL TABLET) | 4 | PA; QL |
| <i>Sorafenib Tosylate (Oral Tablet)</i> | 1 | PA |
| SPRYCEL (ORAL TABLET) | 4 | PA |
| STIVARGA (ORAL TABLET) | 4 | PA |
| <i>Sunitinib Malate (Oral Capsule)</i> | 1 | PA |
| TAFINLAR (ORAL CAPSULE) | 4 | PA |
| TAFINLAR (ORAL TABLET SOLUBLE) | 4 | PA |
| TAGRISSE (ORAL TABLET) | 4 | PA |
| TALZENNA (ORAL CAPSULE) | 4 | PA; QL |
| TASIGNA (ORAL CAPSULE) | 4 | PA |
| TEPMETKO (ORAL TABLET) | 4 | PA; QL |
| TIBSOVO (ORAL TABLET) | 4 | PA; QL |
| TRUQAP (ORAL TABLET) | 4 | PA; QL |
| TURALIO (125MG ORAL CAPSULE) | 4 | PA; QL |
| VANFLYTA (ORAL TABLET) | 4 | PA; QL |
| VENCLEXTA (100MG ORAL TABLET, 50MG ORAL TABLET) | 4 | PA |
| VENCLEXTA (10MG ORAL TABLET) | 2 | PA |
| VENCLEXTA STARTING PACK (ORAL TABLET THERAPY PACK) | 4 | PA |
| VERZENIO (ORAL TABLET) | 4 | PA |
| VITRAKVI (ORAL CAPSULE) | 4 | PA; QL |
| VITRAKVI (ORAL SOLUTION) | 4 | PA; QL |
| VIZIMPRO (ORAL TABLET) | 4 | PA |
| VOTRIENT (ORAL TABLET) | 4 | PA |
| WELIREG (ORAL TABLET) | 4 | PA; QL |
| XALKORI (ORAL CAPSULE) | 4 | PA |
| XALKORI (ORAL CAPSULE SPRINKLE) | 4 | PA |
| XOSPATA (ORAL TABLET) | 4 | PA; QL |
| ZEJULA (100MG ORAL CAPSULE) | 4 | PA |
| ZEJULA (ORAL TABLET) | 4 | PA |
| ZELBORAF (ORAL TABLET) | 4 | PA |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| ZYDELIG (ORAL TABLET) | 4 | PA |
| ZYKADIA (ORAL TABLET) | 4 | PA |
| Retinoids | | |
| <i>Bexarotene (External Gel)</i> | 1 | PA; QL |
| <i>Bexarotene (Oral Capsule)</i> | 1 | PA |
| PANRETIN (EXTERNAL GEL) | 4 | PA |
| <i>Tretinoin (Oral Capsule)</i> | 1 | |
| Treatment Adjuncts | | |
| <i>Leucovorin Calcium (Oral Tablet)</i> | 1 | |
| MESNEX (ORAL TABLET) | 3 | |
| Antiparasitics | | |
| Anthelmintics | | |
| <i>Albendazole (Oral Tablet)</i> | 1 | QL |
| <i>Ivermectin (Oral Tablet)</i> | 1 | PA |
| <i>Praziquantel (Oral Tablet)</i> | 1 | |
| Antiprotozoals | | |
| <i>Atovaquone (Oral Suspension)</i> | 1 | QL |
| <i>Atovaquone-Proguanil HCl (Oral Tablet)</i> | 1 | |
| BENZNIDAZOLE (ORAL TABLET) | 3 | |
| <i>Chloroquine Phosphate (Oral Tablet)</i> | 1 | QL |
| COARTEM (ORAL TABLET) | 3 | |
| <i>Hydroxychloroquine Sulfate (Oral Tablet)</i> | 1 | QL |
| IMPAVIDO (ORAL CAPSULE) | 4 | |
| KRINTAFEL (ORAL TABLET) | 2 | |
| LAMPIT (ORAL TABLET) | 3 | PA |
| <i>Mefloquine HCl (Oral Tablet)</i> | 1 | |
| <i>Nitazoxanide (Oral Tablet)</i> | 1 | QL |
| <i>Pentamidine Isethionate (Inhalation Solution Reconstituted)</i> | 1 | B/D,PA; QL |
| <i>Pentamidine Isethionate (Injection Solution Reconstituted)</i> | 1 | |
| <i>Primaquine Phosphate (Oral Tablet)</i> | 1 | |
| <i>Pyrimethamine (Oral Tablet)</i> | 1 | |
| <i>Quinine Sulfate (Oral Capsule)</i> | 1 | PA |
| Antiparkinson Agents | | |
| Anticholinergics | | |
| <i>Benzotropine Mesylate (Oral Tablet)</i> | 1 | HRM |
| <i>Trihexyphenidyl HCl (Oral Solution)</i> | 1 | HRM |
| <i>Trihexyphenidyl HCl (Oral Tablet)</i> | 1 | HRM |
| Antiparkinson Agents, Other | | |
| <i>Amantadine HCl (Oral Capsule)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| <i>Amantadine HCl (Oral Solution)</i> | 1 | |
| <i>Amantadine HCl (Oral Tablet)</i> | 1 | |
| <i>Carbidopa-Levodopa-Entacapone (Oral Tablet)</i> | 1 | |
| <i>Entacapone (Oral Tablet)</i> | 1 | |
| <i>Tolcapone (Oral Tablet)</i> | 1 | QL |
| Dopamine Agonists | | |
| <i>Apomorphine HCl (Subcutaneous Solution Cartridge)</i> | 1 | PA; QL |
| <i>Bromocriptine Mesylate (Oral Capsule)</i> | 1 | |
| <i>Bromocriptine Mesylate (Oral Tablet)</i> | 1 | |
| NEUPRO (TRANSDERMAL PATCH 24 HOUR) | 3 | |
| <i>Pramipexole Dihydrochloride (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Ropinirole HCl ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Ropinirole HCl (Oral Tablet Immediate Release)</i> | 1 | |
| Dopamine Precursors and/or L-Amino Acid Decarboxylase Inhibitors | | |
| <i>Carbidopa (Oral Tablet)</i> | 1 | |
| <i>Carbidopa-Levodopa ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Carbidopa-Levodopa (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Carbidopa-Levodopa ODT (Oral Tablet Dispersible)</i> | 1 | |
| RYTARY (ORAL CAPSULE EXTENDED RELEASE) | 3 | ST |
| Monoamine Oxidase B (MAO-B) Inhibitors | | |
| <i>Rasagiline Mesylate (Oral Tablet)</i> | 1 | |
| <i>Selegiline HCl (Oral Capsule)</i> | 1 | |
| <i>Selegiline HCl (Oral Tablet)</i> | 1 | |
| Antipsychotics | | |
| 1st Generation/Typical | | |
| <i>Chlorpromazine HCl (Oral Concentrate)</i> | 1 | |
| <i>Chlorpromazine HCl (Oral Tablet)</i> | 1 | |
| <i>Fluphenazine Decanoate (Injection Solution)</i> | 1 | |
| <i>Fluphenazine HCl (Injection Solution)</i> | 1 | |
| <i>Fluphenazine HCl (Oral Concentrate)</i> | 1 | |
| <i>Fluphenazine HCl (Oral Elixir)</i> | 1 | |
| <i>Fluphenazine HCl (Oral Tablet)</i> | 1 | |
| <i>Haloperidol Decanoate (Intramuscular Solution)</i> | 1 | |
| <i>Haloperidol Lactate (Injection Solution)</i> | 1 | |
| <i>Haloperidol Lactate (Oral Concentrate)</i> | 1 | |
| <i>Haloperidol (Oral Tablet)</i> | 1 | |
| <i>Loxapine Succinate (Oral Capsule)</i> | 1 | |
| <i>Molindone HCl (Oral Tablet)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Pimozide (Oral Tablet)</i> | 1 | |
| <i>Thioridazine HCl (Oral Tablet)</i> | 1 | |
| <i>Thiothixene (Oral Capsule)</i> | 1 | |
| <i>Trifluoperazine HCl (Oral Tablet)</i> | 1 | |
| 2nd Generation/Atypical | | |
| ABILIFY MAINTENA (INTRAMUSCULAR PREFILLED SYRINGE) | 4 | |
| ABILIFY MAINTENA (INTRAMUSCULAR SUSPENSION RECONSTITUTED ER) | 4 | |
| <i>Aripiprazole (Oral Solution)</i> | 1 | QL |
| <i>Aripiprazole (Oral Tablet)</i> | 1 | QL |
| <i>Aripiprazole ODT (Oral Tablet Dispersible)</i> | 1 | QL |
| ARISTADA INITIO (INTRAMUSCULAR PREFILLED SYRINGE) | 4 | |
| ARISTADA (INTRAMUSCULAR PREFILLED SYRINGE) | 4 | |
| <i>Asenapine Maleate (Tablet Sublingual)</i> | 1 | QL |
| CAPLYTA (ORAL CAPSULE) | 4 | PA; QL |
| FANAPT (10MG ORAL TABLET, 12MG ORAL TABLET, 1MG ORAL TABLET, 2MG ORAL TABLET, 4MG ORAL TABLET, 6MG ORAL TABLET, 8MG ORAL TABLET) | 4 | QL |
| FANAPT TITRATION PACK (ORAL TABLET) | 3 | QL |
| INVEGA HAFYERA (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 4 | |
| INVEGA SUSTENNA (117MG/0.75ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE, 156MG/ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE, 234MG/1.5ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE, 78MG/0.5ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 4 | |
| INVEGA SUSTENNA (39MG/0.25ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 3 | |
| INVEGA TRINZA (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 4 | |
| <i>Lurasidone HCl (Oral Tablet)</i> | 1 | QL |
| LYBALVI (ORAL TABLET) | 4 | ST; QL |
| NUPLAZID (ORAL CAPSULE) | 4 | PA; QL |
| NUPLAZID (ORAL TABLET) | 4 | PA; QL |
| <i>Olanzapine (Intramuscular Solution Reconstituted)</i> | 1 | |
| <i>Olanzapine (Oral Tablet)</i> | 1 | QL |
| <i>Olanzapine ODT (Oral Tablet Dispersible)</i> | 1 | QL |
| <i>Paliperidone ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| PERSERIS (SUBCUTANEOUS PREFILLED SYRINGE) | 4 | |
| <i>Quetiapine Fumarate ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| <i>Quetiapine Fumarate (Oral Tablet Immediate Release)</i> | 1 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| REXULTI (ORAL TABLET) | 4 | QL |
| RISPERDAL CONSTA (12.5MG INTRAMUSCULAR SUSPENSION RECONSTITUTED ER, 25MG INTRAMUSCULAR SUSPENSION RECONSTITUTED ER) | 3 | |
| RISPERDAL CONSTA (37.5MG INTRAMUSCULAR SUSPENSION RECONSTITUTED ER, 50MG INTRAMUSCULAR SUSPENSION RECONSTITUTED ER) | 4 | |
| <i>Risperidone Microspheres ER (Intramuscular Suspension Reconstituted ER)</i> | 1 | |
| <i>Risperidone (Oral Solution)</i> | 1 | |
| <i>Risperidone (Oral Tablet)</i> | 1 | |
| <i>Risperidone ODT (Oral Tablet Dispersible)</i> | 1 | |
| SECUADO (TRANSDERMAL PATCH 24 HOUR) | 4 | ST; QL |
| VRAYLAR (1.5MG ORAL CAPSULE, 3MG ORAL CAPSULE, 4.5MG ORAL CAPSULE, 6MG ORAL CAPSULE) | 4 | PA; QL |
| VRAYLAR (ORAL CAPSULE THERAPY PACK) | 3 | PA; QL |
| <i>Ziprasidone HCl (Oral Capsule)</i> | 1 | QL |
| <i>Ziprasidone Mesylate (Intramuscular Solution Reconstituted)</i> | 1 | |
| ZYPREXA RELPREVV (210MG INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 3 | |
| Treatment-Resistant | | |
| <i>Clozapine (100MG Oral Tablet, 200MG Oral Tablet, 25MG Oral Tablet, 50MG Oral Tablet)</i> | 1 | |
| <i>Clozapine ODT (100MG Oral Tablet Dispersible, 12.5MG Oral Tablet Dispersible, 150MG Oral Tablet Dispersible, 200MG Oral Tablet Dispersible, 25MG Oral Tablet Dispersible)</i> | 1 | QL |
| VERSACLOZ (ORAL SUSPENSION) | 4 | |
| Antispasticity Agents | | |
| Antispasticity Agents | | |
| <i>Baclofen (Oral Tablet)</i> | 1 | |
| <i>Dantrolene Sodium (Oral Capsule)</i> | 1 | |
| <i>Tizanidine HCl (Oral Capsule)</i> | 1 | |
| <i>Tizanidine HCl (Oral Tablet)</i> | 1 | |
| Antivirals | | |
| Anti-cytomegalovirus (CMV) Agents | | |
| PREVYMIS (ORAL TABLET) | 4 | PA; QL |
| <i>Valganciclovir HCl (Oral Solution Reconstituted)</i> | 1 | QL |
| <i>Valganciclovir HCl (Oral Tablet)</i> | 1 | QL |
| ZIRGAN (OPHTHALMIC GEL) | 3 | |
| Anti-hepatitis B (HBV) Agents | | |
| <i>Adefovir Dipivoxil (Oral Tablet)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| BARACLUDE (ORAL SOLUTION) | 3 | |
| <i>Entecavir (Oral Tablet)</i> | 1 | |
| <i>Lamivudine (100MG Oral Tablet)</i> | 1 | |
| VEMLIDY (ORAL TABLET) | 4 | |
| Anti-hepatitis C (HCV) Agents | | |
| EPCLUSA (ORAL PACKET) | 4 | PA; QL |
| EPCLUSA (ORAL TABLET) | 4 | PA; QL |
| HARVONI (ORAL PACKET) | 4 | PA; QL |
| HARVONI (90-400MG ORAL TABLET) | 4 | PA; QL |
| LEDIPASVIR-SOFOSBUVIR (ORAL TABLET) | 4 | PA; QL |
| MAVYRET (ORAL PACKET) | 4 | PA; QL |
| MAVYRET (ORAL TABLET) | 4 | PA; QL |
| <i>Ribavirin (Oral Capsule)</i> | 1 | |
| <i>Ribavirin (Oral Tablet)</i> | 1 | |
| SOFOSBUVIR-VELPATASVIR (ORAL TABLET) | 4 | PA; QL |
| VOSEVI (ORAL TABLET) | 4 | PA; QL |
| ZEPATIER (ORAL TABLET) | 4 | PA; QL |
| Antitherpetic Agents | | |
| <i>Acyclovir (External Ointment)</i> | 1 | |
| <i>Acyclovir (Oral Capsule)</i> | 1 | |
| <i>Acyclovir (Oral Suspension)</i> | 1 | |
| <i>Acyclovir (Oral Tablet)</i> | 1 | |
| <i>Acyclovir Sodium (Intravenous Solution)</i> | 1 | B/D,PA |
| <i>Famciclovir (Oral Tablet)</i> | 1 | |
| <i>Valacyclovir HCl (Oral Tablet)</i> | 1 | QL |
| Anti-HIV Agents, Integrase Inhibitors (INSTI) | | |
| BIKTARVY (ORAL TABLET) | 4 | QL |
| DOVATO (ORAL TABLET) | 4 | QL |
| GENVOYA (ORAL TABLET) | 4 | QL |
| ISENTRESS HD (ORAL TABLET) | 4 | QL |
| ISENTRESS (ORAL PACKET) | 3 | QL |
| ISENTRESS (ORAL TABLET) | 4 | QL |
| ISENTRESS (100MG ORAL TABLET CHEWABLE) | 3 | QL |
| ISENTRESS (25MG ORAL TABLET CHEWABLE) | 2 | QL |
| JULUCA (ORAL TABLET) | 4 | QL |
| STRIBILD (ORAL TABLET) | 4 | QL |
| TIVICAY (10MG ORAL TABLET, 25MG ORAL TABLET) | 3 | QL |
| TIVICAY (50MG ORAL TABLET) | 4 | QL |
| TIVICAY PD (ORAL TABLET SOLUBLE) | 4 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| Anti-HIV Agents, Non-nucleoside Reverse Transcriptase Inhibitors (NNRTI) | | |
| COMPLERA (ORAL TABLET) | 4 | QL |
| DELSTRIGO (ORAL TABLET) | 4 | QL |
| EDURANT (ORAL TABLET) | 4 | QL |
| <i>Efavirenz (200MG Oral Capsule, 50MG Oral Capsule)</i> | 1 | QL |
| <i>Efavirenz (Oral Tablet)</i> | 1 | QL |
| <i>Efavirenz-Emtricitabine-Tenofovir (Oral Tablet)</i> | 1 | QL |
| <i>Efavirenz-Lamivudine-Tenofovir (Oral Tablet)</i> | 1 | QL |
| <i>Etravirine (Oral Tablet)</i> | 1 | QL |
| INTELENCE (25MG ORAL TABLET) | 3 | QL |
| <i>Nevirapine ER (400MG Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| <i>Nevirapine (Oral Suspension)</i> | 1 | QL |
| <i>Nevirapine (Oral Tablet Immediate Release)</i> | 1 | QL |
| PIFELTRO (ORAL TABLET) | 4 | QL |
| Anti-HIV Agents, Nucleoside and Nucleotide Reverse Transcriptase Inhibitors (NRTI) | | |
| <i>Abacavir Sulfate (Oral Solution)</i> | 1 | QL |
| <i>Abacavir Sulfate (Oral Tablet)</i> | 1 | QL |
| <i>Abacavir Sulfate-Lamivudine (Oral Tablet)</i> | 1 | QL |
| CIMDUO (ORAL TABLET) | 4 | QL |
| DESCOVY (ORAL TABLET) | 4 | QL |
| <i>Emtricitabine (Oral Capsule)</i> | 1 | QL |
| <i>Emtricitabine-Tenofovir Disoproxil Fumarate (Oral Tablet)</i> | 1 | QL |
| EMTRIVA (ORAL SOLUTION) | 3 | QL |
| <i>Lamivudine (10MG/ML Oral Solution)</i> | 1 | QL |
| <i>Lamivudine (150MG Oral Tablet, 300MG Oral Tablet)</i> | 1 | QL |
| <i>Lamivudine-Zidovudine (Oral Tablet)</i> | 1 | QL |
| ODEFSEY (ORAL TABLET) | 4 | QL |
| <i>Tenofovir Disoproxil Fumarate (Oral Tablet)</i> | 1 | QL |
| TRIUMEQ (ORAL TABLET) | 4 | QL |
| TRIUMEQ PD (ORAL TABLET SOLUBLE) | 4 | QL |
| TRIZIVIR (300-150-300MG ORAL TABLET) | 4 | QL |
| VIREAD (ORAL POWDER) | 4 | QL |
| VIREAD (150MG ORAL TABLET, 200MG ORAL TABLET, 250MG ORAL TABLET) | 4 | QL |
| <i>Zidovudine (Oral Capsule)</i> | 1 | QL |
| <i>Zidovudine (Oral Syrup)</i> | 1 | QL |
| <i>Zidovudine (Oral Tablet)</i> | 1 | QL |
| Anti-HIV Agents, Other | | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| FUZEON (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | QL |
| <i>Maraviroc (Oral Tablet)</i> | 1 | QL |
| RUKOBIA (ORAL TABLET EXTENDED RELEASE 12 HOUR) | 4 | QL |
| SELZENTRY (ORAL SOLUTION) | 4 | QL |
| SELZENTRY (25MG ORAL TABLET) | 2 | QL |
| SELZENTRY (75MG ORAL TABLET) | 4 | QL |
| SUNLENCA (ORAL TABLET THERAPY PACK) | 4 | QL |
| TYBOST (ORAL TABLET) | 2 | QL |
| Anti-HIV Agents, Protease Inhibitors | | |
| APTIVUS (ORAL CAPSULE) | 4 | QL |
| <i>Atazanavir Sulfate (Oral Capsule)</i> | 1 | QL |
| <i>Darunavir (Oral Tablet)</i> | 1 | QL |
| EVOTAZ (ORAL TABLET) | 4 | QL |
| <i>Fosamprenavir Calcium (Oral Tablet)</i> | 1 | QL |
| LEXIVA (50MG/ML ORAL SUSPENSION) | 3 | QL |
| <i>Lopinavir-Ritonavir (Oral Solution)</i> | 1 | QL |
| <i>Lopinavir-Ritonavir (Oral Tablet)</i> | 1 | QL |
| NORVIR (ORAL PACKET) | 3 | QL |
| PREZCOBIX (ORAL TABLET) | 4 | QL |
| PREZISTA (ORAL SUSPENSION) | 4 | QL |
| PREZISTA (150MG ORAL TABLET, 600MG ORAL TABLET, 800MG ORAL TABLET) | 4 | QL |
| PREZISTA (75MG ORAL TABLET) | 3 | QL |
| REYATAZ (ORAL PACKET) | 4 | QL |
| <i>Ritonavir (Oral Tablet)</i> | 1 | QL |
| SYM TUZA (ORAL TABLET) | 4 | QL |
| VIRACEPT (ORAL TABLET) | 4 | QL |
| Anti-influenza Agents | | |
| <i>Oseltamivir Phosphate (Oral Capsule)</i> | 1 | |
| <i>Oseltamivir Phosphate (Oral Suspension Reconstituted)</i> | 1 | |
| RELENZA DISKHALER (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | QL |
| <i>Rimantadine HCl (Oral Tablet)</i> | 1 | |
| XOFLUZA (40MG DOSE) (ORAL TABLET THERAPY PACK) | 2 | QL |
| XOFLUZA (80MG DOSE) (ORAL TABLET THERAPY PACK) | 2 | QL |
| Anxiolytics | | |
| Anxiolytics, Other | | |
| <i>Bupirone HCl (Oral Tablet)</i> | 1 | |
| <i>Hydroxyzine HCl (Oral Syrup)</i> | 1 | HRM |
| <i>Hydroxyzine HCl (Oral Tablet)</i> | 1 | HRM |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Hydroxyzine Pamoate (Oral Capsule)</i> | 1 | HRM |
| Benzodiazepines | | |
| <i>Alprazolam ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| <i>Alprazolam Intensol (Oral Concentrate)</i> | 1 | QL |
| <i>Alprazolam (Oral Tablet Immediate Release)</i> | 1 | QL |
| <i>Alprazolam ODT (Oral Tablet Dispersible)</i> | 1 | QL |
| <i>Chlordiazepoxide HCl (Oral Capsule)</i> | 1 | |
| <i>Clonazepam (Oral Tablet)</i> | 1 | QL |
| <i>Clonazepam ODT (Oral Tablet Dispersible)</i> | 1 | QL |
| <i>Clorazepate Dipotassium (Oral Tablet)</i> | 1 | QL |
| <i>Diazepam Intensol (Oral Concentrate)</i> | 1 | QL |
| <i>Diazepam (5MG/5ML Oral Solution)</i> | 1 | |
| <i>Diazepam (10MG Oral Tablet, 2MG Oral Tablet, 5MG Oral Tablet)</i> | 1 | QL |
| <i>Lorazepam Intensol (Oral Concentrate)</i> | 1 | QL |
| <i>Lorazepam (Oral Tablet)</i> | 1 | QL |
| <i>Oxazepam (Oral Capsule)</i> | 1 | |
| Bipolar Agents | | |
| Mood Stabilizers | | |
| <i>Divalproex Sodium ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Divalproex Sodium (Oral Capsule Delayed Release Sprinkle)</i> | 1 | |
| <i>Divalproex Sodium (Oral Tablet Delayed Release)</i> | 1 | |
| EQUETRO (ORAL CAPSULE EXTENDED RELEASE 12 HOUR) | 3 | |
| <i>Lithium Carbonate ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Lithium Carbonate (Oral Capsule)</i> | 1 | |
| <i>Lithium Carbonate (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Lithium (Oral Solution)</i> | 1 | |
| Blood Glucose Regulators | | |
| Antidiabetic Agents | | |
| <i>Acarbose (Oral Tablet)</i> | 1 | |
| BYDUREON BCISE (SUBCUTANEOUS AUTO-INJECTOR) | 3 | PA; QL |
| CYCLOSET (ORAL TABLET) | 3 | |
| FARXIGA (ORAL TABLET) | 2 | QL |
| <i>Glimepiride (Oral Tablet)</i> | 1 | HRM; QL |
| <i>Glipizide ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| <i>Glipizide (Oral Tablet Immediate Release)</i> | 1 | QL |
| <i>Glipizide-Metformin HCl (Oral Tablet)</i> | 1 | QL |
| <i>Glyburide Micronized (Oral Tablet)</i> | 1 | HRM; QL |
| <i>Glyburide (Oral Tablet)</i> | 1 | HRM; QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Glyburide-Metformin (Oral Tablet)</i> | 1 | HRM; QL |
| GLYXAMBI (ORAL TABLET) | 2 | QL |
| INVOKAMET (ORAL TABLET IMMEDIATE RELEASE) | 2 | QL |
| INVOKAMET XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 2 | QL |
| INVOKANA (ORAL TABLET) | 2 | QL |
| JANUMET (ORAL TABLET IMMEDIATE RELEASE) | 2 | QL |
| JANUMET XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 2 | QL |
| JANUVIA (ORAL TABLET) | 2 | QL |
| JARDIANCE (ORAL TABLET) | 2 | QL |
| JENTADUETO (2.5-1000MG ORAL TABLET, 2.5-500MG ORAL TABLET) | 2 | QL |
| JENTADUETO XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 2 | QL |
| <i>Metformin HCl ER (Oral Tablet Extended Release 24 Hour) (Generic Glucophage XR)</i> | 1 | QL |
| <i>Metformin HCl (Oral Solution)</i> | 1 | QL |
| <i>Metformin HCl (1000MG Oral Tablet Immediate Release, 500MG Oral Tablet Immediate Release, 850MG Oral Tablet Immediate Release)</i> | 1 | QL |
| MOUNJARO (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | PA; QL |
| <i>Nateglinide (Oral Tablet)</i> | 1 | QL |
| OZEMPIC (0.25MG/DOSE OR 0.5MG/DOSE) (2MG/3ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | PA; QL |
| OZEMPIC (1MG/DOSE) (4MG/3ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | PA; QL |
| OZEMPIC (2MG/DOSE) (8MG/3ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | PA; QL |
| <i>Pioglitazone HCl (Oral Tablet)</i> | 1 | QL |
| <i>Pioglitazone HCl-Metformin HCl (Oral Tablet)</i> | 1 | QL |
| <i>Repaglinide (Oral Tablet)</i> | 1 | QL |
| RYBELSUS (ORAL TABLET) | 2 | PA; QL |
| <i>Saxagliptin HCl (Oral Tablet)</i> | 1 | QL |
| <i>Saxagliptin-Metformin ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| SOLIQUA (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | QL |
| SYMLINPEN 120 (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | |
| SYMLINPEN 60 (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | |
| SYNJARDY (ORAL TABLET IMMEDIATE RELEASE) | 2 | QL |
| SYNJARDY XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 2 | QL |
| TRADJENTA (ORAL TABLET) | 2 | QL |
| TRIJARDY XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 2 | QL |
| TRULICITY (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | PA; QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| VICTOZA (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | PA; QL |
| XIGDUO XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 2 | QL |
| XULTOPHY (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | QL |
| Glycemic Agents | | |
| BAQSIMI ONE PACK (NASAL POWDER) | 2 | |
| <i>Diazoxide (Oral Suspension)</i> | 1 | |
| GLUCAGEN HYPOKIT (INJECTION SOLUTION RECONSTITUTED) | 2 | |
| GLUCAGON (INJECTION KIT) (LILLY) | 1 | |
| GVOKE HYPOPEN 2-PACK (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 2 | |
| GVOKE KIT (SUBCUTANEOUS SOLUTION) | 2 | |
| GVOKE PFS (1MG/0.2ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 2 | |
| Insulins | | |
| FIASP FLEXTOUCH (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| FIASP (INJECTION SOLUTION) | 2 | |
| FIASP PENFILL (SUBCUTANEOUS SOLUTION CARTRIDGE) | 2 | |
| HUMALOG (INJECTION SOLUTION) | 2 | |
| HUMALOG JUNIOR KWIKPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| HUMALOG KWIKPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| HUMALOG MIX 50/50 KWIKPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| HUMALOG MIX 75/25 KWIKPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| HUMALOG MIX 75/25 (SUBCUTANEOUS SUSPENSION) | 2 | |
| HUMALOG (SUBCUTANEOUS SOLUTION CARTRIDGE) | 2 | |
| HUMULIN 70/30 KWIKPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| HUMULIN 70/30 (SUBCUTANEOUS SUSPENSION) | 2 | |
| HUMULIN N KWIKPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| HUMULIN N (SUBCUTANEOUS SUSPENSION) | 2 | |
| HUMULIN R (INJECTION SOLUTION) | 2 | |
| HUMULIN R U-500 (CONCENTRATED) (SUBCUTANEOUS SOLUTION) | 2 | |
| HUMULIN R U-500 KWIKPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| INSULIN ASPART FLEXPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) (BRAND EQUIVALENT NOVOLOG) | 2 | |
| INSULIN ASPART (INJECTION SOLUTION) (BRAND EQUIVALENT NOVOLOG) | 2 | |
| INSULIN ASPART PENFILL (SUBCUTANEOUS SOLUTION CARTRIDGE) (BRAND EQUIVALENT NOVOLOG) | 2 | |
| INSULIN ASPART PROT & ASPART FLEXPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) (BRAND EQUIVALENT NOVOLOG) | 2 | |
| INSULIN ASPART PROT & ASPART (SUBCUTANEOUS SUSPENSION) (BRAND EQUIVALENT NOVOLOG) | 2 | |
| INSULIN LISPRO (1 UNIT DIAL) (SUBCUTANEOUS SOLUTION PEN-INJECTOR) (BRAND EQUIVALENT HUMALOG) | 2 | |
| INSULIN LISPRO (INJECTION SOLUTION) (BRAND EQUIVALENT HUMALOG) | 2 | |
| INSULIN LISPRO JUNIOR KWIKPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) (BRAND EQUIVALENT HUMALOG) | 2 | |
| INSULIN LISPRO PROT & LISPRO (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) (BRAND EQUIVALENT HUMALOG) | 2 | |
| LANTUS SOLOSTAR (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| LANTUS (SUBCUTANEOUS SOLUTION) | 2 | |
| LEVEMIR FLEXPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| LEVEMIR (SUBCUTANEOUS SOLUTION) | 2 | |
| LYUMJEV (INJECTION SOLUTION) | 2 | |
| LYUMJEV KWIKPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| NOVOLIN 70/30 FLEXPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| NOVOLIN 70/30 (SUBCUTANEOUS SUSPENSION) | 2 | |
| NOVOLIN N FLEXPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| NOVOLIN N (SUBCUTANEOUS SUSPENSION) | 2 | |
| NOVOLIN R FLEXPEN (INJECTION SOLUTION PEN-INJECTOR) | 2 | |
| NOVOLIN R (INJECTION SOLUTION) | 2 | |
| NOVOLOG FLEXPEN (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| NOVOLOG (INJECTION SOLUTION) | 2 | |
| NOVOLOG MIX 70/30 FLEXPEN (SUBCUTANEOUS SUSPENSION PEN-INJECTOR) | 2 | |
| NOVOLOG MIX 70/30 (SUBCUTANEOUS SUSPENSION) | 2 | |
| NOVOLOG PENFILL (SUBCUTANEOUS SOLUTION CARTRIDGE) | 2 | |
| TOUJEO MAX SOLOSTAR (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| TOUJEO SOLOSTAR (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| TRESIBA FLEXTOUCH (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 2 | |
| TRESIBA (SUBCUTANEOUS SOLUTION) | 2 | |
| Blood Products and Modifiers | | |
| Anticoagulants | | |
| <i>Dabigatran Etexilate Mesylate (150MG Oral Capsule, 75MG Oral Capsule)</i> | 1 | QL |
| ELIQUIS (ORAL TABLET) | 2 | QL |
| ELIQUIS STARTER PACK (ORAL TABLET) | 2 | QL |
| <i>Enoxaparin Sodium (Injection Solution Prefilled Syringe)</i> | 1 | QL |
| <i>Fondaparinux Sodium (Subcutaneous Solution)</i> | 1 | |
| <i>Heparin Sodium (10000UNIT/ML Injection Solution, 20000UNIT/ML Injection Solution, 5000UNIT/ML Injection Solution)</i> | 1 | |
| <i>Heparin Sodium (1000UNIT/ML Injection Solution)</i> | 1 | B/D,PA |
| <i>Jantoven (Oral Tablet)</i> | 1 | |
| PRADAXA (ORAL CAPSULE) | 3 | QL |
| <i>Warfarin Sodium (Oral Tablet)</i> | 1 | |
| XARELTO (ORAL SUSPENSION RECONSTITUTED) | 2 | QL |
| XARELTO (ORAL TABLET) | 2 | QL |
| XARELTO STARTER PACK (ORAL TABLET THERAPY PACK) | 2 | QL |
| Blood Products and Modifiers, Other | | |
| <i>Anagrelide HCl (Oral Capsule)</i> | 1 | |
| ARANESP (ALBUMIN FREE) (100MCG/ML INJECTION SOLUTION, 200MCG/ML INJECTION SOLUTION) | 4 | PA |
| ARANESP (ALBUMIN FREE) (25MCG/ML INJECTION SOLUTION, 40MCG/ML INJECTION SOLUTION, 60MCG/ML INJECTION SOLUTION) | 3 | PA |
| ARANESP (ALBUMIN FREE) (100MCG/0.5ML INJECTION SOLUTION PREFILLED SYRINGE, 150MCG/0.3ML INJECTION SOLUTION PREFILLED SYRINGE, 200MCG/0.4ML INJECTION SOLUTION PREFILLED SYRINGE, 300MCG/0.6ML INJECTION SOLUTION PREFILLED SYRINGE, 500MCG/ML INJECTION SOLUTION PREFILLED SYRINGE, 60MCG/0.3ML INJECTION SOLUTION PREFILLED SYRINGE) | 4 | PA |
| ARANESP (ALBUMIN FREE) (10MCG/0.4ML INJECTION SOLUTION PREFILLED SYRINGE, 25MCG/0.42ML INJECTION SOLUTION PREFILLED SYRINGE, 40MCG/0.4ML INJECTION SOLUTION PREFILLED SYRINGE) | 3 | PA |
| EPOGEN (INJECTION SOLUTION) | 3 | PA |
| FULPHILA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| FYLNETRA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| GRANIX (SUBCUTANEOUS SOLUTION) | 4 | ST |
| GRANIX (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | ST |
| LEUKINE (INJECTION SOLUTION RECONSTITUTED) | 4 | PA |
| NEULASTA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| NEUPOGEN (INJECTION SOLUTION) | 4 | ST |
| NEUPOGEN (INJECTION SOLUTION PREFILLED SYRINGE) | 4 | ST |
| NIVESTYM (INJECTION SOLUTION) | 4 | ST |
| NIVESTYM (INJECTION SOLUTION PREFILLED SYRINGE) | 4 | ST |
| NYVEPRIA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| PROCRIT (10000UNIT/ML INJECTION SOLUTION, 2000UNIT/ML INJECTION SOLUTION, 3000UNIT/ML INJECTION SOLUTION, 4000UNIT/ML INJECTION SOLUTION) | 3 | PA |
| PROCRIT (20000UNIT/ML INJECTION SOLUTION, 40000UNIT/ML INJECTION SOLUTION) | 4 | PA |
| PROMACTA (ORAL PACKET) | 4 | PA; QL |
| PROMACTA (ORAL TABLET) | 4 | PA; QL |
| PYRUKYND (ORAL TABLET) | 4 | PA; QL |
| PYRUKYND TAPER PACK (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| RELEUKO (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | ST |
| RETACRIT (INJECTION SOLUTION) | 3 | PA |
| STIMUFEND (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| UDENYCA (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA |
| UDENYCA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| ZARXIO (INJECTION SOLUTION PREFILLED SYRINGE) | 4 | |
| ZIEXTENZO (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| Hemostasis Agents | | |
| <i>Tranexamic Acid (Oral Tablet)</i> | 1 | |
| Platelet Modifying Agents | | |
| <i>Aspirin-Dipyridamole ER (Oral Capsule Extended Release 12 Hour)</i> | 1 | QL |
| BRILINTA (ORAL TABLET) | 2 | QL |
| CABLIVI (INJECTION KIT) | 4 | PA; QL |
| <i>Cilostazol (Oral Tablet)</i> | 1 | |
| <i>Clopidogrel Bisulfate (75MG Oral Tablet)</i> | 1 | |
| <i>Dipyridamole (Oral Tablet)</i> | 1 | HRM |
| DOPTELET (ORAL TABLET) | 4 | PA; QL |
| <i>Prasugrel HCl (Oral Tablet)</i> | 1 | |
| Cardiovascular Agents | | |
| Alpha-adrenergic Agonists | | |
| <i>Clonidine HCl (Oral Tablet Immediate Release)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Clonidine (Transdermal Patch Weekly)</i> | 1 | |
| <i>Droxidopa (Oral Capsule)</i> | 1 | PA; QL |
| <i>Guanfacine HCl (Oral Tablet Immediate Release)</i> | 1 | HRM; QL |
| <i>Midodrine HCl (Oral Tablet)</i> | 1 | |
| Alpha-adrenergic Blocking Agents | | |
| <i>Doxazosin Mesylate (Oral Tablet)</i> | 1 | |
| <i>Prazosin HCl (Oral Capsule)</i> | 1 | |
| Angiotensin II Receptor Antagonists | | |
| <i>Candesartan Cilexetil (Oral Tablet)</i> | 1 | QL |
| EDARBI (ORAL TABLET) | 3 | QL |
| <i>Irbesartan (Oral Tablet)</i> | 1 | QL |
| <i>Losartan Potassium (Oral Tablet)</i> | 1 | QL |
| <i>Olmесartan Medoxomil (Oral Tablet)</i> | 1 | QL |
| <i>Telmisartan (Oral Tablet)</i> | 1 | QL |
| <i>Valsartan (Oral Tablet)</i> | 1 | QL |
| Angiotensin-converting Enzyme (ACE) Inhibitors | | |
| <i>Benazepril HCl (Oral Tablet)</i> | 1 | QL |
| <i>Captopril (Oral Tablet)</i> | 1 | QL |
| <i>Enalapril Maleate (Oral Tablet)</i> | 1 | QL |
| <i>Fosinopril Sodium (Oral Tablet)</i> | 1 | QL |
| <i>Lisinopril (Oral Tablet)</i> | 1 | QL |
| <i>Moexipril HCl (Oral Tablet)</i> | 1 | QL |
| <i>Perindopril Erbumine (Oral Tablet)</i> | 1 | QL |
| <i>Quinapril HCl (Oral Tablet)</i> | 1 | QL |
| <i>Ramipril (Oral Capsule)</i> | 1 | QL |
| <i>Trandolapril (Oral Tablet)</i> | 1 | QL |
| Antiarrhythmics | | |
| <i>Amiodarone HCl (Oral Tablet)</i> | 1 | |
| <i>Dofetilide (Oral Capsule)</i> | 1 | QL |
| <i>Flecainide Acetate (Oral Tablet)</i> | 1 | |
| <i>Mexiletine HCl (Oral Capsule)</i> | 1 | |
| MULTAQ (ORAL TABLET) | 2 | |
| <i>Propafenone HCl ER (Oral Capsule Extended Release 12 Hour)</i> | 1 | |
| <i>Propafenone HCl (Oral Tablet)</i> | 1 | |
| <i>Quinidine Gluconate ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Quinidine Sulfate (Oral Tablet)</i> | 1 | |
| <i>Sorine (120MG Oral Tablet, 160MG Oral Tablet, 80MG Oral Tablet)</i> | 1 | |
| <i>Sotalol HCl (AF) (Oral Tablet)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| <i>Sotalol HCl (Oral Tablet)</i> | 1 | |
| Beta-adrenergic Blocking Agents | | |
| <i>Acebutolol HCl (Oral Capsule)</i> | 1 | |
| <i>Atenolol (Oral Tablet)</i> | 1 | |
| <i>Betaxolol HCl (Oral Tablet)</i> | 1 | |
| <i>Bisoprolol Fumarate (Oral Tablet)</i> | 1 | |
| <i>Carvedilol (Oral Tablet)</i> | 1 | |
| <i>Labetalol HCl (Oral Tablet)</i> | 1 | |
| <i>Metoprolol Succinate ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Metoprolol Tartrate (Oral Tablet)</i> | 1 | |
| <i>Nadolol (Oral Tablet)</i> | 1 | |
| <i>Nebivolol HCl (Oral Tablet)</i> | 1 | QL |
| <i>Pindolol (Oral Tablet)</i> | 1 | |
| <i>Propranolol HCl ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Propranolol HCl (Oral Solution)</i> | 1 | |
| <i>Propranolol HCl (Oral Tablet)</i> | 1 | |
| Calcium Channel Blocking Agents, Dihydropyridines | | |
| <i>Amlodipine Besylate (Oral Tablet)</i> | 1 | |
| <i>Felodipine ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Isradipine (Oral Capsule)</i> | 1 | |
| <i>Nifedipine ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Nifedipine ER Osmotic Release (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Nimodipine (Oral Capsule)</i> | 1 | |
| Calcium Channel Blocking Agents, Nondihydropyridines | | |
| <i>Cartia XT (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Diltiazem HCl ER Beads (360MG Oral Capsule Extended Release 24 Hour, 420MG Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Diltiazem HCl ER Coated Beads (120MG Oral Capsule Extended Release 24 Hour, 180MG Oral Capsule Extended Release 24 Hour, 240MG Oral Capsule Extended Release 24 Hour, 300MG Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Diltiazem HCl ER (Oral Capsule Extended Release 12 Hour)</i> | 1 | |
| <i>Diltiazem HCl ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Diltiazem HCl (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Dilt-XR (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Matzim LA (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Taztia XT (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Tiadyt ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Verapamil HCl ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Verapamil HCl ER (Oral Tablet Extended Release)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| Verapamil HCl (Oral Tablet Immediate Release) | 1 | |
| Cardiovascular Agents, Other | | |
| Acetazolamide ER (Oral Capsule Extended Release 12 Hour) | 1 | |
| Acetazolamide (Oral Tablet) | 1 | |
| Aliskiren Fumarate (Oral Tablet) | 1 | QL |
| Amiloride-Hydrochlorothiazide (Oral Tablet) | 1 | |
| Amlodipine-Atorvastatin (Oral Tablet) | 1 | QL |
| Amlodipine-Benazepril (Oral Capsule) | 1 | QL |
| Amlodipine-Olmesartan (Oral Tablet) | 1 | QL |
| Amlodipine-Valsartan (Oral Tablet) | 1 | QL |
| Amlodipine-Valsartan-HCTZ (Oral Tablet) | 1 | |
| Atenolol-Chlorthalidone (Oral Tablet) | 1 | |
| Benazepril-Hydrochlorothiazide (Oral Tablet) | 1 | QL |
| Bisoprolol-Hydrochlorothiazide (Oral Tablet) | 1 | QL |
| Candesartan Cilexetil-HCTZ (Oral Tablet) | 1 | QL |
| CORLANOR (ORAL TABLET) | 3 | PA; QL |
| DEMSEER (ORAL CAPSULE) | 4 | |
| Digoxin (Oral Solution) | 1 | HRM |
| Digoxin (125MCG Oral Tablet, 250MCG Oral Tablet) | 1 | HRM |
| EDARBYCLOR (ORAL TABLET) | 3 | QL |
| Enalapril-Hydrochlorothiazide (Oral Tablet) | 1 | QL |
| ENTRESTO (ORAL TABLET) | 2 | QL |
| Fosinopril Sodium-HCTZ (Oral Tablet) | 1 | QL |
| Irbesartan-Hydrochlorothiazide (Oral Tablet) | 1 | QL |
| KERENDIA (ORAL TABLET) | 3 | PA; QL |
| Lisinopril-Hydrochlorothiazide (Oral Tablet) | 1 | QL |
| Losartan Potassium-HCTZ (Oral Tablet) | 1 | QL |
| Metoprolol-Hydrochlorothiazide (Oral Tablet) | 1 | |
| Metyrosine (Oral Capsule) | 1 | |
| Olmesartan Medoxomil-HCTZ (Oral Tablet) | 1 | QL |
| Olmesartan-Amlodipine-HCTZ (Oral Tablet) | 1 | QL |
| Pentoxifylline ER (Oral Tablet Extended Release) | 1 | |
| Ranolazine ER (Oral Tablet Extended Release 12 Hour) | 1 | |
| Spirolactone-HCTZ (Oral Tablet) | 1 | |
| Telmisartan-Amlodipine (Oral Tablet) | 1 | QL |
| Telmisartan-HCTZ (Oral Tablet) | 1 | QL |
| Triamterene-HCTZ (Oral Capsule) | 1 | |
| Triamterene-HCTZ (Oral Tablet) | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| Valsartan-Hydrochlorothiazide (Oral Tablet) | 1 | QL |
| Diuretics, Loop | | |
| Bumetanide (Injection Solution) | 1 | |
| Bumetanide (Oral Tablet) | 1 | |
| Furosemide (Injection Solution) | 1 | B/D,PA |
| Furosemide (Oral Solution) | 1 | |
| Furosemide (Oral Tablet) | 1 | |
| Torsemide (Oral Tablet) | 1 | |
| Diuretics, Potassium-sparing | | |
| Amiloride HCl (Oral Tablet) | 1 | |
| Eplerenone (Oral Tablet) | 1 | |
| Spironolactone (Oral Tablet) | 1 | |
| Triamterene (Oral Capsule) | 1 | |
| Diuretics, Thiazide | | |
| Chlorthalidone (Oral Tablet) | 1 | |
| DIURIL (ORAL SUSPENSION) | 3 | |
| Hydrochlorothiazide (Oral Capsule) | 1 | |
| Hydrochlorothiazide (Oral Tablet) | 1 | |
| Indapamide (Oral Tablet) | 1 | |
| Metolazone (Oral Tablet) | 1 | |
| Dyslipidemics, Fibric Acid Derivatives | | |
| Fenofibrate Micronized (130MG Oral Capsule, 134MG Oral Capsule, 200MG Oral Capsule, 43MG Oral Capsule, 67MG Oral Capsule) | 1 | |
| Fenofibrate (145MG Oral Tablet, 160MG Oral Tablet, 48MG Oral Tablet, 54MG Oral Tablet) | 1 | |
| Fenofibric Acid (Oral Capsule Delayed Release) | 1 | |
| Gemfibrozil (Oral Tablet) | 1 | |
| Dyslipidemics, HMG CoA Reductase Inhibitors | | |
| Atorvastatin Calcium (Oral Tablet) | 1 | QL |
| Fluvastatin Sodium ER (Oral Tablet Extended Release 24 Hour) | 1 | QL |
| Fluvastatin Sodium (Oral Capsule) | 1 | QL |
| LIVALO (ORAL TABLET) | 2 | QL |
| Lovastatin (Oral Tablet) | 1 | QL |
| Pravastatin Sodium (Oral Tablet) | 1 | QL |
| Rosuvastatin Calcium (Oral Tablet) | 1 | QL |
| Simvastatin (Oral Tablet) | 1 | QL |
| ZYPITAMAG (ORAL TABLET) | 2 | ST; QL |
| Dyslipidemics, Other | | |
| Cholestyramine Light (Oral Packet) | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Cholestyramine (Oral Packet)</i> | 1 | |
| <i>Colesevelam HCl (Oral Packet)</i> | 1 | |
| <i>Colesevelam HCl (Oral Tablet)</i> | 1 | |
| <i>Colestipol HCl (Oral Packet)</i> | 1 | |
| <i>Colestipol HCl (Oral Tablet)</i> | 1 | |
| <i>Ezetimibe (Oral Tablet)</i> | 1 | |
| <i>Ezetimibe-Simvastatin (Oral Tablet)</i> | 1 | QL |
| <i>Icosapent Ethyl (Oral Capsule)</i> | 1 | |
| JUXTAPID (ORAL CAPSULE) | 4 | PA |
| NEXLETOL (ORAL TABLET) | 2 | PA; QL |
| NEXLIZET (ORAL TABLET) | 2 | PA; QL |
| <i>Niacin (Antihyperlipidemic) (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Niacin ER (Antihyperlipidemic) (Oral Tablet Extended Release)</i> | 1 | |
| <i>Niacor (Oral Tablet)</i> | 1 | |
| <i>Omega-3-Acid Ethyl Esters (Oral Capsule) (Generic Lovaza)</i> | 1 | |
| PRALUENT (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 2 | PA; QL |
| <i>Prevalite (Oral Packet)</i> | 1 | |
| REPATHA PUSHTRONEX SYSTEM (SUBCUTANEOUS SOLUTION CARTRIDGE) | 2 | PA; QL |
| REPATHA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 2 | PA; QL |
| REPATHA SURECLICK (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 2 | PA; QL |
| VASCEPA (ORAL CAPSULE) | 3 | |
| Vasodilators, Direct-acting Arterial | | |
| <i>Hydralazine HCl (Oral Tablet)</i> | 1 | |
| <i>Minoxidil (Oral Tablet)</i> | 1 | |
| Vasodilators, Direct-acting Arterial/Venous | | |
| <i>Isosorbide Dinitrate (10MG Oral Tablet Immediate Release, 20MG Oral Tablet Immediate Release, 30MG Oral Tablet Immediate Release, 5MG Oral Tablet Immediate Release)</i> | 1 | |
| <i>Isosorbide Mononitrate ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Isosorbide Mononitrate (Oral Tablet Immediate Release)</i> | 1 | |
| NITRO-BID (TRANSDERMAL OINTMENT) | 3 | |
| <i>Nitroglycerin (Tablet Sublingual)</i> | 1 | |
| <i>Nitroglycerin (Transdermal Patch 24 Hour)</i> | 1 | |
| <i>Nitroglycerin (Translingual Solution)</i> | 1 | |
| NITROSTAT (0.4MG TABLET SUBLINGUAL) | 3 | |
| RECTIV (RECTAL OINTMENT) | 3 | QL |
| VERQUVO (ORAL TABLET) | 2 | PA; QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| Central Nervous System Agents | | |
| Attention Deficit Hyperactivity Disorder Agents, Amphetamines | | |
| <i>Amphetamine-Dextroamphetamine ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | QL |
| <i>Amphetamine-Dextroamphetamine (Oral Tablet)</i> | 1 | QL |
| <i>Dextroamphetamine Sulfate ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | QL |
| <i>Dextroamphetamine Sulfate (10MG Oral Tablet, 15MG Oral Tablet, 20MG Oral Tablet, 30MG Oral Tablet, 5MG Oral Tablet)</i> | 1 | QL |
| Attention Deficit Hyperactivity Disorder Agents, Non-amphetamines | | |
| <i>Atomoxetine HCl (Oral Capsule)</i> | 1 | QL |
| <i>Clonidine HCl ER (Oral Tablet Extended Release 12 Hour)</i> | 1 | PA |
| <i>Dexmethylphenidate HCl ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Dexmethylphenidate HCl (Oral Tablet)</i> | 1 | QL |
| <i>Guanfacine HCl ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | HRM |
| <i>Methylphenidate HCl CD (Oral Capsule Extended Release) (Generic Metadate CD)</i> | 1 | QL |
| <i>Methylphenidate HCl LA (Oral Capsule Extended Release 24 Hour)</i> | 1 | QL |
| <i>Methylphenidate HCl ER Osmotic Release (18MG Oral Tablet Extended Release, 27MG Oral Tablet Extended Release, 36MG Oral Tablet Extended Release, 54MG Oral Tablet Extended Release, 72MG Oral Tablet Extended Release)</i> | 1 | QL |
| <i>Methylphenidate HCl ER (XR) (Oral Capsule Extended Release 24 Hour) (Brand Equivalent Aptensio XR)</i> | 1 | QL |
| <i>Methylphenidate HCl ER (10MG Oral Tablet Extended Release, 20MG Oral Tablet Extended Release)</i> | 1 | QL |
| <i>Methylphenidate HCl ER (18MG Oral Tablet Extended Release 24 Hour, 27MG Oral Tablet Extended Release 24 Hour, 36MG Oral Tablet Extended Release 24 Hour, 54MG Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| <i>Methylphenidate HCl (Oral Solution)</i> | 1 | QL |
| <i>Methylphenidate HCl (Oral Tablet Immediate Release) (Generic Ritalin)</i> | 1 | QL |
| <i>Methylphenidate HCl (Oral Tablet Chewable)</i> | 1 | QL |
| QUILLIVANT XR (ORAL SUSPENSION RECONSTITUTED) | 3 | QL |
| Central Nervous System, Other | | |
| AUSTEDO (ORAL TABLET) | 4 | PA; QL |
| FIRDAPSE (ORAL TABLET) | 4 | PA; QL |
| NUEDEXTA (ORAL CAPSULE) | 4 | PA; QL |
| QUVIVIQ (ORAL TABLET) | 3 | QL |
| <i>Riluzole (Oral Tablet)</i> | 1 | |
| SKYCLARYS (ORAL CAPSULE) | 4 | PA; QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Tetrabenazine (Oral Tablet)</i> | 1 | PA |
| Fibromyalgia Agents | | |
| <i>Duloxetine HCl (Oral Capsule Delayed Release Particles)</i> | 1 | QL |
| <i>Pregabalin (Oral Capsule)</i> | 1 | QL |
| <i>Pregabalin (Oral Solution)</i> | 1 | QL |
| SAVELLA (ORAL TABLET) | 2 | |
| SAVELLA TITRATION PACK (ORAL TABLET) | 2 | |
| Multiple Sclerosis Agents | | |
| AVONEX PEN (INTRAMUSCULAR AUTO-INJECTOR KIT) | 4 | |
| AVONEX PREFILLED (INTRAMUSCULAR PREFILLED SYRINGE KIT) | 4 | |
| BETASERON (SUBCUTANEOUS KIT) | 4 | |
| <i>Dalfampridine ER (Oral Tablet Extended Release 12 Hour)</i> | 1 | QL |
| <i>Dimethyl Fumarate (Oral Capsule Delayed Release)</i> | 1 | QL |
| <i>Dimethyl Fumarate Starter Pack (Oral Capsule Delayed Release Therapy Pack)</i> | 1 | QL |
| EXTAVIA (SUBCUTANEOUS KIT) | 4 | |
| <i>Fingolimod HCl (Oral Capsule)</i> | 1 | QL |
| GILENYA (0.25MG ORAL CAPSULE) | 4 | QL |
| <i>Glatiramer Acetate (Subcutaneous Solution Prefilled Syringe)</i> | 1 | QL |
| <i>Glatopa (Subcutaneous Solution Prefilled Syringe)</i> | 1 | QL |
| KESIMPTA (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | |
| MAYZENT (ORAL TABLET) | 4 | QL |
| MAYZENT STARTER PACK (ORAL TABLET THERAPY PACK) | 3 | QL |
| PLEGRIDY (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | QL |
| PLEGRIDY (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | QL |
| REBIF REBIDOSE (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | ST |
| REBIF REBIDOSE TITRATION PACK (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | ST |
| REBIF (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | ST |
| REBIF TITRATION PACK (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | ST |
| <i>Teriflunomide (Oral Tablet)</i> | 1 | QL |
| Dental and Oral Agents | | |
| Dental and Oral Agents | | |
| <i>Cevimeline HCl (Oral Capsule)</i> | 1 | |
| <i>Chlorhexidine Gluconate (Mouth Solution)</i> | 1 | |
| <i>Kourzeq (Mouth/Throat Paste)</i> | 1 | |
| <i>Periogard (Mouth Solution)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Pilocarpine HCl (Oral Tablet)</i> | 1 | |
| <i>Triamcinolone Acetonide (Dental Paste)</i> | 1 | |
| Dermatological Agents | | |
| Acne and Rosacea Agents | | |
| <i>Accutane (10MG Oral Capsule, 20MG Oral Capsule, 40MG Oral Capsule)</i> | 1 | |
| <i>Acitretin (Oral Capsule)</i> | 1 | |
| <i>Adapalene (0.3% External Gel)</i> | 1 | |
| <i>Adapalene-Benzoyl Peroxide (0.3-2.5% External Gel)</i> | 1 | ST |
| <i>Amnesteem (Oral Capsule)</i> | 1 | |
| <i>Azelaic Acid (External Gel)</i> | 1 | QL |
| <i>Benzoyl Peroxide-Erythromycin (External Gel)</i> | 1 | |
| <i>Claravis (Oral Capsule)</i> | 1 | |
| <i>Clindamycin Phosphate-Benzoyl Peroxide (1-5% External Gel, 1.2-5% External Gel)</i> | 1 | |
| <i>Isotretinoin (10MG Oral Capsule, 20MG Oral Capsule, 30MG Oral Capsule, 40MG Oral Capsule)</i> | 1 | |
| <i>Neuac (External Gel)</i> | 1 | |
| <i>Tazarotene (External Cream)</i> | 1 | PA; QL |
| <i>Tretinoin (External Cream)</i> | 1 | PA |
| <i>Tretinoin (External Gel)</i> | 1 | PA |
| <i>Zenatane (Oral Capsule)</i> | 1 | |
| Dermatitis and Pruritus Agents | | |
| <i>Ala-Cort (External Cream)</i> | 1 | |
| <i>Alclometasone Dipropionate (External Cream)</i> | 1 | |
| <i>Alclometasone Dipropionate (External Ointment)</i> | 1 | |
| <i>Ammonium Lactate (External Cream)</i> | 1 | |
| <i>Ammonium Lactate (External Lotion)</i> | 1 | |
| <i>Betamethasone Dipropionate Aug (External Cream)</i> | 1 | |
| <i>Betamethasone Dipropionate Aug (External Gel)</i> | 1 | |
| <i>Betamethasone Dipropionate Aug (External Lotion)</i> | 1 | |
| <i>Betamethasone Dipropionate Aug (External Ointment)</i> | 1 | |
| <i>Betamethasone Dipropionate (External Cream)</i> | 1 | |
| <i>Betamethasone Dipropionate (External Lotion)</i> | 1 | |
| <i>Betamethasone Dipropionate (External Ointment)</i> | 1 | |
| <i>Betamethasone Valerate (External Cream)</i> | 1 | |
| <i>Betamethasone Valerate (External Lotion)</i> | 1 | |
| <i>Betamethasone Valerate (External Ointment)</i> | 1 | |
| <i>Clobetasol Propionate Emollient Base (External Cream)</i> | 1 | |
| <i>Clobetasol Propionate Emulsion (External Foam)</i> | 1 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Clobetasol Propionate (External Cream)</i> | 1 | |
| <i>Clobetasol Propionate (External Gel)</i> | 1 | |
| <i>Clobetasol Propionate (External Lotion)</i> | 1 | QL |
| <i>Clobetasol Propionate (External Ointment)</i> | 1 | |
| <i>Clobetasol Propionate (External Shampoo)</i> | 1 | |
| <i>Clobetasol Propionate (External Solution)</i> | 1 | |
| <i>Clodan (External Shampoo)</i> | 1 | |
| <i>Desonide (External Cream)</i> | 1 | QL |
| <i>Desonide (External Ointment)</i> | 1 | QL |
| <i>Desoximetasone (0.25% External Cream)</i> | 1 | QL |
| <i>Desoximetasone (0.25% External Ointment)</i> | 1 | |
| <i>Fluocinolone Acetonide (External Cream)</i> | 1 | |
| <i>Fluocinolone Acetonide (External Ointment)</i> | 1 | |
| <i>Fluocinolone Acetonide (External Solution)</i> | 1 | |
| <i>Fluocinolone Acetonide Scalp (External Oil)</i> | 1 | |
| <i>Fluocinonide Emulsified Base (External Cream)</i> | 1 | QL |
| <i>Fluocinonide (0.05% External Cream)</i> | 1 | QL |
| <i>Fluocinonide (External Gel)</i> | 1 | QL |
| <i>Fluocinonide (External Ointment)</i> | 1 | QL |
| <i>Fluocinonide (External Solution)</i> | 1 | QL |
| <i>Fluticasone Propionate (External Cream)</i> | 1 | |
| <i>Fluticasone Propionate (External Ointment)</i> | 1 | |
| <i>Halobetasol Propionate (External Cream)</i> | 1 | |
| <i>Halobetasol Propionate (External Ointment)</i> | 1 | |
| <i>Hydrocortisone Butyrate (External Solution)</i> | 1 | |
| <i>Hydrocortisone (1% External Cream)</i> | 1 | |
| <i>Hydrocortisone (2.5% External Lotion)</i> | 1 | |
| <i>Hydrocortisone (1% External Ointment, 2.5% External Ointment)</i> | 1 | |
| <i>Hydrocortisone Valerate (External Cream)</i> | 1 | |
| <i>Hydrocortisone Valerate (External Ointment)</i> | 1 | |
| <i>Mometasone Furoate (External Cream)</i> | 1 | |
| <i>Mometasone Furoate (External Ointment)</i> | 1 | |
| <i>Mometasone Furoate (External Solution)</i> | 1 | |
| <i>Pimecrolimus (External Cream)</i> | 1 | QL |
| <i>Selenium Sulfide (External Lotion)</i> | 1 | |
| <i>Tacrolimus (External Ointment)</i> | 1 | |
| <i>Tovet (External Foam)</i> | 1 | QL |
| <i>Triamcinolone Acetonide (External Cream)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| <i>Triamcinolone Acetonide (External Lotion)</i> | 1 | |
| <i>Triamcinolone Acetonide (External Ointment)</i> | 1 | |
| <i>Triderm (External Cream)</i> | 1 | |
| Dermatological Agents, Other | | |
| <i>Calcipotriene (External Cream)</i> | 1 | QL |
| <i>Calcipotriene (External Ointment)</i> | 1 | QL |
| <i>Calcipotriene (External Solution)</i> | 1 | |
| <i>Clotrimazole-Betamethasone (External Cream)</i> | 1 | QL |
| <i>Clotrimazole-Betamethasone (External Lotion)</i> | 1 | |
| <i>Diclofenac Sodium (3% External Gel)</i> | 1 | PA; QL |
| ENSTILAR (EXTERNAL FOAM) | 4 | |
| <i>Fluorouracil (5% External Cream)</i> | 1 | QL |
| <i>Fluorouracil (External Solution)</i> | 1 | |
| <i>Imiquimod (5% External Cream)</i> | 1 | QL |
| <i>Methoxsalen Rapid (Oral Capsule)</i> | 1 | |
| <i>Nystatin-Triamcinolone (External Cream)</i> | 1 | |
| <i>Nystatin-Triamcinolone (External Ointment)</i> | 1 | |
| <i>Podofilox (External Solution)</i> | 1 | |
| REGANEX (EXTERNAL GEL) | 4 | PA |
| SANTYL (EXTERNAL OINTMENT) | 2 | |
| <i>Silver Sulfadiazine (External Cream)</i> | 1 | |
| <i>SSD (External Cream)</i> | 1 | |
| Pediculicides/Scabicides | | |
| <i>Malathion (External Lotion)</i> | 1 | |
| <i>Permethrin (External Cream)</i> | 1 | |
| Topical Anti-infectives | | |
| <i>Ciclopirox (External Gel)</i> | 1 | |
| <i>Ciclopirox (External Shampoo)</i> | 1 | |
| <i>Ciclopirox (External Solution)</i> | 1 | |
| <i>Ciclopirox Olamine (External Cream)</i> | 1 | |
| <i>Ciclopirox Olamine (External Suspension)</i> | 1 | |
| <i>Clindacin ETZ (External Swab)</i> | 1 | QL |
| <i>Clindamycin Phosphate (External Gel)</i> | 1 | QL |
| <i>Clindamycin Phosphate (External Lotion)</i> | 1 | QL |
| <i>Clindamycin Phosphate (External Solution)</i> | 1 | QL |
| <i>Clindamycin Phosphate (External Swab)</i> | 1 | QL |
| <i>Clotrimazole (External Cream)</i> | 1 | |
| <i>Clotrimazole (External Solution)</i> | 1 | |
| <i>Econazole Nitrate (External Cream)</i> | 1 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| <i>Ery (External Pad)</i> | 1 | |
| <i>Erythromycin (External Gel)</i> | 1 | |
| <i>Erythromycin (External Solution)</i> | 1 | |
| <i>Gentamicin Sulfate (External Cream)</i> | 1 | |
| <i>Gentamicin Sulfate (External Ointment)</i> | 1 | |
| <i>Ketoconazole (External Cream)</i> | 1 | QL |
| <i>Ketoconazole (External Shampoo)</i> | 1 | |
| <i>Mupirocin (External Ointment)</i> | 1 | QL |
| <i>Nyamyc (External Powder)</i> | 1 | QL |
| <i>Nystatin (External Cream)</i> | 1 | |
| <i>Nystatin (External Ointment)</i> | 1 | |
| <i>Nystatin (External Powder)</i> | 1 | QL |
| <i>Nystop (External Powder)</i> | 1 | QL |
| <i>Sulfacetamide Sodium (Acne) (External Lotion)</i> | 1 | PA |
| Electrolytes/Minerals/Metals/Vitamins | | |
| Electrolyte/Mineral Replacement | | |
| <i>Carglumic Acid (Oral Tablet Soluble)</i> | 1 | |
| CLINIMIX E/DEXTROSE (2.75/5) (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| CLINIMIX E/DEXTROSE (4.25/10) (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| CLINIMIX E/DEXTROSE (4.25/5) (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| CLINIMIX E/DEXTROSE (5/15) (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| CLINIMIX E/DEXTROSE (5/20) (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| CLINIMIX/DEXTROSE (4.25/10) (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| CLINIMIX/DEXTROSE (4.25/5) (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| CLINIMIX/DEXTROSE (5/15) (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| CLINIMIX/DEXTROSE (5/20) (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| <i>Dextrose (10% Intravenous Solution)</i> | 1 | |
| <i>Dextrose (5% Intravenous Solution)</i> | 1 | B/D,PA |
| <i>Dextrose-NaCl (10-0.2% Intravenous Solution, 10-0.45% Intravenous Solution, 2.5-0.45% Intravenous Solution, 5-0.2% Intravenous Solution, 5-0.45% Intravenous Solution)</i> | 1 | |
| <i>Dextrose-NaCl (5-0.9% Intravenous Solution)</i> | 1 | B/D,PA |
| ENDARI (ORAL PACKET) | 4 | PA |
| INTRALIPID (INTRAVENOUS EMULSION) | 3 | B/D,PA |
| ISOLYTE-P IN D5W (INTRAVENOUS SOLUTION) | 3 | |
| ISOLYTE-S PH 7.4 (INTRAVENOUS SOLUTION) | 3 | |
| <i>KCl in Dextrose-NaCl (Intravenous Solution)</i> | 1 | |
| <i>KCl-Lactated Ringers-D5W (Intravenous Solution)</i> | 1 | |
| <i>Klor-Con 10 (Oral Tablet Extended Release)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Klor-Con M10 (Oral Tablet Extended Release)</i> | 1 | |
| <i>Klor-Con M15 (Oral Tablet Extended Release)</i> | 1 | |
| <i>Klor-Con M20 (Oral Tablet Extended Release)</i> | 1 | |
| <i>Klor-Con 8 (Oral Tablet Extended Release)</i> | 1 | |
| <i>Magnesium Sulfate (Injection Solution)</i> | 1 | |
| <i>Multiple Electrolytes Type 1 pH 5.5 (Intravenous Solution)</i> | 1 | |
| NUTRILIPID (INTRAVENOUS EMULSION) | 3 | B/D,PA |
| PLASMA-LYTE 148 (INTRAVENOUS SOLUTION) | 3 | |
| PLASMA-LYTE A (INTRAVENOUS SOLUTION) | 3 | |
| PLENAMINE (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| <i>Potassium Chloride Microencapsulated ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Potassium Chloride ER (Oral Capsule Extended Release)</i> | 1 | |
| <i>Potassium Chloride ER (10MEQ Oral Tablet Extended Release, 20MEQ Oral Tablet Extended Release, 8MEQ Oral Tablet Extended Release)</i> | 1 | |
| <i>Potassium Chloride in NaCl (20-0.45MEQ/L-% Intravenous Solution, 20-0.9MEQ/L-% Intravenous Solution, 40-0.9MEQ/L-% Intravenous Solution)</i> | 1 | B/D,PA |
| <i>Potassium Chloride (10MEQ/100ML Intravenous Solution, 20MEQ/100ML Intravenous Solution, 2MEQ/ML (30ML) Intravenous Solution, 2MEQ/ML (20ML) Intravenous Solution, 40MEQ/100ML Intravenous Solution)</i> | 1 | B/D,PA |
| <i>Potassium Chloride (20MEQ/15ML(10%) Oral Solution, 40MEQ/15ML(20%) Oral Solution)</i> | 1 | |
| <i>Potassium Citrate ER (Oral Tablet Extended Release)</i> | 1 | |
| <i>Potassium Chloride in Dextrose 5% (20MEQ/L Intravenous Solution)</i> | 1 | B/D,PA |
| PREMASOL (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| PROSOL (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| <i>Sodium Chloride (0.45% Intravenous Solution)</i> | 1 | |
| <i>Sodium Chloride (0.9% Intravenous Solution, 3% Intravenous Solution, 5% Intravenous Solution)</i> | 1 | B/D,PA |
| <i>Sodium Chloride (Irrigation Solution)</i> | 1 | |
| <i>Sodium Fluoride (Oral Tablet)</i> | 1 | |
| TPN ELECTROLYTES (INTRAVENOUS CONCENTRATE) | 3 | |
| TRAVASOL (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| TROPHAMINE (INTRAVENOUS SOLUTION) | 3 | B/D,PA |
| Electrolyte/Mineral/Metal Modifiers | | |
| CHEMET (ORAL CAPSULE) | 4 | |
| <i>Deferasirox Granules (Oral Packet)</i> | 1 | PA |
| <i>Deferasirox (Oral Tablet) (Generic Jadenu)</i> | 1 | PA |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Deferasirox (Oral Tablet Soluble) (Generic Exjade)</i> | 1 | PA |
| <i>Tolvaptan (Oral Tablet)</i> | 1 | QL |
| <i>Trientine HCl (250MG Oral Capsule)</i> | 1 | QL |
| Phosphate Binders | | |
| <i>Calcium Acetate (Phosphate Binder) (Oral Capsule)</i> | 1 | |
| <i>Calcium Acetate (667MG Oral Tablet)</i> | 1 | |
| FOSRENOL (ORAL PACKET) | 4 | |
| <i>Lanthanum Carbonate (Oral Tablet Chewable)</i> | 1 | |
| <i>Sevelamer Carbonate (Oral Packet)</i> | 1 | |
| <i>Sevelamer Carbonate (Oral Tablet) (Generic Renvela)</i> | 1 | |
| <i>Sevelamer HCl (Oral Tablet)</i> | 1 | |
| VELPHORO (ORAL TABLET CHEWABLE) | 4 | |
| Potassium Binders | | |
| LOKELMA (ORAL PACKET) | 2 | QL |
| <i>Sodium Polystyrene Sulfonate (Oral Powder)</i> | 1 | |
| <i>SPS (Oral Suspension)</i> | 1 | |
| VELTASSA (ORAL PACKET) | 3 | QL |
| Vitamins | | |
| <i>Prenatal (27-1MG Oral Tablet)</i> | 1 | |
| Gastrointestinal Agents | | |
| Anti-Constipation Agents | | |
| <i>Constulose (Oral Solution)</i> | 1 | |
| <i>Enulose (Oral Solution)</i> | 1 | |
| <i>Generlac (Oral Solution)</i> | 1 | |
| <i>Lactulose (10GM/15ML Oral Solution)</i> | 1 | |
| LINZESS (ORAL CAPSULE) | 2 | QL |
| <i>Lubiprostone (Oral Capsule)</i> | 1 | QL |
| MOVANTIK (ORAL TABLET) | 2 | QL |
| RELISTOR (ORAL TABLET) | 4 | |
| RELISTOR (SUBCUTANEOUS SOLUTION) | 4 | |
| Anti-Diarrheal Agents | | |
| <i>Alosetron HCl (Oral Tablet)</i> | 1 | PA |
| <i>Diphenoxylate-Atropine (Oral Liquid)</i> | 1 | HRM |
| <i>Diphenoxylate-Atropine (Oral Tablet)</i> | 1 | HRM |
| <i>Loperamide HCl (Oral Capsule)</i> | 1 | |
| VIBERZI (ORAL TABLET) | 4 | PA; QL |
| XERMELO (ORAL TABLET) | 4 | PA; QL |
| Antispasmodics, Gastrointestinal | | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| <i>Dicyclomine HCl (Oral Capsule)</i> | 1 | HRM |
| <i>Dicyclomine HCl (Oral Solution)</i> | 1 | HRM |
| <i>Dicyclomine HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Glycopyrrolate (Oral Solution) (Generic Cuvposa)</i> | 1 | PA |
| <i>Glycopyrrolate (1MG Oral Tablet, 2MG Oral Tablet)</i> | 1 | PA |
| <i>Methscopolamine Bromide (Oral Tablet)</i> | 1 | HRM |
| Gastrointestinal Agents, Other | | |
| <i>Amoxicillin-Clarithromycin-Lansoprazole (Oral Therapy Pack)</i> | 1 | |
| <i>Bismuth Subcitrate/Metronidazole/Tetracycline</i> | 1 | |
| CHENODAL (ORAL TABLET) | 4 | |
| CLENPIQ (ORAL SOLUTION) | 2 | |
| GATTEX (SUBCUTANEOUS KIT) | 4 | PA |
| <i>GaviLyte-C (Oral Solution Reconstituted)</i> | 1 | |
| <i>GaviLyte-G (Oral Solution Reconstituted)</i> | 1 | |
| MYALEPT (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA |
| <i>Sodium Sulfate-Potassium Sulfate-Magnesium Sulfate (Oral Solution)</i> | 1 | |
| <i>PEG-3350-NaCl-Na Bicarbonate-KCl (Oral Solution) (Generic NuLYTELY)</i> | 1 | |
| <i>PEG-3350-Electrolytes (Oral Solution) (Generic GoLYTELY)</i> | 1 | |
| PYLERA (ORAL CAPSULE) | 4 | |
| SUTAB (ORAL TABLET) | 2 | |
| <i>Ursodiol (300MG Oral Capsule)</i> | 1 | |
| <i>Ursodiol (Oral Tablet)</i> | 1 | |
| VOWST (ORAL CAPSULE) | 4 | PA |
| Histamine2 (H2) Receptor Antagonists | | |
| <i>Cimetidine (Oral Tablet)</i> | 1 | |
| <i>Famotidine (Oral Suspension Reconstituted)</i> | 1 | |
| <i>Famotidine (20MG Oral Tablet, 40MG Oral Tablet)</i> | 1 | |
| <i>Nizatidine (Oral Capsule)</i> | 1 | |
| Protectants | | |
| <i>Misoprostol (Oral Tablet)</i> | 1 | |
| <i>Sucralfate (Oral Suspension)</i> | 1 | |
| <i>Sucralfate (Oral Tablet)</i> | 1 | |
| Proton Pump Inhibitors | | |
| <i>Dexlansoprazole (Oral Capsule Delayed Release)</i> | 1 | QL |
| <i>Esomeprazole Magnesium (Oral Capsule Delayed Release) (Generic Nexium)</i> | 1 | QL |
| <i>Esomeprazole Magnesium (Oral Packet)</i> | 1 | |
| <i>Lansoprazole (Oral Capsule Delayed Release)</i> | 1 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| NEXIUM (2.5MG ORAL PACKET, 5MG ORAL PACKET) | 2 | |
| <i>Omeprazole (10MG Oral Capsule Delayed Release)</i> | 1 | QL |
| <i>Omeprazole (20MG Oral Capsule Delayed Release, 40MG Oral Capsule Delayed Release)</i> | 1 | |
| <i>Pantoprazole Sodium (Oral Tablet Delayed Release)</i> | 1 | QL |
| <i>Rabeprazole Sodium (Oral Tablet Delayed Release)</i> | 1 | |
| Genetic or Enzyme or Protein Disorder: Replacement, Modifiers, Treatment | | |
| Genetic or Enzyme or Protein Disorder: Replacement, Modifiers, Treatment | | |
| ARALAST NP (1000MG INTRAVENOUS SOLUTION RECONSTITUTED) | 4 | PA |
| <i>Betaine (Oral Powder)</i> | 1 | |
| CERDELGA (ORAL CAPSULE) | 4 | PA |
| CHOLBAM (ORAL CAPSULE) | 4 | PA |
| CREON (ORAL CAPSULE DELAYED RELEASE PARTICLES) | 2 | |
| <i>Cromolyn Sodium (Oral Concentrate)</i> | 1 | |
| CYSTAGON (ORAL CAPSULE) | 3 | |
| <i>Levocarnitine (Oral Solution)</i> | 1 | |
| <i>Levocarnitine (Oral Tablet)</i> | 1 | |
| <i>Miglustat (Oral Capsule)</i> | 1 | PA |
| <i>Nitisinone (Oral Capsule)</i> | 1 | |
| ORFADIN (20MG ORAL CAPSULE) | 4 | |
| ORFADIN (ORAL SUSPENSION) | 4 | |
| PROLASTIN-C (INTRAVENOUS SOLUTION RECONSTITUTED) | 4 | PA |
| RAVICTI (ORAL LIQUID) | 4 | |
| REVCOVI (INTRAMUSCULAR SOLUTION) | 4 | |
| <i>Sapropterin Dihydrochloride (Oral Packet)</i> | 1 | |
| <i>Sapropterin Dihydrochloride (Oral Tablet)</i> | 1 | |
| <i>Sodium Phenylbutyrate (Oral Powder)</i> | 1 | |
| <i>Sodium Phenylbutyrate (Oral Tablet)</i> | 1 | |
| SUCRAID (ORAL SOLUTION) | 4 | |
| TEGSEDI (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| VYNDAMAX (ORAL CAPSULE) | 4 | PA; QL |
| VYNDAQEL (ORAL CAPSULE) | 4 | PA; QL |
| ZENPEP (ORAL CAPSULE DELAYED RELEASE PARTICLES) | 2 | |
| ZOKINVY (ORAL CAPSULE) | 4 | PA; QL |
| Genitourinary Agents | | |
| Antispasmodics, Urinary | | |
| <i>Fesoterodine Fumarate ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | QL |
| <i>Flavoxate HCl (Oral Tablet)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| GEMTESA (ORAL TABLET) | 3 | |
| MYRBETRIQ (ORAL SUSPENSION RECONSTITUTED ER) | 2 | |
| MYRBETRIQ (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 2 | |
| <i>Oxybutynin Chloride ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Oxybutynin Chloride (Oral Solution)</i> | 1 | |
| <i>Oxybutynin Chloride (5MG Oral Tablet Immediate Release)</i> | 1 | |
| <i>Solifenacin Succinate (Oral Tablet)</i> | 1 | QL |
| <i>Tolterodine Tartrate ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Tolterodine Tartrate (Oral Tablet)</i> | 1 | |
| <i>Tropium Chloride ER (Oral Capsule Extended Release 24 Hour)</i> | 1 | |
| <i>Tropium Chloride (Oral Tablet)</i> | 1 | |
| Benign Prostatic Hypertrophy Agents | | |
| <i>Alfuzosin HCl ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Dutasteride (Oral Capsule)</i> | 1 | |
| <i>Dutasteride-Tamsulosin HCl (Oral Capsule)</i> | 1 | |
| <i>Finasteride (5MG Oral Tablet) (Generic Proscar)</i> | 1 | |
| <i>Silodosin (Oral Capsule)</i> | 1 | QL |
| <i>Tamsulosin HCl (Oral Capsule)</i> | 1 | |
| <i>Terazosin HCl (Oral Capsule)</i> | 1 | |
| Genitourinary Agents, Other | | |
| <i>Bethanechol Chloride (Oral Tablet)</i> | 1 | |
| ELMIRON (ORAL CAPSULE) | 3 | |
| LITHOSTAT (ORAL TABLET) | 3 | |
| <i>Penicillamine (Oral Tablet)</i> | 1 | |
| <i>Tiopronin (Oral Tablet)</i> | 1 | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal) | | |
| <i>Dexamethasone (Oral Solution)</i> | 1 | |
| <i>Dexamethasone (Oral Tablet)</i> | 1 | |
| <i>Fludrocortisone Acetate (Oral Tablet)</i> | 1 | |
| <i>Hydrocortisone (Oral Tablet)</i> | 1 | |
| <i>Methylprednisolone (Oral Tablet)</i> | 1 | |
| <i>Methylprednisolone (Oral Tablet Therapy Pack)</i> | 1 | |
| <i>Prednisolone (Oral Solution)</i> | 1 | |
| <i>Prednisolone Sodium Phosphate (10MG/5ML Oral Solution, 20MG/5ML Oral Solution, 25MG/5ML Oral Solution, 6.7MG/5ML Oral Solution)</i> | 1 | |
| <i>Prednisone Intensol (Oral Concentrate)</i> | 1 | |
| <i>Prednisone (5MG/5ML Oral Solution)</i> | 1 | |
| <i>Prednisone (Oral Tablet)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Prednisone (Oral Tablet Therapy Pack)</i> | 1 | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary) | | |
| <i>Desmopressin Acetate (Oral Tablet)</i> | 1 | |
| <i>Desmopressin Acetate Spray (Nasal Solution)</i> | 1 | |
| EGRIFTA SV (2MG SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA |
| GENOTROPIN MINIQUICK (0.2MG SUBCUTANEOUS PREFILLED SYRINGE) | 3 | PA |
| GENOTROPIN MINIQUICK (0.4MG SUBCUTANEOUS PREFILLED SYRINGE, 0.6MG SUBCUTANEOUS PREFILLED SYRINGE, 0.8MG SUBCUTANEOUS PREFILLED SYRINGE, 1.2MG SUBCUTANEOUS PREFILLED SYRINGE, 1.4MG SUBCUTANEOUS PREFILLED SYRINGE, 1.6MG SUBCUTANEOUS PREFILLED SYRINGE, 1.8MG SUBCUTANEOUS PREFILLED SYRINGE, 1MG SUBCUTANEOUS PREFILLED SYRINGE, 2MG SUBCUTANEOUS PREFILLED SYRINGE) | 4 | PA |
| GENOTROPIN (12MG SUBCUTANEOUS CARTRIDGE) | 4 | PA |
| GENOTROPIN (5MG SUBCUTANEOUS CARTRIDGE) | 3 | PA |
| HUMATROPE (INJECTION CARTRIDGE) | 4 | PA |
| INCRELEX (SUBCUTANEOUS SOLUTION) | 4 | PA |
| OMNITROPE (SUBCUTANEOUS SOLUTION CARTRIDGE) | 4 | PA |
| OMNITROPE (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA |
| SEROSTIM (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA |
| Hormonal Agents, Stimulant/Replacement/Modifying (Prostaglandins) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Prostaglandins) | | |
| KORLYM (ORAL TABLET) | 4 | PA; QL |
| Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers) | | |
| Androgens | | |
| <i>Danazol (Oral Capsule)</i> | 1 | |
| <i>Testosterone Cypionate (Intramuscular Solution)</i> | 1 | |
| <i>Testosterone Enanthate (Intramuscular Solution)</i> | 1 | |
| <i>Testosterone Pump (2% Transdermal Gel, 1% Transdermal Gel, 1.62% Transdermal Gel), Testosterone (20.25MG/1.25GM 1.62% Transdermal Gel, 25MG/2.5GM 1% Transdermal Gel, 40.5MG/2.5GM 1.62% Transdermal Gel, 50MG/5GM 1% Transdermal Gel)</i> | 1 | |
| <i>Testosterone (Transdermal Solution)</i> | 1 | |
| Estrogens | | |
| <i>Altavera (Oral Tablet)</i> | 1 | |
| <i>Alyacen 1/35 (Oral Tablet)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| <i>Amabelz (0.5-0.1MG Oral Tablet)</i> | 1 | HRM |
| <i>Amethia (Oral Tablet)</i> | 1 | |
| <i>Apri (Oral Tablet)</i> | 1 | |
| <i>Aranelle (Oral Tablet)</i> | 1 | |
| <i>Ashlyna (Oral Tablet)</i> | 1 | |
| <i>Aubra EQ (Oral Tablet)</i> | 1 | |
| <i>Aviane (Oral Tablet)</i> | 1 | |
| <i>Balziva (Oral Tablet)</i> | 1 | |
| <i>Blisovi 24 Fe (Oral Tablet)</i> | 1 | |
| <i>Blisovi Fe 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>Briellyn (Oral Tablet)</i> | 1 | |
| <i>Camrese Lo (Oral Tablet)</i> | 1 | |
| CLIMARA PRO (TRANSDERMAL PATCH WEEKLY) | 3 | HRM |
| COMBIPATCH (TRANSDERMAL PATCH TWICE WEEKLY) | 3 | HRM |
| <i>Cryselle-28 (Oral Tablet)</i> | 1 | |
| <i>Cyred EQ (Oral Tablet)</i> | 1 | |
| DEPO-ESTRADIOL (INTRAMUSCULAR OIL) | 3 | |
| <i>Desogestrel-Ethinyl Estradiol (Oral Tablet)</i> | 1 | |
| <i>Dolishale (Oral Tablet)</i> | 1 | |
| <i>Dotti (Transdermal Patch Twice Weekly)</i> | 1 | HRM; QL |
| <i>Drospirenone-Ethinyl Estradiol (Oral Tablet)</i> | 1 | |
| DUAVEE (ORAL TABLET) | 3 | HRM |
| ELESTRIN (TRANSDERMAL GEL) | 3 | HRM |
| <i>EluRyng (Vaginal Ring)</i> | 1 | |
| <i>EnilloRing (Vaginal Ring)</i> | 1 | |
| <i>Enpresse-28 (Oral Tablet)</i> | 1 | |
| <i>Enskyce (Oral Tablet)</i> | 1 | |
| <i>Estarylla (Oral Tablet)</i> | 1 | |
| <i>Estradiol (Oral Tablet)</i> | 1 | HRM |
| <i>Estradiol (Transdermal Patch Twice Weekly)</i> | 1 | HRM; QL |
| <i>Estradiol (Transdermal Patch Weekly)</i> | 1 | HRM; QL |
| <i>Estradiol (Vaginal Cream)</i> | 1 | |
| <i>Estradiol (Vaginal Tablet)</i> | 1 | |
| <i>Estradiol Valerate (Intramuscular Oil)</i> | 1 | |
| <i>Estradiol-Norethindrone Acetate (Oral Tablet)</i> | 1 | HRM |
| ESTRING (VAGINAL RING) | 3 | |
| <i>Ethinodiol Diacetate-Ethinyl Estradiol (Oral Tablet)</i> | 1 | |
| <i>Etonogestrel-Ethinyl Estradiol (Vaginal Ring)</i> | 1 | |
| <i>Falmina (Oral Tablet)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| <i>Finzala (Oral Tablet Chewable)</i> | 1 | |
| <i>Fyavolv (1-5MG-MCG Oral Tablet)</i> | 1 | HRM |
| <i>Hailey 24 Fe (Oral Tablet)</i> | 1 | |
| <i>Haloette (Vaginal Ring)</i> | 1 | |
| <i>Iclevia (Oral Tablet)</i> | 1 | |
| <i>Introvale (Oral Tablet)</i> | 1 | |
| <i>Isibloom (Oral Tablet)</i> | 1 | |
| <i>Jasmiel (Oral Tablet)</i> | 1 | |
| <i>Jinteli (Oral Tablet)</i> | 1 | HRM |
| <i>Joyeaux (Oral Tablet)</i> | 1 | |
| <i>Juleber (Oral Tablet)</i> | 1 | |
| <i>Junel 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>Junel 1/20 (Oral Tablet)</i> | 1 | |
| <i>Junel Fe 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>Junel Fe 1/20 (Oral Tablet)</i> | 1 | |
| <i>Junel Fe 24 (Oral Tablet)</i> | 1 | |
| <i>Kaitlib Fe (Oral Tablet Chewable)</i> | 1 | |
| <i>Kariva (Oral Tablet)</i> | 1 | |
| <i>Kelnor 1/35 (Oral Tablet)</i> | 1 | |
| <i>Kelnor 1/50 (Oral Tablet)</i> | 1 | |
| <i>Kurvelo (Oral Tablet)</i> | 1 | |
| <i>LARIN 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>LARIN 1/20 (Oral Tablet)</i> | 1 | |
| <i>LARIN Fe 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>LARIN Fe 1/20 (Oral Tablet)</i> | 1 | |
| <i>Layolis Fe (Oral Tablet Chewable)</i> | 1 | |
| <i>Leena (Oral Tablet)</i> | 1 | |
| <i>Lessina (Oral Tablet)</i> | 1 | |
| <i>Levonest (Oral Tablet)</i> | 1 | |
| <i>Levonorgestrel-Ethinyl Estradiol & Ethinyl Estradiol (Oral Tablet)</i> | 1 | |
| <i>Levonorgestrel-Ethinyl Estradiol 91-Day (Oral Tablet)</i> | 1 | |
| <i>Levonorgestrel-Ethinyl Estradiol (Oral Tablet)</i> | 1 | |
| <i>Levonorgestrel-Ethinyl Estradiol Triphasic (Oral Tablet)</i> | 1 | |
| <i>Levora 0.15/30 (28) (Oral Tablet)</i> | 1 | |
| <i>Loryna (Oral Tablet)</i> | 1 | |
| <i>Low-Ogestrel (Oral Tablet)</i> | 1 | |
| <i>Lutera (Oral Tablet)</i> | 1 | |
| <i>Lyllana (Transdermal Patch Twice Weekly)</i> | 1 | HRM; QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Marlissa (Oral Tablet)</i> | 1 | |
| MENEST (ORAL TABLET) | 3 | HRM |
| <i>Mibelas 24 Fe (Oral Tablet Chewable)</i> | 1 | |
| <i>Microgestin 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>Microgestin 1/20 (Oral Tablet)</i> | 1 | |
| <i>Microgestin 24 Fe (Oral Tablet)</i> | 1 | |
| <i>Microgestin Fe 1.5/30 (Oral Tablet)</i> | 1 | |
| <i>Microgestin Fe 1/20 (Oral Tablet)</i> | 1 | |
| <i>Mili (Oral Tablet)</i> | 1 | |
| <i>Mimvey (Oral Tablet)</i> | 1 | HRM |
| <i>Necon 0.5/35 (28) (Oral Tablet)</i> | 1 | |
| <i>Nikki (Oral Tablet)</i> | 1 | |
| <i>Norelgestromin-Ethinyl Estradiol (Transdermal Patch Weekly)</i> | 1 | |
| <i>Norethindrone Acetate-Ethinyl Estradiol-Fe (1-20MG-MCG Oral Tablet)</i> | 1 | |
| <i>Norethindrone Acetate-Ethinyl Estradiol-Fe (1-20MG-MCG Oral Tablet Chewable)</i> | 1 | |
| <i>Norethindrone Acetate-Ethinyl Estradiol (1-20MG-MCG Oral Tablet)</i> | 1 | |
| <i>Norethindrone Acetate-Ethinyl Estradiol (1-5MG-MCG Oral Tablet)</i> | 1 | HRM |
| <i>Norethindrone-Ethinyl Estradiol-Fe (1-20MG-MCG/1-30MG-MCG/1-35MG-MCG Oral Tablet)</i> | 1 | |
| <i>Norethindrone Acetate-Ethinyl Estradiol-Fe (0.4-35MG-MCG Oral Tablet Chewable, 0.8-25MG-MCG Oral Tablet Chewable)</i> | 1 | |
| <i>Norgestimate-Ethinyl Estradiol (Oral Tablet)</i> | 1 | |
| <i>Norgestimate-Ethinyl Estradiol Triphasic (Oral Tablet)</i> | 1 | |
| <i>Nortrel 0.5/35 (28) (Oral Tablet)</i> | 1 | |
| <i>Nortrel 1/35 (21) (Oral Tablet)</i> | 1 | |
| <i>Nortrel 1/35 (28) (Oral Tablet)</i> | 1 | |
| <i>Nortrel 7/7/7 (Oral Tablet)</i> | 1 | |
| <i>Nylia 1/35 (Oral Tablet)</i> | 1 | |
| <i>Nylia 7/7/7 (Oral Tablet)</i> | 1 | |
| <i>Nymyo (Oral Tablet)</i> | 1 | |
| <i>Ocella (Oral Tablet)</i> | 1 | |
| <i>Pimtreea (Oral Tablet)</i> | 1 | |
| <i>Portia-28 (Oral Tablet)</i> | 1 | |
| PREMARIN (ORAL TABLET) | 3 | HRM; QL |
| PREMARIN (VAGINAL CREAM) | 2 | |
| <i>Reclipsen (Oral Tablet)</i> | 1 | |
| <i>Rivelsa (Oral Tablet)</i> | 1 | |
| <i>Setlakin (Oral Tablet)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| <i>Sprintec 28 (Oral Tablet)</i> | 1 | |
| <i>Sronyx (Oral Tablet)</i> | 1 | |
| <i>Syeda (Oral Tablet)</i> | 1 | |
| <i>Tarina 24 Fe (Oral Tablet)</i> | 1 | |
| <i>Tarina Fe 1/20 EQ (Oral Tablet)</i> | 1 | |
| <i>Tilia Fe (Oral Tablet)</i> | 1 | |
| <i>Tri-Estarylla (Oral Tablet)</i> | 1 | |
| <i>Tri-Legest Fe (Oral Tablet)</i> | 1 | |
| <i>Tri-Lo-Estarylla (Oral Tablet)</i> | 1 | |
| <i>Tri-Lo-Sprintec (Oral Tablet)</i> | 1 | |
| <i>Tri-Mili (Oral Tablet)</i> | 1 | |
| <i>Tri-Nymyo (Oral Tablet)</i> | 1 | |
| <i>Tri-Sprintec (Oral Tablet)</i> | 1 | |
| <i>Trivora (28) (Oral Tablet)</i> | 1 | |
| <i>Tri-VyLibra Lo (Oral Tablet)</i> | 1 | |
| <i>Tri-VyLibra (Oral Tablet)</i> | 1 | |
| <i>Turqoz (Oral Tablet)</i> | 1 | |
| <i>Tyblume (Oral Tablet Chewable)</i> | 1 | |
| <i>Tydemy (Oral Tablet)</i> | 1 | |
| <i>Velivet (Oral Tablet)</i> | 1 | |
| <i>Vestura (Oral Tablet)</i> | 1 | |
| <i>Vienva (Oral Tablet)</i> | 1 | |
| <i>Vyfemla (Oral Tablet)</i> | 1 | |
| <i>VyLibra (Oral Tablet)</i> | 1 | |
| <i>Wymzya Fe (Oral Tablet Chewable)</i> | 1 | |
| <i>Xulane (Transdermal Patch Weekly)</i> | 1 | |
| <i>Yuvaferm (Vaginal Tablet)</i> | 1 | |
| <i>Zafemy (Transdermal Patch Weekly)</i> | 1 | |
| <i>Zovia 1/35 (28) (Oral Tablet)</i> | 1 | |
| Progestins | | |
| <i>Camila (Oral Tablet)</i> | 1 | |
| CRINONE (VAGINAL GEL) | 3 | PA |
| <i>Deblitane (Oral Tablet)</i> | 1 | |
| DEPO-SUBQ PROVERA 104 (SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE) | 3 | |
| <i>Errin (Oral Tablet)</i> | 1 | |
| <i>Incassia (Oral Tablet)</i> | 1 | |
| <i>Lyleq (Oral Tablet)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Lyza (Oral Tablet)</i> | 1 | |
| <i>Medroxyprogesterone Acetate (Intramuscular Suspension)</i> | 1 | |
| <i>Medroxyprogesterone Acetate (Intramuscular Suspension Prefilled Syringe)</i> | 1 | |
| <i>Medroxyprogesterone Acetate (Oral Tablet)</i> | 1 | |
| <i>Megestrol Acetate (40MG/ML Oral Suspension, 625MG/5ML Oral Suspension)</i> | 1 | HRM |
| <i>Megestrol Acetate (Oral Tablet)</i> | 1 | HRM |
| NEXPLANON (SUBCUTANEOUS IMPLANT) | 3 | |
| <i>Nora-BE (Oral Tablet)</i> | 1 | |
| <i>Norethindrone Acetate (5MG Oral Tablet)</i> | 1 | |
| <i>Norethindrone (0.35MG Oral Tablet)</i> | 1 | |
| <i>Progesterone (Oral Capsule)</i> | 1 | |
| <i>Sharobel (Oral Tablet)</i> | 1 | |
| SLYND (ORAL TABLET) | 3 | |
| Selective Estrogen Receptor Modifying Agents | | |
| OSPHENA (ORAL TABLET) | 2 | PA; QL |
| <i>Raloxifene HCl (Oral Tablet)</i> | 1 | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid) | | |
| <i>Euthyrox (Oral Tablet)</i> | 1 | |
| <i>Levothyroxine Sodium (Oral Tablet)</i> | 1 | |
| <i>Levoxyl (Oral Tablet)</i> | 1 | |
| <i>Liothyronine Sodium (Oral Tablet)</i> | 1 | |
| SYNTHROID (ORAL TABLET) | 2 | |
| <i>Unithroid (Oral Tablet)</i> | 1 | |
| Hormonal Agents, Suppressant (Adrenal) | | |
| Hormonal Agents, Suppressant (Adrenal) | | |
| ISTURISA (ORAL TABLET) | 4 | PA |
| LYSODREN (ORAL TABLET) | 4 | |
| Hormonal Agents, Suppressant (Pituitary) | | |
| Hormonal Agents, Suppressant (Pituitary) | | |
| <i>Cabergoline (Oral Tablet)</i> | 1 | |
| ELIGARD (SUBCUTANEOUS KIT) | 3 | PA; QL |
| FIRMAGON (240MG DOSE) (120MG/VIAL SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA; QL |
| FIRMAGON (80MG SUBCUTANEOUS SOLUTION RECONSTITUTED) | 3 | PA; QL |
| <i>Leuprolide Acetate (Subcutaneous Injection Kit)</i> | 1 | QL |
| LUPRON DEPOT (1-MONTH) (INTRAMUSCULAR KIT) | 3 | PA; QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| LUPRON DEPOT (3-MONTH) (INTRAMUSCULAR KIT) | 3 | PA; QL |
| LUPRON DEPOT (4-MONTH) (INTRAMUSCULAR KIT) | 3 | PA; QL |
| LUPRON DEPOT (6-MONTH) (INTRAMUSCULAR KIT) | 3 | PA; QL |
| LUPRON DEPOT-PED (1-MONTH) (7.5MG INTRAMUSCULAR KIT) | 4 | PA; QL |
| LUPRON DEPOT-PED (3-MONTH) (11.25MG INTRAMUSCULAR KIT) | 4 | PA; QL |
| LUPRON DEPOT-PED (6-MONTH) (INTRAMUSCULAR KIT) | 4 | PA; QL |
| <i>Octreotide Acetate (Injection Solution)</i> | 1 | PA |
| ORGOVYX (ORAL TABLET) | 4 | PA; QL |
| SIGNIFOR (SUBCUTANEOUS SOLUTION) | 4 | PA |
| SOMAVERT (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA; QL |
| TRELSTAR MIXJECT (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 3 | PA; QL |
| Hormonal Agents, Suppressant (Thyroid) | | |
| Antithyroid Agents | | |
| <i>Methimazole (Oral Tablet)</i> | 1 | |
| <i>Propylthiouracil (Oral Tablet)</i> | 1 | |
| Immunological Agents | | |
| Angioedema Agents | | |
| BERINERT (INTRAVENOUS KIT) | 4 | PA |
| HAEGARDA (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA |
| <i>Icatibant Acetate (Subcutaneous Solution Prefilled Syringe)</i> | 1 | PA; QL |
| <i>Sajazir (Subcutaneous Solution Prefilled Syringe)</i> | 1 | PA; QL |
| Immunoglobulins | | |
| BIVIGAM (5GM/50ML INTRAVENOUS SOLUTION) | 4 | PA |
| GAMMAGARD (2.5GM/25ML INJECTION SOLUTION) | 4 | PA |
| GAMMAGARD S/D LESS IGA (INTRAVENOUS SOLUTION RECONSTITUTED) | 4 | PA |
| GAMMAKED (1GM/10ML INJECTION SOLUTION) | 4 | PA |
| GAMMAPLEX (10GM/100ML INTRAVENOUS SOLUTION, 10GM/200ML INTRAVENOUS SOLUTION, 20GM/200ML INTRAVENOUS SOLUTION, 5GM/50ML INTRAVENOUS SOLUTION) | 4 | PA |
| GAMUNEX-C (1GM/10ML INJECTION SOLUTION) | 4 | PA |
| OCTAGAM (1GM/20ML INTRAVENOUS SOLUTION, 2GM/20ML INTRAVENOUS SOLUTION) | 4 | PA |
| PANZYGA (INTRAVENOUS SOLUTION) | 4 | PA |
| PRIVIGEN (20GM/200ML INTRAVENOUS SOLUTION) | 4 | PA |
| Immunological Agents, Other | | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| ACTEMRA ACTPEN (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| ACTEMRA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| ARCALYST (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA |
| BENLYSTA (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA |
| BENLYSTA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| COSENTYX (300MG DOSE) (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| COSENTYX SENSOREADY (300MG) (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| COSENTYX (75MG/0.5ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| COSENTYX UNOREADY (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| DUPIXENT (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | PA; QL |
| DUPIXENT (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| KEVZARA (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| KEVZARA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| KINERET (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| ORENCIA CLICKJECT (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| ORENCIA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| OTEZLA (ORAL TABLET) | 4 | PA; QL |
| OTEZLA (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| RIDAURA (ORAL CAPSULE) | 4 | |
| RINVOQ (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 4 | PA; QL |
| SKYRIZI PEN (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| SKYRIZI (SUBCUTANEOUS SOLUTION CARTRIDGE) | 4 | PA; QL |
| SKYRIZI (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| STELARA (SUBCUTANEOUS SOLUTION) | 4 | PA; QL |
| STELARA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| TREMFYA (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | PA; QL |
| TREMFYA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| XELJANZ (ORAL SOLUTION) | 4 | PA; QL |
| XELJANZ (ORAL TABLET IMMEDIATE RELEASE) | 4 | PA; QL |
| XELJANZ XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 4 | PA; QL |
| XOLAIR (150MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE, 75MG/0.5ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| XOLAIR (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA |
| Immunostimulants | | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| ACTIMMUNE (SUBCUTANEOUS SOLUTION) | 4 | |
| BESREMI (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| PEGASYS (SUBCUTANEOUS SOLUTION) | 4 | PA |
| PEGASYS (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA |
| Immunosuppressants | | |
| <i>Azathioprine (50MG Oral Tablet)</i> | 1 | B/D,PA |
| CIMZIA (SUBCUTANEOUS KIT) | 4 | PA; QL |
| CIMZIA PREFILLED (2 X 200MG/ML SUBCUTANEOUS PREFILLED SYRINGE KIT) | 4 | PA; QL |
| <i>Cyclosporine Modified (Oral Capsule)</i> | 1 | B/D,PA |
| <i>Cyclosporine Modified (Oral Solution)</i> | 1 | B/D,PA |
| <i>Cyclosporine (100MG Oral Capsule, 25MG Oral Capsule)</i> | 1 | B/D,PA |
| CYLTEZO (2 PEN) (SUBCUTANEOUS AUTO-INJECTOR KIT) | 4 | PA; QL |
| CYLTEZO (2 SYRINGE) (SUBCUTANEOUS PREFILLED SYRINGE KIT) | 4 | PA; QL |
| CYLTEZO-CD/UC/HS STARTER (SUBCUTANEOUS AUTO-INJECTOR KIT) | 4 | PA |
| CYLTEZO-PSORIASIS/UV STARTER (SUBCUTANEOUS AUTO-INJECTOR KIT) | 4 | PA |
| ENBREL MINI (SUBCUTANEOUS SOLUTION CARTRIDGE) | 4 | PA; QL |
| ENBREL (SUBCUTANEOUS SOLUTION) | 4 | PA; QL |
| ENBREL (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| ENBREL SURECLICK (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| ENVARUSUS XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | 3 | B/D,PA |
| <i>Everolimus (0.25MG Oral Tablet, 0.5MG Oral Tablet, 0.75MG Oral Tablet, 1MG Oral Tablet)</i> | 1 | B/D,PA |
| <i>Gengraf (Oral Capsule)</i> | 1 | B/D,PA |
| <i>Gengraf (Oral Solution)</i> | 1 | B/D,PA |
| HUMIRA (2 PEN) (SUBCUTANEOUS PEN-INJECTOR KIT) | 4 | PA; QL |
| HUMIRA (2 SYRINGE) (SUBCUTANEOUS PREFILLED SYRINGE KIT) | 4 | PA; QL |
| HUMIRA PEN CROHN'S DISEASE/ULCERATIVE COLITIS/HIDRADENITIS SUPPURATIVA STARTER (SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | 4 | PA |
| HUMIRA PEDIATRIC CROHNS START (SUBCUTANEOUS PREFILLED SYRINGE KIT) (ABBVIE) | 4 | PA; QL |
| HUMIRA PEN-PEDIATRIC UC START (SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | 4 | PA |
| HUMIRA PEN PSORIASIS STARTER (SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | 4 | PA |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| HUMIRA PEN PSORIASIS/UVEITIS STARTER (SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | 4 | PA; QL |
| <i>Leflunomide (Oral Tablet)</i> | 1 | |
| <i>Methotrexate Sodium (50MG/2ML Injection Solution Prefilled Syringe)</i> | 1 | |
| <i>Methotrexate Sodium (50MG/2ML Injection Solution)</i> | 1 | |
| <i>Methotrexate Sodium (Oral Tablet)</i> | 1 | |
| <i>Mycophenolate Mofetil (Oral Capsule)</i> | 1 | B/D,PA |
| <i>Mycophenolate Mofetil (Oral Suspension Reconstituted)</i> | 1 | B/D,PA |
| <i>Mycophenolate Mofetil (Oral Tablet)</i> | 1 | B/D,PA |
| <i>Mycophenolate Sodium (Oral Tablet Delayed Release)</i> | 1 | B/D,PA |
| OTREXUP (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 3 | PA |
| PROGRAF (ORAL PACKET) | 3 | B/D,PA |
| RASUVO (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 3 | PA |
| REZUROCK (ORAL TABLET) | 4 | PA; QL |
| SANDIMMUNE (ORAL SOLUTION) | 3 | B/D,PA |
| SIMPONI (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| SIMPONI (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| <i>Sirolimus (Oral Solution)</i> | 1 | B/D,PA |
| <i>Sirolimus (Oral Tablet)</i> | 1 | B/D,PA |
| <i>Tacrolimus (Oral Capsule)</i> | 1 | B/D,PA |
| TREXALL (ORAL TABLET) | 3 | |
| XATMEP (ORAL SOLUTION) | 3 | PA |
| YUFLYMA (1 PEN) (40MG/0.4ML SUBCUTANEOUS AUTO-INJECTOR KIT) | 4 | PA |
| YUFLYMA (2 SYRINGE) (SUBCUTANEOUS PREFILLED SYRINGE KIT) | 4 | PA |
| Vaccines | | |
| ABRYSCO (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 2 | PA; QL |
| ACTHIB (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 2 | QL |
| ADACEL (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| AREXVY (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 2 | PA; QL |
| BCG VACCINE (INJECTION SOLUTION RECONSTITUTED) | 2 | QL |
| BEXSERO (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| BOOSTRIX (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| BOOSTRIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| DAPTACEL (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| DIPHThERIA-TETANUS TOXOIDS DT (25-5LFU/0.5ML INTRAMUSCULAR SUSPENSION) | 2 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|------------------|--|
| ENGERIX-B (INJECTION SUSPENSION) | 2 | B/D,PA; QL |
| ENGERIX-B (INJECTION SUSPENSION PREFILLED SYRINGE) | 2 | B/D,PA; QL |
| GARDASIL 9 (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| GARDASIL 9 (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| HAVRIX (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| HEPLISAV-B (INTRAMUSCULAR SOLUTION PREFILLED SYRINGE) | 2 | B/D,PA; QL |
| HIBERIX (INJECTION SOLUTION RECONSTITUTED) | 2 | QL |
| IMOVAX RABIES (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 2 | B/D,PA; QL |
| INFANRIX (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| IPOL (INJECTION) | 2 | QL |
| IXIARO (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| JYNNEOS (SUBCUTANEOUS SUSPENSION) | 2 | QL |
| KINRIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| MENACTRA (INTRAMUSCULAR SOLUTION) | 2 | QL |
| MENQUADFI (INTRAMUSCULAR SOLUTION) | 2 | QL |
| MENVEO (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 2 | QL |
| M-M-R II (INJECTION SOLUTION RECONSTITUTED) | 2 | QL |
| PEDIARIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| PEDVAX HIB (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| PENBRAYA (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 2 | QL |
| PENTACEL (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 2 | QL |
| PREHEVBRIO (INTRAMUSCULAR SUSPENSION) | 2 | B/D,PA; QL |
| PRIORIX (SUBCUTANEOUS SUSPENSION RECONSTITUTED) | 2 | QL |
| PROQUAD (SUBCUTANEOUS SUSPENSION RECONSTITUTED) | 2 | QL |
| QUADRACEL (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| QUADRACEL (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| RABAVERT (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 2 | B/D,PA; QL |
| RECOMBIVAX HB (INJECTION SUSPENSION) | 2 | B/D,PA; QL |
| RECOMBIVAX HB (INJECTION SUSPENSION PREFILLED SYRINGE) | 2 | B/D,PA; QL |
| ROTARIX (ORAL SUSPENSION) | 2 | QL |
| ROTARIX (ORAL SUSPENSION RECONSTITUTED) | 2 | QL |
| ROTATEQ (ORAL SOLUTION) | 2 | QL |
| SHINGRIX (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 2 | PA; QL |
| TDVAX (INTRAMUSCULAR SUSPENSION) | 2 | QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| TENIVAC (INTRAMUSCULAR INJECTABLE) | 2 | QL |
| TICOVAC (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| TRUMENBA (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| TWINRIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 2 | QL |
| TYPHIM VI (INTRAMUSCULAR SOLUTION) | 2 | QL |
| TYPHIM VI (INTRAMUSCULAR SOLUTION PREFILLED SYRINGE) | 2 | QL |
| VAQTA (INTRAMUSCULAR SUSPENSION) | 2 | QL |
| VARIVAX (SUBCUTANEOUS INJECTABLE) | 2 | QL |
| YF-VAX (SUBCUTANEOUS INJECTABLE) | 2 | QL |
| Inflammatory Bowel Disease Agents | | |
| Aminosalicylates | | |
| <i>Balsalazide Disodium (Oral Capsule)</i> | 1 | |
| <i>Mesalamine ER (0.375GM Oral Capsule Extended Release 24 Hour) (Generic Apriso)</i> | 1 | QL |
| <i>Mesalamine (Rectal Enema)</i> | 1 | |
| <i>Mesalamine (Rectal Suppository)</i> | 1 | QL |
| <i>Sulfasalazine (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Sulfasalazine (Oral Tablet Delayed Release)</i> | 1 | |
| Glucocorticoids | | |
| <i>Budesonide ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | ST |
| <i>Budesonide (Oral Capsule Delayed Release Particles)</i> | 1 | |
| <i>Hydrocortisone (Perianal) (2.5% External Cream)</i> | 1 | |
| <i>Hydrocortisone (Rectal Enema)</i> | 1 | |
| <i>Procto-Med HC (External Cream)</i> | 1 | |
| <i>Proctosol HC (External Cream)</i> | 1 | |
| <i>Proctozone-HC (External Cream)</i> | 1 | |
| Metabolic Bone Disease Agents | | |
| Metabolic Bone Disease Agents | | |
| <i>Alendronate Sodium (Oral Solution)</i> | 1 | |
| <i>Alendronate Sodium (10MG Oral Tablet)</i> | 1 | |
| <i>Alendronate Sodium (35MG Oral Tablet, 70MG Oral Tablet)</i> | 1 | QL |
| <i>Calcitonin Salmon (Nasal Solution)</i> | 1 | QL |
| <i>Calcitriol (Oral Capsule)</i> | 1 | B/D,PA |
| <i>Calcitriol (Oral Solution)</i> | 1 | B/D,PA |
| <i>Cinacalcet HCl (Oral Tablet)</i> | 1 | B/D,PA; QL |
| <i>Doxercalciferol (Oral Capsule)</i> | 1 | B/D,PA |
| FORTEO (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | PA |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Ibandronate Sodium (Oral Tablet)</i> | 1 | QL |
| NATPARA (100MCG SUBCUTANEOUS CARTRIDGE, 25MCG SUBCUTANEOUS CARTRIDGE, 50MCG SUBCUTANEOUS CARTRIDGE, 75MCG SUBCUTANEOUS CARTRIDGE) | 4 | PA |
| <i>Paricalcitol (Oral Capsule)</i> | 1 | B/D,PA |
| PROLIA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 3 | QL |
| RAYALDEE (ORAL CAPSULE EXTENDED RELEASE) | 4 | QL |
| <i>Risedronate Sodium (150MG Oral Tablet Immediate Release, 35MG (12 PACK) Oral Tablet Immediate Release, 35MG (4 PACK) Oral Tablet Immediate Release)</i> | 1 | QL |
| <i>Risedronate Sodium (30MG Oral Tablet Immediate Release, 5MG Oral Tablet Immediate Release)</i> | 1 | |
| <i>Risedronate Sodium (Oral Tablet Delayed Release)</i> | 1 | QL |
| TERIPARATIDE (RECOMBINANT) (620MCG/2.48ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | PA |
| TYMLOS (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | 4 | PA |
| XGEVA (SUBCUTANEOUS SOLUTION) | 4 | PA |
| Miscellaneous Therapeutic Agents | | |
| Miscellaneous Therapeutic Agents | | |
| ALCOHOL PREP PADS | 1 | |
| DOJOLVI (ORAL LIQUID) | 4 | PA |
| GAUZE (NON-MEDICATED 2X2 PAD) | 1 | |
| INSULIN SYRINGES, NEEDLES | 1 | |
| LAGEVRIO (ORAL CAPSULE) | 4 | QL |
| PAXLOVID (150/100MG) (ORAL TABLET THERAPY PACK) | 4 | QL |
| PAXLOVID (300/100MG) (ORAL TABLET THERAPY PACK) | 4 | QL |
| Ophthalmic Agents | | |
| Ophthalmic Agents, Other | | |
| <i>Atropine Sulfate (1% Ophthalmic Solution)</i> | 1 | |
| <i>Neomycin-Polymyxin-Bacitracin-Hydrocortisone (Ophthalmic Ointment)</i> | 1 | |
| <i>Brimonidine Tartrate-Timolol (Ophthalmic Solution)</i> | 1 | |
| <i>Cyclosporine (0.05% Ophthalmic Emulsion)</i> | 1 | QL |
| CYSTARAN (OPHTHALMIC SOLUTION) | 4 | |
| <i>Dorzolamide HCl-Timolol Maleate (Ophthalmic Solution)</i> | 1 | |
| <i>Dorzolamide HCl-Timolol Maleate Preservative Free (Ophthalmic Solution)</i> | 1 | |
| <i>Neomycin-Polymyxin-Dexamethasone (Ophthalmic Ointment)</i> | 1 | |
| <i>Neomycin-Polymyxin-Dexamethasone (3.5-10000-0.1 Ophthalmic Suspension)</i> | 1 | |
| <i>Neomycin-Polymyxin-HC (Ophthalmic Suspension)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Neo-Polycin HC (Ophthalmic Ointment)</i> | 1 | |
| RESTASIS MULTIDOSE (OPHTHALMIC EMULSION) | 2 | QL |
| RESTASIS SINGLE-USE VIALS (OPHTHALMIC EMULSION) | 2 | QL |
| ROCKLATAN (OPHTHALMIC SOLUTION) | 2 | ST |
| <i>Sulfacetamide-Prednisolone (Ophthalmic Solution)</i> | 1 | |
| TOBRADEX (OPHTHALMIC OINTMENT) | 3 | |
| <i>Tobramycin-Dexamethasone (Ophthalmic Suspension)</i> | 1 | |
| TYRVAYA (NASAL SOLUTION) | 3 | QL |
| XIIDRA (OPHTHALMIC SOLUTION) | 3 | QL |
| ZYLET (OPHTHALMIC SUSPENSION) | 3 | |
| Ophthalmic Anti-allergy Agents | | |
| <i>Azelastine HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Cromolyn Sodium (Ophthalmic Solution)</i> | 1 | |
| <i>Epinastine HCl (Ophthalmic Solution)</i> | 1 | |
| Ophthalmic Anti-Infectives | | |
| <i>Bacitracin (Ophthalmic Ointment)</i> | 1 | |
| <i>Bacitracin-Polymyxin B (Ophthalmic Ointment)</i> | 1 | |
| <i>Ciprofloxacin HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Erythromycin (Ophthalmic Ointment)</i> | 1 | |
| <i>Gatifloxacin (Ophthalmic Solution)</i> | 1 | |
| <i>Gentamicin Sulfate (Ophthalmic Solution)</i> | 1 | |
| <i>Levofloxacin (0.5% Ophthalmic Solution)</i> | 1 | |
| <i>Moxifloxacin HCl (Ophthalmic Solution) (Generic Vigamox)</i> | 1 | |
| NATACYN (OPHTHALMIC SUSPENSION) | 3 | |
| <i>Neomycin-Bacitracin-Polymyxin (5-400-10000 Ophthalmic Ointment)</i> | 1 | |
| <i>Neomycin-Polymyxin-Gramicidin (Ophthalmic Solution)</i> | 1 | |
| <i>Neo-Polycin (Ophthalmic Ointment)</i> | 1 | |
| <i>Ofloxacin (Ophthalmic Solution)</i> | 1 | |
| <i>Polycin (Ophthalmic Ointment)</i> | 1 | |
| <i>Polymyxin B-Trimethoprim (Ophthalmic Solution)</i> | 1 | |
| <i>Sulfacetamide Sodium (Ophthalmic Ointment)</i> | 1 | |
| <i>Sulfacetamide Sodium (Ophthalmic Solution)</i> | 1 | |
| <i>Tobramycin (Ophthalmic Solution)</i> | 1 | |
| TOBREX (OPHTHALMIC OINTMENT) | 3 | |
| <i>Trifluridine (Ophthalmic Solution)</i> | 1 | |
| Ophthalmic Anti-inflammatories | | |
| <i>Bromfenac Sodium (Once-Daily) (Ophthalmic Solution)</i> | 1 | |
| <i>Bromfenac Sodium (0.07% Ophthalmic Solution)</i> | 1 | |
| <i>Dexamethasone Sodium Phosphate (Ophthalmic Solution)</i> | 1 | |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Diclofenac Sodium (Ophthalmic Solution)</i> | 1 | |
| <i>Difluprednate (Ophthalmic Emulsion)</i> | 1 | |
| <i>Fluorometholone (Ophthalmic Suspension)</i> | 1 | |
| <i>Flurbiprofen Sodium (Ophthalmic Solution)</i> | 1 | |
| ILEVRO (OPHTHALMIC SUSPENSION) | 2 | |
| <i>Ketorolac Tromethamine (Ophthalmic Solution)</i> | 1 | |
| LOTEMAX (OPHTHALMIC OINTMENT) | 3 | |
| LOTEMAX SM (OPHTHALMIC GEL) | 3 | |
| <i>Loteprednol Etabonate (Ophthalmic Gel)</i> | 1 | |
| <i>Loteprednol Etabonate (0.5% Ophthalmic Suspension)</i> | 1 | |
| <i>Prednisolone Acetate (Ophthalmic Suspension)</i> | 1 | |
| <i>Prednisolone Sodium Phosphate (1% Ophthalmic Solution)</i> | 1 | |
| PROLENSA (OPHTHALMIC SOLUTION) | 3 | |
| Ophthalmic Beta-Adrenergic Blocking Agents | | |
| <i>Betaxolol HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Carteolol HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Levobunolol HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Timolol Maleate Ophthalmic Gel Forming (Ophthalmic Solution) (Generic Timoptic-XE)</i> | 1 | |
| <i>Timolol Maleate (Ophthalmic Solution) (Generic Timoptic)</i> | 1 | |
| <i>Timolol Maleate PF (Ophthalmic Solution) (Generic Timoptic Ocodose)</i> | 1 | |
| Ophthalmic Intraocular Pressure Lowering Agents, Other | | |
| ALPHAGAN P (0.1% OPHTHALMIC SOLUTION) | 2 | |
| <i>Apraclonidine HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Brimonidine Tartrate (Ophthalmic Solution)</i> | 1 | |
| <i>Brinzolamide (Ophthalmic Suspension)</i> | 1 | |
| <i>Dorzolamide HCl (Ophthalmic Solution)</i> | 1 | |
| <i>Methazolamide (Oral Tablet)</i> | 1 | |
| <i>Pilocarpine HCl (Ophthalmic Solution)</i> | 1 | |
| RHOPRESSA (OPHTHALMIC SOLUTION) | 2 | ST |
| SIMBRINZA (OPHTHALMIC SUSPENSION) | 2 | |
| Ophthalmic Prostaglandin and Prostanoid Analogs | | |
| <i>Latanoprost (Ophthalmic Solution)</i> | 1 | |
| LUMIGAN (OPHTHALMIC SOLUTION) | 2 | |
| <i>Travoprost (BAK Free) (Ophthalmic Solution)</i> | 1 | |
| VYZULTA (OPHTHALMIC SOLUTION) | 3 | |
| Otic Agents | | |
| Otic Agents | | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|------------------|--|
| <i>Acetic Acid (Otic Solution)</i> | 1 | |
| <i>Ciprofloxacin-Dexamethasone (Otic Suspension)</i> | 1 | |
| <i>Flac (Otic Oil)</i> | 1 | |
| <i>Fluocinolone Acetonide (Otic Oil)</i> | 1 | |
| <i>Hydrocortisone-Acetic Acid (Otic Solution)</i> | 1 | |
| <i>Neomycin-Polymyxin-HC (1% Otic Solution)</i> | 1 | |
| <i>Neomycin-Polymyxin-HC (Otic Suspension)</i> | 1 | |
| <i>Ofloxacin (Otic Solution)</i> | 1 | |
| Respiratory Tract/Pulmonary Agents | | |
| Antihistamines | | |
| <i>Azelastine HCl (0.1% Nasal Solution)</i> | 1 | |
| <i>Cetirizine HCl (1MG/ML Oral Solution)</i> | 1 | |
| <i>Cyproheptadine HCl (Oral Syrup)</i> | 1 | HRM |
| <i>Cyproheptadine HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Desloratadine (Oral Tablet)</i> | 1 | |
| <i>Levocetirizine Dihydrochloride (Oral Tablet)</i> | 1 | |
| Anti-inflammatories, Inhaled Corticosteroids | | |
| ARNUITY ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | QL |
| <i>Budesonide (Inhalation Suspension)</i> | 1 | B/D,PA |
| <i>Flunisolide (Nasal Solution)</i> | 1 | |
| <i>Fluticasone Propionate (Nasal Suspension)</i> | 1 | |
| <i>Mometasone Furoate (Nasal Suspension)</i> | 1 | |
| QVAR REDHALER (INHALATION AEROSOL BREATH ACTIVATED) | 2 | QL |
| Antileukotrienes | | |
| <i>Montelukast Sodium (Oral Packet)</i> | 1 | QL |
| <i>Montelukast Sodium (Oral Tablet)</i> | 1 | QL |
| <i>Montelukast Sodium (Oral Tablet Chewable)</i> | 1 | QL |
| <i>Zafirlukast (Oral Tablet)</i> | 1 | |
| Bronchodilators, Anticholinergic | | |
| ATROVENT HFA (INHALATION AEROSOL SOLUTION) | 3 | |
| INCRUSE ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | QL |
| <i>Ipratropium Bromide (Inhalation Solution)</i> | 1 | B/D,PA |
| <i>Ipratropium Bromide (Nasal Solution)</i> | 1 | |
| SPIRIVA HANDHALER (INHALATION CAPSULE) | 2 | QL |
| SPIRIVA RESPIMAT (INHALATION AEROSOL SOLUTION) | 2 | QL |
| <i>Tiotropium Bromide Monohydrate (Inhalation Capsule)</i> | 1 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| TUDORZA PRESSAIR (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 3 | ST |
| Bronchodilators, Sympathomimetic | | |
| ALBUTEROL SULFATE HFA (108 (90 BASE)MCG/ACT INHALATION AEROSOL SOLUTION) (BRAND EQUIVALENT VENTOLIN) | 1 | |
| <i>Albuterol Sulfate HFA (108 (90 Base)MCG/ACT Inhalation Aerosol Solution) (Generic Proair), Albuterol Sulfate HFA (108 (90 Base)MCG/ACT Inhalation Aerosol Solution) (Generic Proventil)</i> | 1 | |
| <i>Albuterol Sulfate (Inhalation Nebulization Solution)</i> | 1 | B/D,PA |
| <i>Albuterol Sulfate (Oral Syrup)</i> | 1 | |
| <i>Albuterol Sulfate (Oral Tablet Immediate Release)</i> | 1 | |
| <i>Arformoterol Tartrate (Inhalation Nebulization Solution)</i> | 1 | B/D,PA; QL |
| <i>Epinephrine (Injection Solution Auto-Injector)</i> | 1 | QL |
| <i>Formoterol Fumarate (Inhalation Nebulization Solution)</i> | 1 | B/D,PA; QL |
| <i>Levalbuterol HCl (Inhalation Nebulization Solution)</i> | 1 | B/D,PA |
| PROAIR RESPICLICK (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | |
| SEREVENT DISKUS (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | QL |
| STRIVERDI RESPIMAT (INHALATION AEROSOL SOLUTION) | 2 | QL |
| <i>Terbutaline Sulfate (Oral Tablet)</i> | 1 | |
| VENTOLIN HFA (INHALATION AEROSOL SOLUTION) | 2 | |
| Cystic Fibrosis Agents | | |
| CAYSTON (INHALATION SOLUTION RECONSTITUTED) | 4 | PA |
| KALYDECO (ORAL PACKET) | 4 | PA |
| KALYDECO (ORAL TABLET) | 4 | PA |
| ORKAMBI (ORAL PACKET) | 4 | PA; QL |
| ORKAMBI (ORAL TABLET) | 4 | PA; QL |
| PULMOZYME (INHALATION SOLUTION) | 4 | B/D,PA; QL |
| SYMDEKO (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| TOBI PODHALER (INHALATION CAPSULE) | 4 | PA; QL |
| <i>Tobramycin (Inhalation Nebulization Solution)</i> | 1 | B/D,PA; QL |
| TRIKAFTA (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| TRIKAFTA (ORAL GRANULE THERAPY PACK) | 4 | PA; QL |
| Mast Cell Stabilizers | | |
| <i>Cromolyn Sodium (Inhalation Nebulization Solution)</i> | 1 | B/D,PA |
| Phosphodiesterase Inhibitors, Airways Disease | | |
| <i>Roflumilast (Oral Tablet)</i> | 1 | |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| <i>Theophylline ER (300MG Oral Tablet Extended Release 12 Hour, 450MG Oral Tablet Extended Release 12 Hour)</i> | 1 | |
| <i>Theophylline ER (Oral Tablet Extended Release 24 Hour)</i> | 1 | |
| <i>Theophylline (Oral Solution)</i> | 1 | |
| Pulmonary Antihypertensives | | |
| ADEMPAS (ORAL TABLET) | 4 | PA |
| <i>Alyq (Oral Tablet)</i> | 1 | PA; QL |
| <i>Ambrisentan (Oral Tablet)</i> | 1 | PA; QL |
| <i>Bosentan (Oral Tablet)</i> | 1 | PA; QL |
| OPSUMIT (ORAL TABLET) | 4 | PA |
| ORENITRAM MONTH 1 (ORAL TABLET EXTENDED RELEASE THERAPY PACK) | 4 | PA; QL |
| ORENITRAM MONTH 2 (ORAL TABLET EXTENDED RELEASE THERAPY PACK) | 4 | PA; QL |
| ORENITRAM MONTH 3 (ORAL TABLET EXTENDED RELEASE THERAPY PACK) | 4 | PA; QL |
| ORENITRAM (0.125MG ORAL TABLET EXTENDED RELEASE) | 3 | PA |
| ORENITRAM (0.25MG ORAL TABLET EXTENDED RELEASE, 1MG ORAL TABLET EXTENDED RELEASE, 2.5MG ORAL TABLET EXTENDED RELEASE, 5MG ORAL TABLET EXTENDED RELEASE) | 4 | PA |
| <i>Sildenafil Citrate (Oral Suspension Reconstituted)</i> | 1 | PA; QL |
| <i>Sildenafil Citrate (20MG Oral Tablet) (Generic Revatio)</i> | 1 | PA; QL |
| <i>Tadalafil (PAH) (20MG Oral Tablet) (Generic Adcirca)</i> | 1 | PA; QL |
| TRACLEER (ORAL TABLET SOLUBLE) | 4 | PA; QL |
| UPTRAVI (ORAL TABLET) | 4 | PA |
| UPTRAVI TITRATION (ORAL TABLET THERAPY PACK) | 4 | PA; QL |
| VENTAVIS (INHALATION SOLUTION) | 4 | PA; QL |
| Pulmonary Fibrosis Agents | | |
| OFEV (ORAL CAPSULE) | 4 | PA; QL |
| <i>Pirfenidone (Oral Capsule)</i> | 1 | PA; QL |
| <i>Pirfenidone (Oral Tablet)</i> | 1 | PA; QL |
| Respiratory Tract Agents, Other | | |
| <i>Acetylcysteine (Inhalation Solution)</i> | 1 | B/D,PA |
| ADVAIR HFA (INHALATION AEROSOL) | 2 | QL |
| ANORO ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | QL |
| BEVESPI AEROSPHERE (INHALATION AEROSOL) | 3 | |
| BREO ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | QL |
| <i>Breyna (Inhalation Aerosol)</i> | 1 | QL |
| BREZTRI AEROSPHERE (INHALATION AEROSOL) | 2 | QL |

| Drug name | Drug tier | Coverage rules or limits on use |
|---|-----------|---------------------------------|
| BRONCHITOL (INHALATION CAPSULE) | 4 | PA; QL |
| BUDESONIDE-FORMOTEROL FUMARATE (INHALATION AEROSOL) | 1 | QL |
| COMBIVENT RESPIMAT (INHALATION AEROSOL SOLUTION) | 2 | QL |
| DULERA (INHALATION AEROSOL) | 2 | QL |
| FASENRA PEN (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA |
| <i>Fluticasone-Salmeterol (100-50MCG/ACT Inhalation Aerosol Powder Breath Activated, 250-50MCG/ACT Inhalation Aerosol Powder Breath Activated, 500-50MCG/ACT Inhalation Aerosol Powder Breath Activated) (Generic Advair)</i> | 1 | QL |
| FLUTICASONE-SALMETEROL (113-14MCG/ACT INHALATION AEROSOL POWDER BREATH ACTIVATED, 232-14MCG/ACT INHALATION AEROSOL POWDER BREATH ACTIVATED, 55-14MCG/ACT INHALATION AEROSOL POWDER BREATH ACTIVATED) (BRAND EQUIVALENT AIRDUO RESPICLICK) | 2 | QL |
| <i>Ipratropium-Albuterol (Inhalation Solution)</i> | 1 | B/D,PA |
| NUCALA (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | 4 | PA; QL |
| NUCALA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | 4 | PA; QL |
| NUCALA (SUBCUTANEOUS SOLUTION RECONSTITUTED) | 4 | PA; QL |
| STIOLTO RESPIMAT (INHALATION AEROSOL SOLUTION) | 2 | QL |
| SYMBICORT (INHALATION AEROSOL) | 3 | QL |
| TRELEGY ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | 2 | QL |
| <i>Wixela Inhub (Inhalation Aerosol Powder Breath Activated) (Generic Advair)</i> | 1 | QL |
| Skeletal Muscle Relaxants | | |
| Skeletal Muscle Relaxants | | |
| <i>Carisoprodol (350MG Oral Tablet)</i> | 1 | PA; HRM; QL |
| <i>Chlorzoxazone (500MG Oral Tablet)</i> | 1 | HRM |
| <i>Cyclobenzaprine HCl (Oral Tablet)</i> | 1 | HRM |
| <i>Methocarbamol (500MG Oral Tablet, 750MG Oral Tablet)</i> | 1 | HRM |
| Sleep Disorder Agents | | |
| Sleep Promoting Agents | | |
| BELSOMRA (ORAL TABLET) | 2 | QL |
| DAYVIGO (ORAL TABLET) | 2 | QL |
| <i>Doxepin HCl (Oral Tablet)</i> | 1 | QL |
| HETLIOZ LQ (ORAL SUSPENSION) | 4 | PA; QL |
| <i>Ramelteon (Oral Tablet)</i> | 1 | QL |
| <i>Tasimelteon (Oral Capsule)</i> | 1 | PA; QL |
| <i>Temazepam (Oral Capsule)</i> | 1 | HRM; QL |
| <i>Zaleplon (Oral Capsule)</i> | 1 | HRM; QL |

You can find information on what the abbreviations in this table mean on pages 6-7.

| Drug name | Drug tier | Coverage rules or limits on use |
|--|-----------|---------------------------------|
| <i>Zolpidem Tartrate (Oral Tablet Immediate Release)</i> | 1 | HRM; QL |
| Wakefulness Promoting Agents | | |
| <i>Armodafinil (Oral Tablet)</i> | 1 | PA; QL |
| <i>Modafinil (Oral Tablet)</i> | 1 | PA; QL |
| SODIUM OXYBATE (ORAL SOLUTION) | 4 | PA; QL |

Covered drugs with a quantity limit (QL)

This list shows drugs that have a quantity limit. Some drugs come in several strengths. Each strength may have a different quantity limit. If quantity limits for a drug vary by strength, the different strengths are listed on separate lines. These limits may be in place to ensure your safety.

Your plan will cover only a certain amount of these drugs or will only cover these drugs for a certain number of days. For more information about quantity limits, talk with your doctor or pharmacist. You can also contact us by calling Customer Service toll-free at **1-877-298-2341**, TTY **711**, 8 a.m.-8 p.m. local time, Monday-Friday.

Drugs are listed in alphabetical order in the chart below.

| Drug name | Quantity limit |
|---|---|
| <i>Abacavir Sulfate (Oral Solution)</i> | Maximum of 32 ml per day |
| <i>Abacavir Sulfate (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Abacavir Sulfate-Lamivudine (Oral Tablet)</i> | Maximum of 1 tablet per day |
| ABRYSVO (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 1 vaccination dose (0.5 ml) per day |
| <i>Acetaminophen-Caffeine-Dihydrocodeine (Oral Capsule)</i> | Maximum of 10 capsules per day |
| <i>Acetaminophen-Codeine (120-12MG/5ML Oral Solution)</i> | Maximum of 150 ml per day |
| <i>Acetaminophen-Codeine (300-15MG Oral Tablet, 300-30MG Oral Tablet, 300-60MG Oral Tablet)</i> | Maximum of 13 tablets per day |
| ACTEMRA ACTPEN (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 4 pens (3.6 ml) per 28 days |
| ACTEMRA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 4 syringes (3.6 ml) per 28 days |
| ACTHIB (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| ADACEL (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| ADVAIR HFA (INHALATION AEROSOL) | Maximum of 1 inhaler (12 grams) per 30 days |
| AIMOVIG (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 1 pen (1 ml) per 28 days |
| AKEEGA (ORAL TABLET) | Maximum of 2 tablets per day |
| <i>Albendazole (Oral Tablet)</i> | Maximum of 16 tablets per day |
| <i>Alendronate Sodium (35MG Oral Tablet)</i> | Maximum of 8 tablets per 28 days |
| <i>Alendronate Sodium (70MG Oral Tablet)</i> | Maximum of 4 tablets per 28 days |
| <i>Aliskiren Fumarate (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Alprazolam ER (0.5MG Oral Tablet Extended Release 24 Hour, 1MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Alprazolam ER (2MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 5 tablets per day |
| <i>Alprazolam ER (3MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 3 tablets per day |
| <i>Alprazolam Intensol (Oral Concentrate)</i> | Maximum of 10 ml per day |

| Drug name | Quantity limit |
|---|--|
| <i>Alprazolam (0.25MG Oral Tablet Immediate Release, 0.5MG Oral Tablet Immediate Release, 1MG Oral Tablet Immediate Release)</i> | Maximum of 4 tablets per day |
| <i>Alprazolam (2MG Oral Tablet Immediate Release)</i> | Maximum of 5 tablets per day |
| <i>Alprazolam ODT (0.25MG Oral Tablet Dispersible, 0.5MG Oral Tablet Dispersible, 1MG Oral Tablet Dispersible)</i> | Maximum of 4 tablets per day |
| <i>Alprazolam ODT (2MG Oral Tablet Dispersible)</i> | Maximum of 5 tablets per day |
| ALUNBRIG (180MG ORAL TABLET, 90MG ORAL TABLET) | Maximum of 1 tablet per day |
| ALUNBRIG (30MG ORAL TABLET) | Maximum of 4 tablets per day |
| ALUNBRIG (ORAL TABLET THERAPY PACK) | Maximum of 2 packs (60 tablets) per year |
| <i>Alyq (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Ambrisentan (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Amlodipine-Atorvastatin (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Amlodipine-Benazepril (Oral Capsule)</i> | Maximum of 1 capsule per day |
| <i>Amlodipine-Olmesartan (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Amlodipine-Valsartan (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Amphetamine-Dextroamphetamine ER (Oral Capsule Extended Release 24 Hour)</i> | Maximum of 2 capsules per day |
| <i>Amphetamine-Dextroamphetamine (10MG Oral Tablet, 12.5MG Oral Tablet, 15MG Oral Tablet, 30MG Oral Tablet, 5MG Oral Tablet, 7.5MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Amphetamine-Dextroamphetamine (20MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| ANORO ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 1 inhaler (60 blisters) per 30 days |
| <i>Apomorphine HCl (Subcutaneous Solution Cartridge)</i> | Maximum of 2 ml per day |
| <i>Aprepitant (125MG Oral Capsule)</i> | Maximum of 2 capsules per 28 days |
| <i>Aprepitant (40MG Oral Capsule, 80MG Oral Capsule)</i> | Maximum of 4 capsules per 28 days |
| <i>Aprepitant (80 & 125MG Oral Capsule)</i> | Maximum of 6 capsules (2 packs) per 28 days |
| APTIOM (200MG ORAL TABLET, 400MG ORAL TABLET) | Maximum of 1 tablet per day |
| APTIOM (600MG ORAL TABLET, 800MG ORAL TABLET) | Maximum of 2 tablets per day |
| APTIVUS (ORAL CAPSULE) | Maximum of 4 capsules per day |
| AREXVY (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 1 vaccination dose (0.5 ml) per day |
| <i>Arformoterol Tartrate (Inhalation Nebulization Solution)</i> | Maximum of 2 vials (4 ml) per day |
| <i>Aripiprazole (1MG/ML Oral Solution)</i> | Maximum of 25 ml per day |
| <i>Aripiprazole (10MG Oral Tablet, 15MG Oral Tablet, 20MG Oral Tablet, 2MG Oral Tablet, 30MG Oral Tablet, 5MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Aripiprazole ODT (10MG Oral Tablet Dispersible, 15MG Oral Tablet Dispersible)</i> | Maximum of 2 tablets per day |

| Drug name | Quantity limit |
|---|--|
| <i>Armodafinil (150MG Oral Tablet, 200MG Oral Tablet, 250MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Armodafinil (50MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| ARNUITY ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 1 inhaler (30 blisters) per 30 days |
| <i>Asenapine Maleate (Tablet Sublingual)</i> | Maximum of 2 tablets per day |
| <i>Aspirin-Dipyridamole ER (Oral Capsule Extended Release 12 Hour)</i> | Maximum of 2 capsules per day |
| <i>Atazanavir Sulfate (150MG Oral Capsule, 300MG Oral Capsule)</i> | Maximum of 1 capsule per day |
| <i>Atazanavir Sulfate (200MG Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Atomoxetine HCl (100MG Oral Capsule, 60MG Oral Capsule, 80MG Oral Capsule)</i> | Maximum of 1 capsule per day |
| <i>Atomoxetine HCl (10MG Oral Capsule, 18MG Oral Capsule, 25MG Oral Capsule, 40MG Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Atorvastatin Calcium (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Atovaquone (Oral Suspension)</i> | Maximum of 14 ml per day |
| AUGTYRO (ORAL CAPSULE) | Maximum of 8 capsules per day |
| AUSTEDO (ORAL TABLET) | Maximum of 4 tablets per day |
| AYVAKIT (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Azelaic Acid (External Gel)</i> | Maximum of 50 grams per 30 days |
| BALVERSA (3MG ORAL TABLET) | Maximum of 3 tablets per day |
| BALVERSA (4MG ORAL TABLET) | Maximum of 2 tablets per day |
| BALVERSA (5MG ORAL TABLET) | Maximum of 1 tablet per day |
| BCG VACCINE (INJECTION SOLUTION RECONSTITUTED) | 1 vaccination dose (1 vial) per day |
| BELBUCA (BUCCAL FILM) | Maximum of 2 films per day |
| BELSOMRA (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Benazepril HCl (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Benazepril-Hydrochlorothiazide (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Bexarotene (External Gel)</i> | Maximum of 60 grams per 30 days |
| BEXSERO (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| BIKTARVY (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Bisoprolol-Hydrochlorothiazide (Oral Tablet)</i> | Maximum of 2 tablets per day |
| BOOSTRIX (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| BOOSTRIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| <i>Bosentan (Oral Tablet)</i> | Maximum of 2 tablets per day |
| BREO ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 1 inhaler (60 blisters) per 30 days |

| Drug name | Quantity limit |
|---|---|
| <i>Breyna (Inhalation Aerosol)</i> | Maximum of 1 inhaler (10.3 grams) per 30 days |
| BREZTRI AEROSPHERE (120 INHALATION AEROSOL) | Maximum of 1 inhaler (10.7 grams) per 30 days |
| BRILINTA (ORAL TABLET) | Maximum of 2 tablets per day |
| BRONCHITOL (INHALATION CAPSULE) | Maximum of 20 capsules per day |
| BRUKINSA (ORAL CAPSULE) | Maximum of 4 capsules per day |
| BUDESONIDE-FORMOTEROL FUMARATE (INHALATION AEROSOL) | Maximum of 1 inhaler (10.2 grams) per 30 days |
| <i>Buprenorphine HCl (Tablet Sublingual)</i> | Maximum of 3 tablets per day |
| <i>Buprenorphine HCl-Naloxone HCl (12-3MG Sublingual Film)</i> | Maximum of 2 films per day |
| <i>Buprenorphine HCl-Naloxone HCl (2-0.5MG Sublingual Film, 4-1MG Sublingual Film, 8-2MG Sublingual Film)</i> | Maximum of 3 films per day |
| <i>Buprenorphine HCl-Naloxone HCl (Tablet Sublingual)</i> | Maximum of 3 tablets per day |
| <i>Buprenorphine (Transdermal Patch Weekly)</i> | Maximum of 4 patches per 28 days |
| <i>Butalbital-Acetaminophen-Caffeine (50-325-40MG Oral Capsule)</i> | Maximum of 6 capsules per day |
| <i>Butalbital-Acetaminophen-Caffeine (50-325-40MG Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Butorphanol Tartrate (Nasal Solution)</i> | Maximum of 2 bottles (5 ml) per 30 days |
| BYDUREON BCISE (SUBCUTANEOUS AUTO-INJECTOR) | Maximum of 4 pens (3.4 ml) per 28 days |
| CABLIVI (INJECTION KIT) | Maximum of 1 kit per day |
| <i>Calcipotriene (External Cream)</i> | Maximum of 120 grams per 30 days |
| <i>Calcipotriene (External Ointment)</i> | Maximum of 120 grams per 30 days |
| <i>Calcitonin Salmon (Nasal Solution)</i> | Maximum of 1 bottle per 28 days |
| CALQUENCE (100MG ORAL CAPSULE) | Maximum of 2 capsules per day |
| CALQUENCE (ORAL TABLET) | Maximum of 2 tablets per day |
| <i>Candesartan Cilexetil (16MG Oral Tablet, 32MG Oral Tablet, 4MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Candesartan Cilexetil (8MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| <i>Candesartan Cilexetil-HCTZ (Oral Tablet)</i> | Maximum of 1 tablet per day |
| CAPLYTA (ORAL CAPSULE) | Maximum of 1 capsule per day |
| <i>Captopril (100MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Captopril (12.5MG Oral Tablet, 25MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| <i>Captopril (50MG Oral Tablet)</i> | Maximum of 9 tablets per day |
| <i>Carisoprodol (350MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Celecoxib (Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Chloroquine Phosphate (Oral Tablet)</i> | Maximum of 2 tablets per day |

| Drug name | Quantity limit |
|---|--|
| CIMDUO (ORAL TABLET) | Maximum of 1 tablet per day |
| CIMZIA (SUBCUTANEOUS KIT) | Maximum of 2 kits per 28 days |
| CIMZIA PREFILLED (2 X 200MG/ML SUBCUTANEOUS PREFILLED SYRINGE KIT) | Maximum of 2 kits per 28 days |
| <i>Cinacalcet HCl (30MG Oral Tablet, 60MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Cinacalcet HCl (90MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Clindacin ETZ (External Swab)</i> | Maximum of 69 pads per 30 days |
| <i>Clindamycin Phosphate (External Gel)</i> | Maximum of 75 grams per 30 days |
| <i>Clindamycin Phosphate (External Lotion)</i> | Maximum of 60 ml per 30 days |
| <i>Clindamycin Phosphate (External Solution)</i> | Maximum of 60 ml per 30 days |
| <i>Clindamycin Phosphate (External Swab)</i> | Maximum of 69 pads per 30 days |
| <i>Clobazam (2.5MG/ML Oral Suspension)</i> | Maximum of 16 ml per day |
| <i>Clobazam (10MG Oral Tablet, 20MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Clobetasol Propionate Emulsion (External Foam)</i> | Maximum of 100 grams per 30 days |
| <i>Clobetasol Propionate (External Lotion)</i> | Maximum of 118 ml per 30 days |
| <i>Clonazepam (0.5MG Oral Tablet, 1MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Clonazepam (2MG Oral Tablet)</i> | Maximum of 10 tablets per day |
| <i>Clonazepam ODT (0.125MG Oral Tablet Dispersible, 0.25MG Oral Tablet Dispersible, 0.5MG Oral Tablet Dispersible, 1MG Oral Tablet Dispersible)</i> | Maximum of 4 tablets per day |
| <i>Clonazepam ODT (2MG Oral Tablet Dispersible)</i> | Maximum of 10 tablets per day |
| <i>Clorazepate Dipotassium (15MG Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Clorazepate Dipotassium (3.75MG Oral Tablet)</i> | Maximum of 24 tablets per day |
| <i>Clorazepate Dipotassium (7.5MG Oral Tablet)</i> | Maximum of 12 tablets per day |
| <i>Clotrimazole-Betamethasone (External Cream)</i> | Maximum of 90 grams per 30 days |
| <i>Clozapine ODT (100MG Oral Tablet Dispersible)</i> | Maximum of 9 tablets per day |
| <i>Clozapine ODT (12.5MG Oral Tablet Dispersible)</i> | Maximum of 2 tablets per day |
| <i>Clozapine ODT (150MG Oral Tablet Dispersible)</i> | Maximum of 6 tablets per day |
| <i>Clozapine ODT (200MG Oral Tablet Dispersible)</i> | Maximum of 4 tablets per day |
| <i>Clozapine ODT (25MG Oral Tablet Dispersible)</i> | Maximum of 3 tablets per day |
| <i>Codeine Sulfate (Oral Tablet)</i> | Maximum of 6 tablets per day |
| COMBIVENT RESPIMAT (INHALATION AEROSOL SOLUTION) | Maximum of 1 inhaler (4 grams) per 20 days |
| COMPLERA (ORAL TABLET) | Maximum of 1 tablet per day |
| COPIKTRA (ORAL CAPSULE) | Maximum of 2 capsules per day |
| CORLANOR (ORAL TABLET) | Maximum of 2 tablets per day |
| COSENTYX (300MG DOSE) (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 10 syringes (10 ml) per 30 days |
| COSENTYX SENSOREADY (300MG) (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 10 pens (10 ml) per 30 days |

| Drug name | Quantity limit |
|--|--|
| COSENTYX (75MG/0.5ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 20 syringes (10 ml) per 30 days |
| COSENTYX UNOREADY (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 5 pens (10 ml) per 30 days |
| <i>Cyclosporine (0.05% Ophthalmic Emulsion)</i> | Maximum of 2 vials per day |
| CYLTEZO (2 PEN) (SUBCUTANEOUS AUTO-INJECTOR KIT) | Maximum of 4 pens per 28 days |
| CYLTEZO (2 SYRINGE) (10MG/0.2ML SUBCUTANEOUS PREFILLED SYRINGE KIT, 20MG/0.4ML SUBCUTANEOUS PREFILLED SYRINGE KIT) | Maximum of 2 syringes per 28 days |
| CYLTEZO (2 SYRINGE) (40MG/0.8ML SUBCUTANEOUS PREFILLED SYRINGE KIT) | Maximum of 4 syringes per 28 days |
| <i>Dabigatran Etxilate Mesylate (150MG Oral Capsule, 75MG Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Dalfampridine ER (Oral Tablet Extended Release 12 Hour)</i> | Maximum of 2 tablets per day |
| DAPTACEL (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| <i>Darunavir (600MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Darunavir (800MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| DAURISMO (100MG ORAL TABLET) | Maximum of 1 tablet per day |
| DAURISMO (25MG ORAL TABLET) | Maximum of 2 tablets per day |
| DAYVIGO (ORAL TABLET) | Maximum of 1 tablet per day |
| DELSTRIGO (ORAL TABLET) | Maximum of 1 tablet per day |
| DESCOVY (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Desonide (External Cream)</i> | Maximum of 60 grams per 30 days |
| <i>Desonide (External Ointment)</i> | Maximum of 120 grams per 30 days |
| <i>Desoximetasone (0.25% External Cream)</i> | Maximum of 100 grams per 30 days |
| <i>Dexlansoprazole (Oral Capsule Delayed Release)</i> | Maximum of 1 capsule per day |
| <i>Dexmethylphenidate HCl (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Dextroamphetamine Sulfate ER (10MG Oral Capsule Extended Release 24 Hour)</i> | Maximum of 6 capsules per day |
| <i>Dextroamphetamine Sulfate ER (15MG Oral Capsule Extended Release 24 Hour)</i> | Maximum of 4 capsules per day |
| <i>Dextroamphetamine Sulfate ER (5MG Oral Capsule Extended Release 24 Hour)</i> | Maximum of 3 capsules per day |
| <i>Dextroamphetamine Sulfate (10MG Oral Tablet, 5MG Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Dextroamphetamine Sulfate (15MG Oral Tablet, 20MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| <i>Dextroamphetamine Sulfate (30MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| DIACOMIT (250MG ORAL CAPSULE) | Maximum of 12 capsules per day |
| DIACOMIT (500MG ORAL CAPSULE) | Maximum of 6 capsules per day |

| Drug name | Quantity limit |
|--|---|
| DIACOMIT (250MG ORAL PACKET) | Maximum of 12 packets per day |
| DIACOMIT (500MG ORAL PACKET) | Maximum of 6 packets per day |
| <i>Diazepam Intensol (Oral Concentrate)</i> | Maximum of 8 ml per day |
| <i>Diazepam (10MG Oral Tablet, 2MG Oral Tablet, 5MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Diazepam (10MG Rectal Gel, 2.5MG Rectal Gel, 20MG Rectal Gel)</i> | Maximum of 5 packages per 30 days |
| <i>Diclofenac Sodium (3% External Gel)</i> | Maximum of 100 grams per 30 days |
| <i>Dihydroergotamine Mesylate (Nasal Solution)</i> | Maximum of 16 vials (16 ml) per 28 days |
| <i>Dimethyl Fumarate (120MG Oral Capsule Delayed Release)</i> | Maximum of 2 capsules per day |
| <i>Dimethyl Fumarate (240MG Oral Capsule Delayed Release)</i> | Maximum of 2 capsules per day |
| <i>Dimethyl Fumarate Starter Pack (Oral Capsule Delayed Release Therapy Pack)</i> | Maximum of 2 packs (120 capsules) per year |
| DIPHTHERIA-TETANUS TOXOIDS DT (25-5LFU/0.5ML INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| <i>Dofetilide (125MCG Oral Capsule)</i> | Maximum of 6 capsules per day |
| <i>Dofetilide (250MCG Oral Capsule, 500MCG Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Donepezil HCl (10MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Donepezil HCl (5MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Donepezil HCl ODT (10MG Oral Tablet Dispersible)</i> | Maximum of 2 tablets per day |
| <i>Donepezil HCl ODT (5MG Oral Tablet Dispersible)</i> | Maximum of 1 tablet per day |
| DOPTELET (ORAL TABLET) | Maximum of 3 tablets per day |
| <i>Dotti (Transdermal Patch Twice Weekly)</i> | Maximum of 8 patches per 28 days |
| DOVATO (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Doxepin HCl (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Droxidopa (100MG Oral Capsule)</i> | Maximum of 3 capsules per day |
| <i>Droxidopa (200MG Oral Capsule, 300MG Oral Capsule)</i> | Maximum of 6 capsules per day |
| DULERA (120 INHALATION AEROSOL) | Maximum of 1 inhaler (13 grams) per 30 days |
| <i>Duloxetine HCl (20MG Oral Capsule Delayed Release Particles)</i> | Maximum of 4 capsules per day |
| <i>Duloxetine HCl (30MG Oral Capsule Delayed Release Particles)</i> | Maximum of 3 capsules per day |
| <i>Duloxetine HCl (40MG Oral Capsule Delayed Release Particles, 60MG Oral Capsule Delayed Release Particles)</i> | Maximum of 2 capsules per day |
| DUPIXENT (200MG/1.14ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 4 pens (4.56 ml) per 28 days |
| DUPIXENT (300MG/2ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 4 pens (8 ml) per 28 days |

| Drug name | Quantity limit |
|--|--|
| DUPIXENT (100MG/0.67ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 2 syringes (1.34 ml) per 28 days |
| DUPIXENT (200MG/1.14ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 4 syringes (4.56 ml) per 28 days |
| DUPIXENT (300MG/2ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 4 syringes (8 ml) per 28 days |
| <i>Econazole Nitrate (External Cream)</i> | Maximum of 90 grams per 30 days |
| EDARBI (ORAL TABLET) | Maximum of 1 tablet per day |
| EDARBYCLOR (ORAL TABLET) | Maximum of 1 tablet per day |
| EDURANT (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Efavirenz (200MG Oral Capsule, 50MG Oral Capsule)</i> | Maximum of 3 capsules per day |
| <i>Efavirenz (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Efavirenz-Emtricitabine-Tenofovir (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Efavirenz-Lamivudine-Tenofovir (Oral Tablet)</i> | Maximum of 1 tablet per day |
| ELIGARD (22.5MG SUBCUTANEOUS KIT) | Maximum of 1 kit per 84 days |
| ELIGARD (30MG SUBCUTANEOUS KIT) | Maximum of 1 kit per 112 days |
| ELIGARD (45MG SUBCUTANEOUS KIT) | Maximum of 1 kit per 168 days |
| ELIGARD (7.5MG SUBCUTANEOUS KIT) | Maximum of 1 kit per 28 days |
| ELIQUIS (ORAL TABLET) | Maximum of 2 tablets per day |
| ELIQUIS STARTER PACK (ORAL TABLET) | Maximum of 2 packs (148 tablets) per year |
| EMGALITY (300MG DOSE) (100MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 3 syringes or pens (3 ml) per 28 days |
| EMGALITY (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 2 syringes or pens (2 ml) per 28 days |
| EMGALITY (120MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 2 syringes or pens (2 ml) per 28 days |
| EMSAM (TRANSDERMAL PATCH 24 HOUR) | Maximum of 1 patch per day |
| <i>Emtricitabine (Oral Capsule)</i> | Maximum of 1 capsule per day |
| <i>Emtricitabine-Tenofovir Disoproxil Fumarate (Oral Tablet)</i> | Maximum of 1 tablet per day |
| EMTRIVA (ORAL SOLUTION) | Maximum of 5 bottles (850 ml) per 30 days |
| <i>Enalapril Maleate (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Enalapril-Hydrochlorothiazide (10-25MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Enalapril-Hydrochlorothiazide (5-12.5MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| ENBREL MINI (SUBCUTANEOUS SOLUTION CARTRIDGE) | Maximum of 8 cartridges per 28 days |
| ENBREL (SUBCUTANEOUS SOLUTION) | Maximum of 8 vials (4 ml) per 28 days |
| ENBREL (25MG/0.5ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 8 syringes (4 ml) per 28 days |

| Drug name | Quantity limit |
|--|--|
| ENBREL (50MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 8 syringes (8 ml) per 28 days |
| ENBREL SURECLICK (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 8 pens per 28 days |
| <i>Endocet (Oral Tablet)</i> | Maximum of 12 tablets per day |
| ENGERIX-B (INJECTION SUSPENSION) | 1 vaccination dose (1 ml) per day |
| ENGERIX-B (10MCG/0.5ML INJECTION SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| ENGERIX-B (20MCG/ML INJECTION SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (1 ml) per day |
| <i>Enoxaparin Sodium (100MG/ML Injection Solution Prefilled Syringe, 150MG/ML Injection Solution Prefilled Syringe)</i> | Maximum of 2 syringes (2 ml) per day |
| <i>Enoxaparin Sodium (120MG/0.8ML Injection Solution Prefilled Syringe, 80MG/0.8ML Injection Solution Prefilled Syringe)</i> | Maximum of 2 syringes (1.6 ml) per day |
| <i>Enoxaparin Sodium (30MG/0.3ML Injection Solution Prefilled Syringe)</i> | Maximum of 2 syringes (0.6 ml) per day |
| <i>Enoxaparin Sodium (40MG/0.4ML Injection Solution Prefilled Syringe)</i> | Maximum of 2 syringes (0.8 ml) per day |
| <i>Enoxaparin Sodium (60MG/0.6ML Injection Solution Prefilled Syringe)</i> | Maximum of 2 syringes (1.2 ml) per day |
| ENTRESTO (ORAL TABLET) | Maximum of 2 tablets per day |
| EPCLUSA (ORAL PACKET) | Maximum of 1 carton (28 packets) per 28 days |
| EPCLUSA (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Epinephrine (Injection Solution Auto-Injector)</i> | Maximum of 4 pens (2 boxes) per 30 days |
| <i>Esomeprazole Magnesium (20MG Oral Capsule Delayed Release) (Generic Nexium)</i> | Maximum of 3 capsules per day |
| <i>Esomeprazole Magnesium (40MG Oral Capsule Delayed Release) (Generic Nexium)</i> | Maximum of 2 capsules per day |
| <i>Estradiol (Transdermal Patch Twice Weekly)</i> | Maximum of 8 patches per 28 days |
| <i>Estradiol (Transdermal Patch Weekly)</i> | Maximum of 4 patches per 28 days |
| <i>Etravirine (Oral Tablet)</i> | Maximum of 2 tablets per day |
| EVOTAZ (ORAL TABLET) | Maximum of 1 tablet per day |
| EXKIVITY (ORAL CAPSULE) | Maximum of 4 capsules per day |
| <i>Ezetimibe-Simvastatin (Oral Tablet)</i> | Maximum of 1 tablet per day |
| FANAPT (10MG ORAL TABLET, 12MG ORAL TABLET, 1MG ORAL TABLET, 2MG ORAL TABLET, 4MG ORAL TABLET, 6MG ORAL TABLET, 8MG ORAL TABLET) | Maximum of 2 tablets per day |
| FANAPT TITRATION PACK (ORAL TABLET) | Maximum of 2 packs per year |
| FARXIGA (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Fentanyl Citrate (Buccal Lozenge On A Handle)</i> | Maximum of 4 lozenges per day |

| Drug name | Quantity limit |
|---|--|
| <i>Fentanyl (Transdermal Patch 72 Hour)</i> | Maximum of 15 patches per 30 days |
| <i>Fesoterodine Fumarate ER (Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| FETZIMA (ORAL CAPSULE EXTENDED RELEASE 24 HOUR) | Maximum of 1 capsule per day |
| FETZIMA TITRATION (ORAL CAPSULE ER 24 HOUR THERAPY PACK) | Maximum of 2 packs (56 capsules) per year |
| <i>Fingolimod HCl (Oral Capsule)</i> | Maximum of 1 capsule per day |
| FINTEPLA (ORAL SOLUTION) | Maximum of 12 ml per day |
| FIRDAPSE (ORAL TABLET) | Maximum of 8 tablets per day |
| FIRMAGON (240MG DOSE) (120MG/VIAL SUBCUTANEOUS SOLUTION RECONSTITUTED) | Maximum of 2 kits (4 vials) per 365 days |
| FIRMAGON (80MG SUBCUTANEOUS SOLUTION RECONSTITUTED) | Maximum of 1 kit per 28 days |
| <i>Fluocinonide Emulsified Base (External Cream)</i> | Maximum of 60 grams per 30 days |
| <i>Fluocinonide (0.05% External Cream)</i> | Maximum of 60 grams per 30 days |
| <i>Fluocinonide (External Gel)</i> | Maximum of 60 grams per 30 days |
| <i>Fluocinonide (External Ointment)</i> | Maximum of 60 grams per 30 days |
| <i>Fluocinonide (External Solution)</i> | Maximum of 60 ml per 30 days |
| <i>Fluorouracil (5% External Cream)</i> | Maximum of 40 grams per 30 days |
| <i>Fluticasone-Salmeterol (100-50MCG/ACT Inhalation Aerosol Powder Breath Activated, 250-50MCG/ACT Inhalation Aerosol Powder Breath Activated, 500-50MCG/ACT Inhalation Aerosol Powder Breath Activated) (Generic Advair)</i> | Maximum of 1 inhaler (60 blisters) per 30 days |
| FLUTICASONE-SALMETEROL (113-14MCG/ACT INHALATION AEROSOL POWDER BREATH ACTIVATED, 232-14MCG/ACT INHALATION AEROSOL POWDER BREATH ACTIVATED, 55-14MCG/ACT INHALATION AEROSOL POWDER BREATH ACTIVATED) (BRAND EQUIVALENT AIRDUO RESPICLICK) | Maximum of 1 inhaler per 30 days |
| <i>Fluvastatin Sodium ER (Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Fluvastatin Sodium (20MG Oral Capsule)</i> | Maximum of 1 capsule per day |
| <i>Fluvastatin Sodium (40MG Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Formoterol Fumarate (Inhalation Nebulization Solution)</i> | Maximum of 2 vials (4 ml) per day |
| <i>Fosamprenavir Calcium (Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Fosinopril Sodium (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Fosinopril Sodium-HCTZ (Oral Tablet)</i> | Maximum of 4 tablets per day |
| FOTIVDA (ORAL CAPSULE) | Maximum of 21 capsules per 28 days |
| FRUZAQLA (1MG ORAL CAPSULE) | Maximum of 84 capsules per 28 days |
| FRUZAQLA (5MG ORAL CAPSULE) | Maximum of 21 capsules per 28 days |

| Drug name | Quantity limit |
|---|--|
| FUZEON (SUBCUTANEOUS SOLUTION RECONSTITUTED) | Maximum of 2 vials per day |
| FYCOMPA (ORAL SUSPENSION) | Maximum of 24 ml per day |
| FYCOMPA (ORAL TABLET) | Maximum of 1 tablet per day |
| GARDASIL 9 (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| GARDASIL 9 (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| GAVRETO (ORAL CAPSULE) | Maximum of 4 capsules per day |
| GENVOYA (ORAL TABLET) | Maximum of 1 tablet per day |
| GILENYA (0.25MG ORAL CAPSULE) | Maximum of 2 capsules per day |
| <i>Glatiramer Acetate (20MG/ML Subcutaneous Solution Prefilled Syringe)</i> | Maximum of 1 syringe (1 ml) per day |
| <i>Glatiramer Acetate (40MG/ML Subcutaneous Solution Prefilled Syringe)</i> | Maximum of 12 syringes (12 ml) per 28 days |
| <i>Glatopa (20MG/ML Subcutaneous Solution Prefilled Syringe)</i> | Maximum of 1 syringe (1 ml) per day |
| <i>Glatopa (40MG/ML Subcutaneous Solution Prefilled Syringe)</i> | Maximum of 12 syringes (12 ml) per 28 days |
| <i>Glimepiride (1MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Glimepiride (2MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Glimepiride (4MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Glipizide ER (10MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 2 tablets per day |
| <i>Glipizide ER (2.5MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 8 tablets per day |
| <i>Glipizide ER (5MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 4 tablets per day |
| <i>Glipizide (10MG Oral Tablet Immediate Release)</i> | Maximum of 4 tablets per day |
| <i>Glipizide (2.5MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Glipizide (5MG Oral Tablet Immediate Release)</i> | Maximum of 8 tablets per day |
| <i>Glipizide-Metformin HCl (2.5-250MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Glipizide-Metformin HCl (2.5-500MG Oral Tablet, 5-500MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Glyburide Micronized (1.5MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Glyburide Micronized (3MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Glyburide Micronized (6MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Glyburide (1.25MG Oral Tablet)</i> | Maximum of 16 tablets per day |
| <i>Glyburide (2.5MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Glyburide (5MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Glyburide-Metformin (1.25-250MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Glyburide-Metformin (2.5-500MG Oral Tablet, 5-500MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| GLYXAMBI (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Granisetron HCl (Oral Tablet)</i> | Maximum of 2 tablets per day |

| Drug name | Quantity limit |
|---|--|
| <i>Guanfacine HCl (Oral Tablet Immediate Release)</i> | Maximum of 2 tablets per day |
| HARVONI (ORAL PACKET) | Maximum of 1 carton (28 packets) per 28 days |
| HARVONI (90-400MG ORAL TABLET) | Maximum of 1 tablet per day |
| HAVRIX (1440EL U/ML INTRAMUSCULAR SUSPENSION) | Maximum of 2 vaccines per lifetime |
| HAVRIX (720EL U/0.5ML INTRAMUSCULAR SUSPENSION) | Maximum of 2 vaccines per lifetime |
| HEPLISAV-B (INTRAMUSCULAR SOLUTION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| HETLIOZ LQ (ORAL SUSPENSION) | Maximum of 158 ml per 30 days |
| HIBERIX (INJECTION SOLUTION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| HUMIRA (2 PEN) (40MG/0.4ML SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | Maximum of 2 kits (4 pens) per 28 days |
| HUMIRA (2 PEN) (40MG/0.8ML SUBCUTANEOUS PEN-INJECTOR KIT, 80MG/0.8ML SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | Maximum of 1 kit (2 pens) per 28 days |
| HUMIRA (2 SYRINGE) (10MG/0.1ML SUBCUTANEOUS PREFILLED SYRINGE KIT, 20MG/0.2ML SUBCUTANEOUS PREFILLED SYRINGE KIT, 40MG/0.8ML SUBCUTANEOUS PREFILLED SYRINGE KIT) (ABBVIE) | Maximum of 1 kit (2 syringes) per 28 days |
| HUMIRA (2 SYRINGE) (40MG/0.4ML SUBCUTANEOUS PREFILLED SYRINGE KIT) (ABBVIE) | Maximum of 2 kits (4 syringes) per 28 days |
| HUMIRA PEDIATRIC CROHNS START (80MG/0.8ML & 40MG/0.4ML SUBCUTANEOUS PREFILLED SYRINGE KIT) (ABBVIE) | Maximum of 2 kits per year |
| HUMIRA PEDIATRIC CROHNS START (80MG/0.8ML SUBCUTANEOUS PREFILLED SYRINGE KIT) (ABBVIE) | Maximum of 2 kits per year |
| HUMIRA PEN PSORIASIS/UVEITIS STARTER (SUBCUTANEOUS PEN-INJECTOR KIT) (ABBVIE) | Maximum of 2 kits per year |
| <i>Hydrocodone-Acetaminophen (7.5-325MG/15ML Oral Solution)</i> | Maximum of 180 ml per day |
| <i>Hydrocodone-Acetaminophen (10-300MG Oral Tablet, 5-300MG Oral Tablet, 7.5-300MG Oral Tablet)</i> | Maximum of 13 tablets per day |
| <i>Hydrocodone-Acetaminophen (10-325MG Oral Tablet, 5-325MG Oral Tablet, 7.5-325MG Oral Tablet)</i> | Maximum of 12 tablets per day |
| <i>Hydrocodone-Ibuprofen (Oral Tablet)</i> | Maximum of 5 tablets per day |
| <i>Hydromorphone HCl ER (Oral Tablet Extended Release 24 Hour)</i> | Maximum of 2 tablets per day |
| <i>Hydromorphone HCl (1MG/ML Oral Liquid)</i> | Maximum of 50 ml per day |
| <i>Hydromorphone HCl (2MG Oral Tablet Immediate Release, 4MG Oral Tablet Immediate Release)</i> | Maximum of 8 tablets per day |
| <i>Hydromorphone HCl (8MG Oral Tablet Immediate Release)</i> | Maximum of 6 tablets per day |

| Drug name | Quantity limit |
|--|--|
| <i>Hydroxychloroquine Sulfate (100MG Oral Tablet, 300MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Hydroxychloroquine Sulfate (200MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| <i>Hydroxychloroquine Sulfate (400MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Ibandronate Sodium (Oral Tablet)</i> | Maximum of 1 tablet per 28 days |
| <i>Icatibant Acetate (Subcutaneous Solution Prefilled Syringe)</i> | Maximum of 12 syringes (36 ml) per 30 days |
| ICLUSIG (ORAL TABLET) | Maximum of 1 tablet per day |
| IDHIFA (ORAL TABLET) | Maximum of 1 tablet per day |
| IMBRUVICA (140MG ORAL CAPSULE) | Maximum of 4 capsules per day |
| IMBRUVICA (70MG ORAL CAPSULE) | Maximum of 1 capsule per day |
| IMBRUVICA (ORAL SUSPENSION) | Maximum of 8 ml per day |
| IMBRUVICA (140MG ORAL TABLET, 280MG ORAL TABLET, 420MG ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Imiquimod (5% External Cream)</i> | Maximum of 24 packets per 30 days |
| IMOVAX RABIES (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| INCRUSE ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 1 inhaler (30 blisters) per 30 days |
| INFANRIX (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| INLYTA (ORAL TABLET) | Maximum of 4 tablets per day |
| INQOVI (ORAL TABLET) | Maximum of 1 pack (5 tablets) per 28 days |
| INREBIC (ORAL CAPSULE) | Maximum of 4 capsules per day |
| INTELENCE (25MG ORAL TABLET) | Maximum of 4 tablets per day |
| INVOKAMET (ORAL TABLET IMMEDIATE RELEASE) | Maximum of 2 tablets per day |
| INVOKAMET XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 2 tablets per day |
| INVOKANA (ORAL TABLET) | Maximum of 1 tablet per day |
| IPOL (INJECTION) | 1 vaccination dose (0.5 ml) per day |
| <i>Irbesartan (150MG Oral Tablet, 300MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Irbesartan (75MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| <i>Irbesartan-Hydrochlorothiazide (Oral Tablet)</i> | Maximum of 1 tablet per day |
| ISENTRESS HD (ORAL TABLET) | Maximum of 2 tablets per day |
| ISENTRESS (ORAL PACKET) | Maximum of 2 packets per day |
| ISENTRESS (ORAL TABLET) | Maximum of 2 tablets per day |
| ISENTRESS (ORAL TABLET CHEWABLE) | Maximum of 6 tablets per day |
| IWILFIN (ORAL TABLET) | Maximum of 8 tablets per day |

| Drug name | Quantity limit |
|---|--|
| IXIARO (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| JANUMET (ORAL TABLET IMMEDIATE RELEASE) | Maximum of 2 tablets per day |
| JANUMET XR (100-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 50-500MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| JANUMET XR (50-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 2 tablets per day |
| JANUVIA (ORAL TABLET) | Maximum of 1 tablet per day |
| JARDIANCE (ORAL TABLET) | Maximum of 1 tablet per day |
| JAYPIRCA (100MG ORAL TABLET) | Maximum of 3 tablets per day |
| JAYPIRCA (50MG ORAL TABLET) | Maximum of 1 tablet per day |
| JENTADUETO (2.5-1000MG ORAL TABLET, 2.5-500MG ORAL TABLET) | Maximum of 2 tablets per day |
| JENTADUETO XR (2.5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 2 tablets per day |
| JENTADUETO XR (5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| JULUCA (ORAL TABLET) | Maximum of 1 tablet per day |
| JYNNEOS (SUBCUTANEOUS SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| KERENDIA (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Ketoconazole (External Cream)</i> | Maximum of 90 grams per 30 days |
| KEVZARA (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 2 pens (2.28 ml) per 28 days |
| KEVZARA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 2 syringes (2.28 ml) per 28 days |
| KINRIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| KORLYM (ORAL TABLET) | Maximum of 4 tablets per day |
| KOSELUGO (10MG ORAL CAPSULE) | Maximum of 8 capsules per day |
| KOSELUGO (25MG ORAL CAPSULE) | Maximum of 4 capsules per day |
| KRAZATI (ORAL TABLET) | Maximum of 6 tablets per day |
| <i>Lacosamide (Oral Solution)</i> | Maximum of 40 ml per day |
| <i>Lacosamide (Oral Tablet)</i> | Maximum of 2 tablets per day |
| LAGEVRIO (ORAL CAPSULE) | Maximum of 8 capsules per day and 40 capsules per prescription |
| <i>Lamivudine (10MG/ML Oral Solution)</i> | Maximum of 32 ml per day |
| <i>Lamivudine (150MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Lamivudine (300MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Lamivudine-Zidovudine (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Lansoprazole (Oral Capsule Delayed Release)</i> | Maximum of 2 capsules per day |

| Drug name | Quantity limit |
|---|---|
| LEDIPASVIR-SOFOSBUVIR (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Leuprolide Acetate (Subcutaneous Injection Kit)</i> | Maximum of 2 kits per 28 days |
| LEXIVA (50MG/ML ORAL SUSPENSION) | Maximum of 60 ml per day |
| <i>Lidocaine (5% External Patch)</i> | Maximum of 3 patches per day |
| <i>Linezolid (Oral Suspension Reconstituted)</i> | Maximum of 60 ml per day |
| <i>Linezolid (Oral Tablet)</i> | Maximum of 2 tablets per day |
| LINZESS (ORAL CAPSULE) | Maximum of 1 capsule per day |
| <i>Lisinopril (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Lisinopril-Hydrochlorothiazide (10-12.5MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Lisinopril-Hydrochlorothiazide (20-12.5MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Lisinopril-Hydrochlorothiazide (20-25MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| LIVALO (ORAL TABLET) | Maximum of 1 tablet per day |
| LOKELMA (ORAL PACKET) | Maximum of 3 packets per day |
| <i>Lopinavir-Ritonavir (Oral Solution)</i> | Maximum of 3 bottles (480 ml) per 30 days |
| <i>Lopinavir-Ritonavir (100-25MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Lopinavir-Ritonavir (200-50MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Lorazepam Intensol (Oral Concentrate)</i> | Maximum of 5 ml per day |
| <i>Lorazepam (0.5MG Oral Tablet, 1MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Lorazepam (2MG Oral Tablet)</i> | Maximum of 5 tablets per day |
| LORBRENA (100MG ORAL TABLET) | Maximum of 1 tablet per day |
| LORBRENA (25MG ORAL TABLET) | Maximum of 3 tablets per day |
| <i>Losartan Potassium (100MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Losartan Potassium (25MG Oral Tablet, 50MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Losartan Potassium-HCTZ (100-12.5MG Oral Tablet, 100-25MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Losartan Potassium-HCTZ (50-12.5MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Lovastatin (10MG Oral Tablet, 20MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Lovastatin (40MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Lubiprostone (Oral Capsule)</i> | Maximum of 2 capsules per day |
| LUMAKRAS (120MG ORAL TABLET) | Maximum of 8 tablets per day |
| LUMAKRAS (320MG ORAL TABLET) | Maximum of 3 tablets per day |
| LUPRON DEPOT (1-MONTH) (INTRAMUSCULAR KIT) | Maximum of 1 kit per 28 days |
| LUPRON DEPOT (3-MONTH) (INTRAMUSCULAR KIT) | Maximum of 1 kit per 84 days |
| LUPRON DEPOT (4-MONTH) (INTRAMUSCULAR KIT) | Maximum of 1 kit per 112 days |
| LUPRON DEPOT (6-MONTH) (INTRAMUSCULAR KIT) | Maximum of 1 kit per 168 days |
| LUPRON DEPOT-PED (1-MONTH) (7.5MG INTRAMUSCULAR KIT) | Maximum of 1 kit per 28 days |
| LUPRON DEPOT-PED (3-MONTH) (11.25MG INTRAMUSCULAR KIT) | Maximum of 1 kit per 84 days |

| Drug name | Quantity limit |
|---|--|
| LUPRON DEPOT-PED (6-MONTH) (INTRAMUSCULAR KIT) | Maximum of 1 kit per 168 days |
| <i>Lurasidone HCl (120MG Oral Tablet, 20MG Oral Tablet, 40MG Oral Tablet, 60MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Lurasidone HCl (80MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| LYBALVI (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Lyllana (Transdermal Patch Twice Weekly)</i> | Maximum of 8 patches per 28 days |
| LYTGOBI (12MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 4 packs (84 tablets) per 28 days |
| LYTGOBI (16MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 4 packs (112 tablets) per 28 days |
| LYTGOBI (20MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 4 packs (140 tablets) per 28 days |
| <i>Maraviroc (150MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Maraviroc (300MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| MAVYRET (ORAL PACKET) | Maximum of 5 cartons (140 packets) per 28 days |
| MAVYRET (ORAL TABLET) | Maximum of 3 tablets per day |
| MAYZENT (0.25MG ORAL TABLET) | Maximum of 4 tablets per day |
| MAYZENT (1MG ORAL TABLET, 2MG ORAL TABLET) | Maximum of 1 tablet per day |
| MAYZENT STARTER PACK (12 X 0.25MG ORAL TABLET THERAPY PACK) | Maximum of 2 packs (24 tablets) per year |
| MAYZENT STARTER PACK (7 X 0.25MG ORAL TABLET THERAPY PACK) | Maximum of 2 packs (14 tablets) per year |
| <i>Memantine HCl ER (Oral Capsule Extended Release 24 Hour)</i> | Maximum of 1 capsule per day |
| <i>Memantine HCl (Oral Solution)</i> | Maximum of 10 ml per day |
| <i>Memantine HCl (10MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Memantine HCl Titration Pak (Oral Tablet)</i> | Maximum of 2 packs per year |
| <i>Memantine HCl (5MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| MENACTRA (INTRAMUSCULAR SOLUTION) | 1 vaccination dose (0.5 ml) per day |
| MENQUADFI (INTRAMUSCULAR SOLUTION) | 1 vaccination dose (0.5 ml) per day |
| MENVEO (INTRAMUSCULAR SOLUTION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| <i>Mesalamine ER (0.375GM Oral Capsule Extended Release 24 Hour) (Generic Apriso)</i> | Maximum of 4 capsules per day |
| <i>Mesalamine (Rectal Suppository)</i> | Maximum of 1 suppository per day |
| <i>Metformin HCl ER (500MG Oral Tablet Extended Release 24 Hour) (Generic Glucophage XR)</i> | Maximum of 4 tablets per day |
| <i>Metformin HCl ER (750MG Oral Tablet Extended Release 24 Hour) (Generic Glucophage XR)</i> | Maximum of 2 tablets per day |
| <i>Metformin HCl (Oral Solution)</i> | Maximum of 25.5 ml per day |

| Drug name | Quantity limit |
|---|--|
| <i>Metformin HCl (1000MG Oral Tablet Immediate Release)</i> | Maximum of 2.5 tablets per day |
| <i>Metformin HCl (500MG Oral Tablet Immediate Release)</i> | Maximum of 5 tablets per day |
| <i>Metformin HCl (850MG Oral Tablet Immediate Release)</i> | Maximum of 3 tablets per day |
| <i>Methadone HCl (10MG/5ML Oral Solution)</i> | Maximum of 60 ml per day |
| <i>Methadone HCl (5MG/5ML Oral Solution)</i> | Maximum of 120 ml per day |
| <i>Methadone HCl (10MG Oral Tablet)</i> | Maximum of 12 tablets per day |
| <i>Methadone HCl (5MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Methylphenidate HCl CD (Oral Capsule Extended Release) (Generic Metadate CD)</i> | Maximum of 1 capsule per day |
| <i>Methylphenidate HCl LA (Oral Capsule Extended Release 24 Hour)</i> | Maximum of 1 capsule per day |
| <i>Methylphenidate HCl ER Osmotic Release (18MG Oral Tablet Extended Release) (Generic Concerta)</i> | Maximum of 3 tablets per day |
| <i>Methylphenidate HCl ER Osmotic Release (27MG Oral Tablet Extended Release, 36MG Oral Tablet Extended Release) (Generic Concerta)</i> | Maximum of 2 tablets per day |
| <i>Methylphenidate HCl ER Osmotic Release (54MG Oral Tablet Extended Release, 72MG Oral Tablet Extended Release) (Generic Concerta)</i> | Maximum of 1 tablet per day |
| <i>Methylphenidate HCl ER (XR) (Oral Capsule Extended Release 24 Hour) (Brand Equivalent Aptensio XR)</i> | Maximum of 1 capsule per day |
| <i>Methylphenidate HCl ER (10MG Oral Tablet Extended Release)</i> | Maximum of 4 tablets per day |
| <i>Methylphenidate HCl ER (20MG Oral Tablet Extended Release)</i> | Maximum of 3 tablets per day |
| <i>Methylphenidate HCl ER (18MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 3 tablets per day |
| <i>Methylphenidate HCl ER (27MG Oral Tablet Extended Release 24 Hour, 36MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 2 tablets per day |
| <i>Methylphenidate HCl ER (54MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Methylphenidate HCl (10MG/5ML Oral Solution)</i> | Maximum of 30 ml per day |
| <i>Methylphenidate HCl (5MG/5ML Oral Solution)</i> | Maximum of 60 ml per day |
| <i>Methylphenidate HCl (Oral Tablet Immediate Release) (Generic Ritalin)</i> | Maximum of 3 tablets per day |
| <i>Methylphenidate HCl (10MG Oral Tablet Chewable)</i> | Maximum of 6 tablets per day |
| <i>Methylphenidate HCl (2.5MG Oral Tablet Chewable, 5MG Oral Tablet Chewable)</i> | Maximum of 3 tablets per day |
| M-M-R II (INJECTION SOLUTION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| <i>Modafinil (100MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Modafinil (200MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Moexipril HCl (Oral Tablet)</i> | Maximum of 2 tablets per day |

| Drug name | Quantity limit |
|--|--------------------------------------|
| <i>Montelukast Sodium (Oral Packet)</i> | Maximum of 1 packet per day |
| <i>Montelukast Sodium (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Montelukast Sodium (Oral Tablet Chewable)</i> | Maximum of 1 tablet per day |
| <i>Morphine Sulfate (Concentrate) (20MG/ML Oral Solution)</i> | Maximum of 10 ml per day |
| <i>Morphine Sulfate ER (100MG Oral Tablet Extended Release, 15MG Oral Tablet Extended Release) (Generic MS Contin)</i> | Maximum of 3 tablets per day |
| <i>Morphine Sulfate ER (200MG Oral Tablet Extended Release) (Generic MS Contin)</i> | Maximum of 2 tablets per day |
| <i>Morphine Sulfate ER (30MG Oral Tablet Extended Release, 60MG Oral Tablet Extended Release) (Generic MS Contin)</i> | Maximum of 4 tablets per day |
| <i>Morphine Sulfate (10MG/5ML Oral Solution)</i> | Maximum of 100 ml per day |
| <i>Morphine Sulfate (20MG/5ML Oral Solution)</i> | Maximum of 50 ml per day |
| <i>Morphine Sulfate (15MG Oral Tablet Immediate Release)</i> | Maximum of 8 tablets per day |
| <i>Morphine Sulfate (30MG Oral Tablet Immediate Release)</i> | Maximum of 6 tablets per day |
| MOUNJARO (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 4 pens (2 ml) per 28 days |
| MOVANTIK (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Mupirocin (External Ointment)</i> | Maximum of 110 grams per 30 days |
| NAMZARIC (ORAL CAPSULE ER 24 HOUR THERAPY PACK) | Maximum of 1 capsule per day |
| NAMZARIC (ORAL CAPSULE EXTENDED RELEASE 24 HOUR) | Maximum of 1 capsule per day |
| <i>Naratriptan HCl (Oral Tablet)</i> | Maximum of 12 tablets per 30 days |
| <i>Nateglinide (120MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| <i>Nateglinide (60MG Oral Tablet)</i> | Maximum of 6 tablets per day |
| NAYZILAM (NASAL SOLUTION) | Maximum of 10 devices per 30 days |
| <i>Nebivolol HCl (10MG Oral Tablet, 2.5MG Oral Tablet, 5MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Nebivolol HCl (20MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| NERLYNX (ORAL TABLET) | Maximum of 6 tablets per day |
| <i>Nevirapine ER (400MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Nevirapine (Oral Suspension)</i> | Maximum of 40 ml per day |
| <i>Nevirapine (Oral Tablet Immediate Release)</i> | Maximum of 2 tablets per day |
| NEXLETOL (ORAL TABLET) | Maximum of 1 tablet per day |
| NEXLIZET (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Nitazoxanide (Oral Tablet)</i> | Maximum of 2 tablets per day |
| NORVIR (ORAL PACKET) | Maximum of 12 packets per day |
| NOXAFIL (ORAL PACKET) | Maximum of 2 packets per day |
| NOXAFIL (ORAL SUSPENSION) | Maximum of 20 ml per day |

| Drug name | Quantity limit |
|---|-----------------------------------|
| NUCALA (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 3 ml per 28 days |
| NUCALA (100MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 3 ml per 28 days |
| NUCALA (40MG/0.4ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 0.4 ml per 28 days |
| NUCALA (SUBCUTANEOUS SOLUTION RECONSTITUTED) | Maximum of 3 vials per 28 days |
| NUCYNTA ER (ORAL TABLET EXTENDED RELEASE 12 HOUR) | Maximum of 2 tablets per day |
| NUCYNTA (ORAL TABLET IMMEDIATE RELEASE) | Maximum of 6 tablets per day |
| NUEDEXTA (ORAL CAPSULE) | Maximum of 2 capsules per day |
| NUPLAZID (ORAL CAPSULE) | Maximum of 1 capsule per day |
| NUPLAZID (ORAL TABLET) | Maximum of 1 tablet per day |
| NURTEC ODT (ORAL TABLET DISPERSIBLE) | Maximum of 18 tablets per 30 days |
| <i>Nyamyc (External Powder)</i> | Maximum of 120 grams per 30 days |
| <i>Nystatin (External Powder)</i> | Maximum of 120 grams per 30 days |
| <i>Nystop (External Powder)</i> | Maximum of 120 grams per 30 days |
| ODEFSEY (ORAL TABLET) | Maximum of 1 tablet per day |
| OFEV (ORAL CAPSULE) | Maximum of 2 capsules per day |
| OGSIVEO (ORAL TABLET) | Maximum of 6 tablets per day |
| OJJAARA (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Olanzapine (10MG Oral Tablet, 2.5MG Oral Tablet, 5MG Oral Tablet, 7.5MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Olanzapine (15MG Oral Tablet, 20MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Olanzapine ODT (10MG Oral Tablet Dispersible, 5MG Oral Tablet Dispersible)</i> | Maximum of 2 tablets per day |
| <i>Olanzapine ODT (15MG Oral Tablet Dispersible, 20MG Oral Tablet Dispersible)</i> | Maximum of 1 tablet per day |
| <i>Olmesartan Medoxomil (20MG Oral Tablet, 40MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Olmesartan Medoxomil (5MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Olmesartan Medoxomil-HCTZ (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Olmesartan-Amlodipine-HCTZ (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Omeprazole (10MG Oral Capsule Delayed Release)</i> | Maximum of 3 capsules per day |
| <i>Ondansetron HCl (Oral Solution)</i> | Maximum of 30 ml per day |
| <i>Ondansetron HCl (4MG Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Ondansetron HCl (8MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| <i>Ondansetron ODT (4MG Oral Tablet Dispersible)</i> | Maximum of 6 tablets per day |
| <i>Ondansetron ODT (8MG Oral Tablet Dispersible)</i> | Maximum of 3 tablets per day |

| Drug name | Quantity limit |
|---|--|
| ONUREG (ORAL TABLET) | Maximum of 14 tablets per 28 days |
| ORENCIA CLICKJECT (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 4 pens (4 ml) per 28 days |
| ORENCIA (125MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 4 syringes (4 ml) per 28 days |
| ORENCIA (50MG/0.4ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 4 syringes (1.6 ml) per 28 days |
| ORENCIA (87.5MG/0.7ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 4 syringes (2.8 ml) per 28 days |
| ORENITRAM MONTH 1 (ORAL TABLET EXTENDED RELEASE THERAPY PACK) | Maximum of 2 packs (336 tablets) per year |
| ORENITRAM MONTH 2 (ORAL TABLET EXTENDED RELEASE THERAPY PACK) | Maximum of 2 packs (672 tablets) per year |
| ORENITRAM MONTH 3 (ORAL TABLET EXTENDED RELEASE THERAPY PACK) | Maximum of 2 packs (504 tablets) per year |
| ORGOVYX (ORAL TABLET) | Maximum of 30 tablets per 28 days |
| ORKAMBI (ORAL PACKET) | Maximum of 56 packets per 28 days |
| ORKAMBI (ORAL TABLET) | Maximum of 4 tablets per day |
| ORSERDU (345MG ORAL TABLET) | Maximum of 1 tablet per day |
| ORSERDU (86MG ORAL TABLET) | Maximum of 3 tablets per day |
| OSPHENA (ORAL TABLET) | Maximum of 1 tablet per day |
| OTEZLA (ORAL TABLET) | Maximum of 2 tablets per day |
| OTEZLA (ORAL TABLET THERAPY PACK) | Maximum of 2 kits per year |
| <i>Oxycodone HCl (Oral Capsule)</i> | Maximum of 12 capsules per day |
| <i>Oxycodone HCl (Oral Concentrate)</i> | Maximum of 6 ml per day |
| <i>Oxycodone HCl (Oral Solution)</i> | Maximum of 130 ml per day |
| <i>Oxycodone HCl (10MG Oral Tablet Immediate Release, 5MG Oral Tablet Immediate Release)</i> | Maximum of 12 tablets per day |
| <i>Oxycodone HCl (15MG Oral Tablet Immediate Release)</i> | Maximum of 8 tablets per day |
| <i>Oxycodone HCl (20MG Oral Tablet Immediate Release, 30MG Oral Tablet Immediate Release)</i> | Maximum of 6 tablets per day |
| <i>Oxycodone-Acetaminophen (10-325MG Oral Tablet, 2.5-325MG Oral Tablet, 5-325MG Oral Tablet, 7.5-325MG Oral Tablet)</i> | Maximum of 12 tablets per day |
| OXYCONTIN (ORAL TABLET ER 12 HOUR ABUSE-DETERRENT) | Maximum of 3 tablets per day |
| <i>Oxymorphone HCl ER (10MG Oral Tablet Extended Release 12 Hour, 15MG Oral Tablet Extended Release 12 Hour, 20MG Oral Tablet Extended Release 12 Hour, 5MG Oral Tablet Extended Release 12 Hour, 7.5MG Oral Tablet Extended Release 12 Hour)</i> | Maximum of 2 tablets per day |

| Drug name | Quantity limit |
|---|--|
| <i>Oxymorphone HCl ER (30MG Oral Tablet Extended Release 12 Hour)</i> | Maximum of 4 tablets per day |
| <i>Oxymorphone HCl ER (40MG Oral Tablet Extended Release 12 Hour)</i> | Maximum of 3 tablets per day |
| <i>Oxymorphone HCl (Oral Tablet Immediate Release)</i> | Maximum of 6 tablets per day |
| OZEMPIC (0.25MG/DOSE OR 0.5MG/DOSE) (2MG/3ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 1 pen (3 ml) per 28 days |
| OZEMPIC (1MG/DOSE) (4MG/3ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 1 pen (3 ml) per 28 days |
| OZEMPIC (2MG/DOSE) (8MG/3ML SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 1 pen (3 ml) per 28 days |
| <i>Paliperidone ER (1.5MG Oral Tablet Extended Release 24 Hour, 3MG Oral Tablet Extended Release 24 Hour, 9MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Paliperidone ER (6MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 2 tablets per day |
| <i>Pantoprazole Sodium (20MG Oral Tablet Delayed Release)</i> | Maximum of 3 tablets per day |
| <i>Pantoprazole Sodium (40MG Oral Tablet Delayed Release)</i> | Maximum of 2 tablets per day |
| PAXLOVID (150/100MG) (ORAL TABLET THERAPY PACK) | Maximum of 4 tablets per day and 20 tablets per prescription |
| PAXLOVID (300/100MG) (ORAL TABLET THERAPY PACK) | Maximum of 6 tablets per day and 30 tablets per prescription |
| PEDIARIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| PEDVAX HIB (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| PEMAZYRE (ORAL TABLET) | Maximum of 14 tablets per 21 days |
| PENBRAYA (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| PENTACEL (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| <i>Pentamidine Isethionate (Inhalation Solution Reconstituted)</i> | Maximum of 1 vial (300 mg) per 28 days |
| <i>Perindopril Erbumine (Oral Tablet)</i> | Maximum of 2 tablets per day |
| PIFELTRO (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Pimecrolimus (External Cream)</i> | Maximum of 100 grams per 30 days |
| <i>Pioglitazone HCl (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Pioglitazone HCl-Metformin HCl (Oral Tablet)</i> | Maximum of 3 tablets per day |
| PIQRAY (200MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 1 tablet per day |
| PIQRAY (250MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 2 tablets per day |

| Drug name | Quantity limit |
|---|---|
| PIQRAY (300MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 2 tablets per day |
| <i>Pirfenidone (Oral Capsule)</i> | Maximum of 9 capsules per day |
| <i>Pirfenidone (267MG Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Pirfenidone (534MG Oral Tablet, 801MG Oral Tablet)</i> | Maximum of 3 tablets per day |
| PLEGRIDY (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 2 pens (1 ml) per 28 days |
| PLEGRIDY (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 2 pens (1 ml) per 28 days |
| <i>Posaconazole (Oral Suspension)</i> | Maximum of 20 ml per day |
| <i>Posaconazole (Oral Tablet Delayed Release)</i> | Maximum of 6 tablets per day |
| PRADAXA (ORAL CAPSULE) | Maximum of 2 capsules per day |
| PRALUENT (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 2 pens (2 ml) per 28 days |
| <i>Pravastatin Sodium (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Pregabalin (100MG Oral Capsule, 25MG Oral Capsule, 50MG Oral Capsule, 75MG Oral Capsule)</i> | Maximum of 4 capsules per day |
| <i>Pregabalin (150MG Oral Capsule, 200MG Oral Capsule)</i> | Maximum of 3 capsules per day |
| <i>Pregabalin (225MG Oral Capsule, 300MG Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Pregabalin (Oral Solution)</i> | Maximum of 30 ml per day |
| PREHEVBRIO (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (1 ml) per day |
| PREMARIN (ORAL TABLET) | Maximum of 1 tablet per day |
| PREVYMIS (ORAL TABLET) | Maximum of 1 tablet per day |
| PREZCOBIX (ORAL TABLET) | Maximum of 1 tablet per day |
| PREZISTA (ORAL SUSPENSION) | Maximum of 2 bottles (400 ml) per 30 days |
| PREZISTA (150MG ORAL TABLET) | Maximum of 6 tablets per day |
| PREZISTA (600MG ORAL TABLET) | Maximum of 2 tablets per day |
| PREZISTA (75MG ORAL TABLET) | Maximum of 10 tablets per day |
| PREZISTA (800MG ORAL TABLET) | Maximum of 1 tablet per day |
| PRIORIX (SUBCUTANEOUS SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| PROLIA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 1 syringe per 180 days |
| PROMACTA (ORAL PACKET) | Maximum of 6 packets per day |
| PROMACTA (12.5MG ORAL TABLET, 25MG ORAL TABLET) | Maximum of 1 tablet per day |
| PROMACTA (50MG ORAL TABLET, 75MG ORAL TABLET) | Maximum of 2 tablets per day |
| <i>Promethazine HCl (12.5MG Rectal Suppository)</i> | Maximum of 6 suppositories per day |
| PROQUAD (SUBCUTANEOUS SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |

| Drug name | Quantity limit |
|--|--|
| PULMOZYME (INHALATION SOLUTION) | Maximum of 2 ampules (5 ml) per day |
| PYRUKYND (20MG ORAL TABLET, 5MG ORAL TABLET) | Maximum of 1 pack (56 tablets) per 28 days |
| PYRUKYND (50MG ORAL TABLET) | Maximum of 2 packs (112 tablets) per 28 days |
| PYRUKYND TAPER PACK (5MG ORAL TABLET THERAPY PACK) | Maximum of 1 pack (7 tablets) per 7 days |
| PYRUKYND TAPER PACK (7 X 20MG & 7 X 5MG ORAL TABLET THERAPY PACK, 7 X 50MG & 7 X 20MG ORAL TABLET THERAPY PACK) | Maximum of 1 pack (14 tablets) per 14 days |
| QINLOCK (ORAL TABLET) | Maximum of 3 tablets per day |
| QUADRACEL (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| QUADRACEL (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| <i>Quetiapine Fumarate ER (150MG Oral Tablet Extended Release 24 Hour, 200MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Quetiapine Fumarate ER (300MG Oral Tablet Extended Release 24 Hour, 400MG Oral Tablet Extended Release 24 Hour, 50MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 2 tablets per day |
| <i>Quetiapine Fumarate (100MG Oral Tablet Immediate Release, 150MG Oral Tablet Immediate Release, 200MG Oral Tablet Immediate Release, 50MG Oral Tablet Immediate Release)</i> | Maximum of 3 tablets per day |
| <i>Quetiapine Fumarate (25MG Oral Tablet Immediate Release)</i> | Maximum of 4 tablets per day |
| <i>Quetiapine Fumarate (300MG Oral Tablet Immediate Release, 400MG Oral Tablet Immediate Release)</i> | Maximum of 2 tablets per day |
| QUILLIVANT XR (ORAL SUSPENSION RECONSTITUTED) | Maximum of 12 ml per day |
| <i>Quinapril HCl (Oral Tablet)</i> | Maximum of 2 tablets per day |
| QULIPTA (ORAL TABLET) | Maximum of 1 tablet per day |
| QUVIVIQ (ORAL TABLET) | Maximum of 1 tablet per day |
| QVAR REDHALER (INHALATION AEROSOL BREATH ACTIVATED) | Maximum of 2 inhalers (21.2 grams) per 30 days |
| RABAVERT (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| <i>Ramelteon (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Ramipril (Oral Capsule)</i> | Maximum of 2 capsules per day |
| RAYALDEE (ORAL CAPSULE EXTENDED RELEASE) | Maximum of 2 capsules per day |
| RECOMBIVAX HB (10MCG/ML INJECTION SUSPENSION, 40MCG/ML INJECTION SUSPENSION) | 1 vaccination dose (1 ml) per day |
| RECOMBIVAX HB (5MCG/0.5ML INJECTION SUSPENSION) | 1 vaccination dose (0.5 ml) per day |

| Drug name | Quantity limit |
|---|---|
| RECOMBIVAX HB (10MCG/ML INJECTION SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (1 ml) per day |
| RECOMBIVAX HB (5MCG/0.5ML INJECTION SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| RECTIV (RECTAL OINTMENT) | Maximum of 30 grams per 30 days |
| RELENZA DISKHALER (INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 3 inhalers (60 blisters) per 30 days |
| <i>Repaglinide (0.5MG Oral Tablet)</i> | Maximum of 32 tablets per day |
| <i>Repaglinide (1MG Oral Tablet)</i> | Maximum of 16 tablets per day |
| <i>Repaglinide (2MG Oral Tablet)</i> | Maximum of 8 tablets per day |
| REPATHA PUSHTRONEX SYSTEM (SUBCUTANEOUS SOLUTION CARTRIDGE) | Maximum of 2 cartridges (7 ml) per 28 days |
| REPATHA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 3 syringes (3 ml) per 28 days |
| REPATHA SURECLICK (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 3 pens (3 ml) per 28 days |
| RESTASIS MULTIDOSE (OPHTHALMIC EMULSION) | Maximum of 1 bottle (5.5 ml) per 25 days |
| RESTASIS SINGLE-USE VIALS (OPHTHALMIC EMULSION) | Maximum of 2 vials per day |
| RETEVMO (40MG ORAL CAPSULE) | Maximum of 6 capsules per day |
| RETEVMO (80MG ORAL CAPSULE) | Maximum of 4 capsules per day |
| REXULTI (ORAL TABLET) | Maximum of 1 tablet per day |
| REYATAZ (ORAL PACKET) | Maximum of 6 packets per day |
| REZLIDHIA (ORAL CAPSULE) | Maximum of 2 capsules per day |
| REZUROCK (ORAL TABLET) | Maximum of 2 tablets per day |
| RINVOQ (ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| <i>Risedronate Sodium (150MG Oral Tablet Immediate Release)</i> | Maximum of 1 tablet per 30 days |
| <i>Risedronate Sodium (35MG Oral Tablet Immediate Release, 35MG (12 PACK) Oral Tablet Immediate Release, 35MG (4 PACK) Oral Tablet Immediate Release)</i> | Maximum of 4 tablets per 28 days |
| <i>Risedronate Sodium (Oral Tablet Delayed Release)</i> | Maximum of 4 tablets per 28 days |
| <i>Ritonavir (Oral Tablet)</i> | Maximum of 12 tablets per day |
| <i>Rivastigmine (Transdermal Patch 24 Hour)</i> | Maximum of 1 patch per day |
| <i>Rizatriptan Benzoate (Oral Tablet)</i> | Maximum of 12 tablets per 30 days |
| <i>Rizatriptan Benzoate ODT (Oral Tablet Dispersible)</i> | Maximum of 12 tablets per 30 days |
| <i>Rosuvastatin Calcium (Oral Tablet)</i> | Maximum of 1 tablet per day |
| ROTARIX (ORAL SUSPENSION) | 1 vaccination dose (1.5 ml) per day |
| ROTARIX (ORAL SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 ml) per day |
| ROTATEQ (ORAL SOLUTION) | 1 vaccination dose (2 ml) per day |

| Drug name | Quantity limit |
|---|---|
| ROZLYTREK (100MG ORAL CAPSULE) | Maximum of 5 capsules per day |
| ROZLYTREK (200MG ORAL CAPSULE) | Maximum of 3 capsules per day |
| RUKOBIA (ORAL TABLET EXTENDED RELEASE 12 HOUR) | Maximum of 2 tablets per day |
| RYBELSUS (ORAL TABLET) | Maximum of 1 tablet per day |
| RYDAPT (ORAL CAPSULE) | Maximum of 8 capsules per day |
| <i>Sajazir (Subcutaneous Solution Prefilled Syringe)</i> | Maximum of 12 syringes (36 ml) per 30 days |
| SANCUSO (TRANSDERMAL PATCH) | Maximum of 4 patches per 28 days |
| <i>Saxagliptin HCl (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Saxagliptin-Metformin ER (2.5-1000MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 2 tablets per day |
| <i>Saxagliptin-Metformin ER (5-1000MG Oral Tablet Extended Release 24 Hour, 5-500MG Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| SCEMBLIX (20MG ORAL TABLET) | Maximum of 2 tablets per day |
| SCEMBLIX (40MG ORAL TABLET) | Maximum of 10 tablets per day |
| SECUADO (TRANSDERMAL PATCH 24 HOUR) | Maximum of 1 patch per day |
| SELZENTRY (ORAL SOLUTION) | Maximum of 8 bottles (1840 ml) per 30 days |
| SELZENTRY (25MG ORAL TABLET) | Maximum of 16 tablets per day |
| SELZENTRY (75MG ORAL TABLET) | Maximum of 2 tablets per day |
| SEREVENT DISKUS (60 INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 1 inhaler (60 inhalations) per 30 days |
| SHINGRIX (INTRAMUSCULAR SUSPENSION RECONSTITUTED) | 1 vaccination dose (1 injection) per day |
| <i>Sildenafil Citrate (Oral Suspension Reconstituted)</i> | Maximum of 6 ml per day |
| <i>Sildenafil Citrate (20MG Oral Tablet) (Generic Revatio)</i> | Maximum of 3 tablets per day |
| <i>Silodosin (Oral Capsule)</i> | Maximum of 1 capsule per day |
| SIMPONI (100MG/ML SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 3 syringes (3 ml) per 28 days |
| SIMPONI (50MG/0.5ML SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 1 syringe (0.5 ml) per 30 days |
| SIMPONI (100MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 3 syringes (3 ml) per 28 days |
| SIMPONI (50MG/0.5ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 1 syringe (0.5 ml) per 30 days |
| <i>Simvastatin (Oral Tablet)</i> | Maximum of 1 tablet per day |
| SKYCLARYS (ORAL CAPSULE) | Maximum of 3 capsules per day |
| SKYRIZI PEN (SUBCUTANEOUS SOLUTION AUTO-INJECTOR) | Maximum of 1 pen (1 ml) per 28 days |
| SKYRIZI (180MG/1.2ML SUBCUTANEOUS SOLUTION CARTRIDGE) | Maximum of 1 cartridge (1.2 ml) per 56 days |

| Drug name | Quantity limit |
|---|---|
| SKYRIZI (360MG/2.4ML SUBCUTANEOUS SOLUTION CARTRIDGE) | Maximum of 1 cartridge (2.4 ml) per 56 days |
| SKYRIZI (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 1 syringe (1 ml) per 28 days |
| SODIUM OXYBATE (ORAL SOLUTION) | Maximum of 18 ml per day |
| SOFOSBUVIR-VELPATASVIR (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Solifenacin Succinate (Oral Tablet)</i> | Maximum of 1 tablet per day |
| SOLIQUA (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 5 pens (15 ml) per 25 days |
| SOMAVERT (SUBCUTANEOUS SOLUTION RECONSTITUTED) | Maximum of 1 vial per day |
| SPIRIVA HANDHALER (INHALATION CAPSULE) | Maximum of 1 capsule per day |
| SPIRIVA RESPIMAT (INHALATION AEROSOL SOLUTION) | Maximum of 1 inhaler (4 grams) per 30 days |
| STELARA (SUBCUTANEOUS SOLUTION) | Maximum of 6 vials (3 ml) per 84 days |
| STELARA (45MG/0.5ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 6 syringes (3 ml) per 84 days |
| STELARA (90MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 3 syringes (3 ml) per 84 days |
| STIOLTO RESPIMAT (INHALATION AEROSOL SOLUTION) | Maximum of 1 inhaler (4 grams) per 30 days |
| STRIBILD (ORAL TABLET) | Maximum of 1 tablet per day |
| STRIVERDI RESPIMAT (INHALATION AEROSOL SOLUTION) | Maximum of 1 inhaler (4 grams) per 30 days |
| <i>Sumatriptan (Nasal Solution)</i> | Maximum of 12 devices per 30 days |
| <i>Sumatriptan Succinate (Oral Tablet)</i> | Maximum of 12 tablets per 30 days |
| <i>Sumatriptan Succinate Refill (Subcutaneous Solution Cartridge)</i> | Maximum of 12 injections (6 ml) per 30 days |
| <i>Sumatriptan Succinate (Subcutaneous Solution)</i> | Maximum of 12 injections (6 ml) per 30 days |
| <i>Sumatriptan Succinate (Subcutaneous Solution Auto-Injector)</i> | Maximum of 12 injections (6 ml) per 30 days |
| SUNLENCA (4 X 300MG ORAL TABLET THERAPY PACK) | Maximum of 2 packs (8 tablets) per year |
| SUNLENCA (5 X 300MG ORAL TABLET THERAPY PACK) | Maximum of 2 packs (10 tablets) per year |
| SYMBICORT (120 INHALATION AEROSOL) | Maximum of 1 inhaler (10.2 grams) per 30 days |
| SYMDEKO (ORAL TABLET THERAPY PACK) | Maximum of 1 pack (56 tablets) per 28 days |
| SYMPAZAN (ORAL FILM) | Maximum of 2 films per day |

| Drug name | Quantity limit |
|---|--------------------------------------|
| SYM TUZA (ORAL TABLET) | Maximum of 1 tablet per day |
| SYNJARDY (ORAL TABLET IMMEDIATE RELEASE) | Maximum of 2 tablets per day |
| SYNJARDY XR (10-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 12.5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 2 tablets per day |
| SYNJARDY XR (25-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| TABRECTA (ORAL TABLET) | Maximum of 4 tablets per day |
| <i>Tadalafil (PAH) (20MG Oral Tablet) (Generic Adcirca)</i> | Maximum of 2 tablets per day |
| TALZENNA (0.1MG ORAL CAPSULE, 0.35MG ORAL CAPSULE, 0.5MG ORAL CAPSULE, 0.75MG ORAL CAPSULE, 1MG ORAL CAPSULE) | Maximum of 1 capsule per day |
| TALZENNA (0.25MG ORAL CAPSULE) | Maximum of 3 capsules per day |
| <i>Tasimelteon (Oral Capsule)</i> | Maximum of 1 capsule per day |
| <i>Tazarotene (External Cream)</i> | Maximum of 60 grams per 30 days |
| TAZVERIK (ORAL TABLET) | Maximum of 8 tablets per day |
| TDVAX (INTRAMUSCULAR SUSPENSION) | 1 vaccination dose (0.5 ml) per day |
| <i>Telmisartan (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Telmisartan-Amlodipine (Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Telmisartan-HCTZ (40-12.5MG Oral Tablet, 80-25MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Telmisartan-HCTZ (80-12.5MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Temazepam (Oral Capsule)</i> | Maximum of 1 capsule per day |
| TENIVAC (INTRAMUSCULAR INJECTABLE) | 1 vaccination dose (0.5 ml) per day |
| <i>Tenofovir Disoproxil Fumarate (Oral Tablet)</i> | Maximum of 1 tablet per day |
| TEPMETKO (ORAL TABLET) | Maximum of 2 tablets per day |
| <i>Terbinafine HCl (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Teriflunomide (Oral Tablet)</i> | Maximum of 1 tablet per day |
| THALOMID (100MG ORAL CAPSULE, 50MG ORAL CAPSULE) | Maximum of 1 capsule per day |
| THALOMID (150MG ORAL CAPSULE, 200MG ORAL CAPSULE) | Maximum of 2 capsules per day |
| TIBSOVO (ORAL TABLET) | Maximum of 2 tablets per day |
| TICOVAC (1.2MCG/0.25ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.25 ml) per day |
| TICOVAC (2.4MCG/0.5ML INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| <i>Tiotropium Bromide Monohydrate (Inhalation Capsule)</i> | Maximum of 1 capsule per day |
| TIVICAY (10MG ORAL TABLET, 25MG ORAL TABLET) | Maximum of 1 tablet per day |
| TIVICAY (50MG ORAL TABLET) | Maximum of 2 tablets per day |

| Drug name | Quantity limit |
|---|--|
| TIVICAY PD (ORAL TABLET SOLUBLE) | Maximum of 6 tablets per day |
| TOBI PODHALER (INHALATION CAPSULE) | Maximum of 8 capsules per day |
| <i>Tobramycin (300MG/4ML Inhalation Nebulization Solution)</i> | Maximum of 2 ampules (8 ml) per day |
| <i>Tobramycin (300MG/5ML Inhalation Nebulization Solution)</i> | Maximum of 2 ampules (10 ml) per day |
| <i>Tolcapone (Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Tolvaptan (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Tovet (External Foam)</i> | Maximum of 100 grams per 30 days |
| TRACLEER (ORAL TABLET SOLUBLE) | Maximum of 8 tablets per day |
| TRADJENTA (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Tramadol HCl (ER Biphasic) (Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Tramadol HCl ER (Oral Tablet Extended Release 24 Hour)</i> | Maximum of 1 tablet per day |
| <i>Tramadol HCl (100MG Oral Tablet Immediate Release)</i> | Maximum of 4 tablets per day |
| <i>Tramadol HCl (50MG Oral Tablet Immediate Release)</i> | Maximum of 8 tablets per day |
| <i>Tramadol-Acetaminophen (Oral Tablet)</i> | Maximum of 8 tablets per day |
| <i>Trandolapril (1MG Oral Tablet, 2MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Trandolapril (4MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| TRELEGY ELLIPTA (INHALATION AEROSOL POWDER BREATH ACTIVATED) | Maximum of 1 inhaler (60 blisters) per 30 days |
| TRELSTAR MIXJECT (11.25MG INTRAMUSCULAR SUSPENSION RECONSTITUTED) | Maximum of 1 vial per 84 days |
| TRELSTAR MIXJECT (22.5MG INTRAMUSCULAR SUSPENSION RECONSTITUTED) | Maximum of 1 vial per 168 days |
| TRELSTAR MIXJECT (3.75MG INTRAMUSCULAR SUSPENSION RECONSTITUTED) | Maximum of 1 vial per 28 days |
| TREMIFYA (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 2 pens (2 ml) per 56 days |
| TREMIFYA (SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) | Maximum of 2 syringes (2 ml) per 56 days |
| <i>Trientine HCl (250MG Oral Capsule)</i> | Maximum of 8 capsules per day |
| TRIJARDY XR (10-5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 25-5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| TRIJARDY XR (12.5-2.5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 5-2.5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 2 tablets per day |
| TRIKAFTA (ORAL TABLET THERAPY PACK) | Maximum of 1 pack (84 tablets) per 28 days |
| TRIKAFTA (ORAL GRANULE THERAPY PACK) | Maximum of 1 carton (56 packets) per 28 days |

| Drug name | Quantity limit |
|--|--|
| <i>Trimethobenzamide HCl (Oral Capsule)</i> | Maximum of 4 capsules per day |
| TRINTELLIX (ORAL TABLET) | Maximum of 1 tablet per day |
| TRIUMEQ (ORAL TABLET) | Maximum of 1 tablet per day |
| TRIUMEQ PD (ORAL TABLET SOLUBLE) | Maximum of 6 tablets per day |
| TRIZIVIR (300-150-300MG ORAL TABLET) | Maximum of 2 tablets per day |
| TRULICITY (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 4 pens (2 ml) per 28 days |
| TRUMENBA (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| TRUQAP (ORAL TABLET) | Maximum of 64 tablets per 28 days |
| TUKYSA (150MG ORAL TABLET) | Maximum of 4 tablets per day |
| TUKYSA (50MG ORAL TABLET) | Maximum of 12 tablets per day |
| TURALIO (125MG ORAL CAPSULE) | Maximum of 4 capsules per day |
| TWINRIX (INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE) | 1 vaccination dose (1 ml) per day |
| TYBOST (ORAL TABLET) | Maximum of 1 tablet per day |
| TYPHIM VI (INTRAMUSCULAR SOLUTION) | 1 vaccination dose (0.5 ml) per day |
| TYPHIM VI (INTRAMUSCULAR SOLUTION PREFILLED SYRINGE) | 1 vaccination dose (0.5 ml) per day |
| TYRVAYA (NASAL SOLUTION) | Maximum of 2 bottles (8.4 ml) per 30 days |
| UBRELVY (ORAL TABLET) | Maximum of 16 tablets per 30 days |
| UPTRAVI TITRATION (ORAL TABLET THERAPY PACK) | Maximum of 2 packs (400 tablets) per year |
| <i>Valacyclovir HCl (1GM Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Valacyclovir HCl (500MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| VALCHLOR (EXTERNAL GEL) | Maximum of 60 grams per 30 days |
| <i>Valganciclovir HCl (Oral Solution Reconstituted)</i> | Maximum of 36 ml per day |
| <i>Valganciclovir HCl (Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Valsartan (160MG Oral Tablet, 40MG Oral Tablet, 80MG Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Valsartan (320MG Oral Tablet)</i> | Maximum of 1 tablet per day |
| <i>Valsartan-Hydrochlorothiazide (Oral Tablet)</i> | Maximum of 1 tablet per day |
| VALTOCO 10MG DOSE (NASAL LIQUID) | Maximum of 10 blister packs (10 spray devices) per 30 days |
| VALTOCO 15MG DOSE (NASAL LIQUID THERAPY PACK) | Maximum of 10 blister packs (20 spray devices) per 30 days |
| VALTOCO 20MG DOSE (NASAL LIQUID THERAPY PACK) | Maximum of 10 blister packs (20 spray devices) per 30 days |

| Drug name | Quantity limit |
|--|--|
| VALTOCO 5MG DOSE (NASAL LIQUID) | Maximum of 10 blister packs (10 spray devices) per 30 days |
| <i>Vancomycin HCl (125MG Oral Capsule)</i> | Maximum of 4 capsules per day |
| <i>Vancomycin HCl (250MG Oral Capsule)</i> | Maximum of 8 capsules per day |
| VANFLYTA (ORAL TABLET) | Maximum of 2 tablets per day |
| VAQTA (25UNIT/0.5ML INTRAMUSCULAR SUSPENSION, 25UNIT/0.5ML 0.5ML INTRAMUSCULAR SUSPENSION) | Maximum of 2 vaccines per lifetime |
| VAQTA (50UNIT/ML INTRAMUSCULAR SUSPENSION, 50UNIT/ML 1ML INTRAMUSCULAR SUSPENSION) | Maximum of 2 vaccines per lifetime |
| VARIVAX (SUBCUTANEOUS INJECTABLE) | 1 vaccination dose (1 injection) per day |
| VELTASSA (ORAL PACKET) | Maximum of 1 packet per day |
| VENTAVIS (10MCG/ML INHALATION SOLUTION) | Maximum of 7 ml per day |
| VENTAVIS (20MCG/ML INHALATION SOLUTION) | Maximum of 3 ml per day |
| VERQUVO (ORAL TABLET) | Maximum of 1 tablet per day |
| VIBERZI (ORAL TABLET) | Maximum of 2 tablets per day |
| VICTOZA (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 3 pens (9 ml) per 30 days |
| <i>Vigabatrin (Oral Packet)</i> | Maximum of 6 packets per day |
| <i>Vigabatrin (Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Vigadrone (Oral Packet)</i> | Maximum of 6 packets per day |
| <i>Vigadrone (Oral Tablet)</i> | Maximum of 6 tablets per day |
| <i>Vigpoder (Oral Packet)</i> | Maximum of 6 packets per day |
| VIIBRYD (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Vilazodone HCl (Oral Tablet)</i> | Maximum of 1 tablet per day |
| VIRACEPT (250MG ORAL TABLET) | Maximum of 10 tablets per day |
| VIRACEPT (625MG ORAL TABLET) | Maximum of 4 tablets per day |
| VIREAD (ORAL POWDER) | Maximum of 4 bottles (240 grams) per 30 days |
| VIREAD (150MG ORAL TABLET, 200MG ORAL TABLET, 250MG ORAL TABLET) | Maximum of 1 tablet per day |
| VITRAKVI (100MG ORAL CAPSULE) | Maximum of 4 capsules per day |
| VITRAKVI (25MG ORAL CAPSULE) | Maximum of 6 capsules per day |
| VITRAKVI (ORAL SOLUTION) | Maximum of 20 ml per day |
| VONJO (ORAL CAPSULE) | Maximum of 4 capsules per day |
| <i>Voriconazole (Oral Suspension Reconstituted)</i> | Maximum of 20 ml per day |
| <i>Voriconazole (200MG Oral Tablet)</i> | Maximum of 4 tablets per day |
| <i>Voriconazole (50MG Oral Tablet)</i> | Maximum of 16 tablets per day |
| VOSEVI (ORAL TABLET) | Maximum of 1 tablet per day |
| VRAYLAR (1.5MG ORAL CAPSULE, 3MG ORAL CAPSULE, 4.5MG ORAL CAPSULE, 6MG ORAL CAPSULE) | Maximum of 1 capsule per day |

| Drug name | Quantity limit |
|--|--|
| VRAYLAR (ORAL CAPSULE THERAPY PACK) | Maximum of 2 packs (14 capsules) per year |
| VYNDAMAX (ORAL CAPSULE) | Maximum of 1 capsule per day |
| VYNDAQEL (ORAL CAPSULE) | Maximum of 4 capsules per day |
| WELIREG (ORAL TABLET) | Maximum of 3 tablets per day |
| <i>Wixela Inhub (Inhalation Aerosol Powder Breath Activated)</i> (Generic Advair) | Maximum of 1 inhaler (60 blisters) per 30 days |
| XARELTO (ORAL SUSPENSION RECONSTITUTED) | Maximum of 20 ml per day |
| XARELTO (10MG ORAL TABLET, 20MG ORAL TABLET) | Maximum of 1 tablet per day |
| XARELTO (15MG ORAL TABLET, 2.5MG ORAL TABLET) | Maximum of 2 tablets per day |
| XARELTO STARTER PACK (ORAL TABLET THERAPY PACK) | Maximum of 2 packs per year |
| XCOPRI (250MG DAILY DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 1 pack (56 tablets) per 28 days |
| XCOPRI (350MG DAILY DOSE) (150MG & 200MG ORAL TABLET THERAPY PACK) | Maximum of 1 pack (56 tablets) per 28 days |
| XCOPRI (100MG ORAL TABLET, 50MG ORAL TABLET) | Maximum of 1 tablet per day |
| XCOPRI (150MG ORAL TABLET, 200MG ORAL TABLET) | Maximum of 2 tablets per day |
| XCOPRI (14 X 12.5MG & 14 X 25MG ORAL TABLET THERAPY PACK, 14 X 150MG & 14 X 200MG ORAL TABLET THERAPY PACK, 14 X 50MG & 14 X 100MG ORAL TABLET THERAPY PACK) | Maximum of 2 packs per year |
| XELJANZ (ORAL SOLUTION) | Maximum of 10 ml per day |
| XELJANZ (ORAL TABLET IMMEDIATE RELEASE) | Maximum of 2 tablets per day |
| XELJANZ XR (ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| XERMELO (ORAL TABLET) | Maximum of 3 tablets per day |
| XIGDUO XR (10-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 10-500MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 5-500MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 1 tablet per day |
| XIGDUO XR (2.5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR, 5-1000MG ORAL TABLET EXTENDED RELEASE 24 HOUR) | Maximum of 2 tablets per day |
| XIIDRA (OPHTHALMIC SOLUTION) | Maximum of 2 vials per day |
| XOFLUZA (40MG DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 2 tablets per 30 days |
| XOFLUZA (80MG DOSE) (ORAL TABLET THERAPY PACK) | Maximum of 1 tablet per 30 days |
| XOSPATA (ORAL TABLET) | Maximum of 3 tablets per day |
| XPOVIO (100MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 8 tablets per 28 days |
| XPOVIO (40MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 4 tablets per 28 days |
| XPOVIO (40MG TWICE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 8 tablets per 28 days |

| Drug name | Quantity limit |
|--|--|
| XPOVIO (60MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 4 tablets per 28 days |
| XPOVIO (60MG TWICE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 24 tablets per 28 days |
| XPOVIO (80MG ONCE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 8 tablets per 28 days |
| XPOVIO (80MG TWICE WEEKLY) (ORAL TABLET THERAPY PACK) | Maximum of 32 tablets per 28 days |
| XTAMPZA ER (13.5MG ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT, 18MG ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT, 9MG ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT) | Maximum of 3 capsules per day |
| XTAMPZA ER (27MG ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT, 36MG ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT) | Maximum of 6 capsules per day |
| XULTOPHY (SUBCUTANEOUS SOLUTION PEN-INJECTOR) | Maximum of 5 pens (15 ml) per 30 days |
| YF-VAX (SUBCUTANEOUS INJECTABLE) | 1 vaccination dose (1 injection) per day |
| <i>Zaleplon (10MG Oral Capsule)</i> | Maximum of 2 capsules per day |
| <i>Zaleplon (5MG Oral Capsule)</i> | Maximum of 1 capsule per day |
| ZEPATIER (ORAL TABLET) | Maximum of 1 tablet per day |
| <i>Zidovudine (Oral Capsule)</i> | Maximum of 6 capsules per day |
| <i>Zidovudine (Oral Syrup)</i> | Maximum of 64 ml per day |
| <i>Zidovudine (Oral Tablet)</i> | Maximum of 2 tablets per day |
| <i>Ziprasidone HCl (Oral Capsule)</i> | Maximum of 2 capsules per day |
| ZOKINVY (ORAL CAPSULE) | Maximum of 4 capsules per day |
| <i>Zolmitriptan (Oral Tablet)</i> | Maximum of 12 tablets per 30 days |
| <i>Zolmitriptan ODT (Oral Tablet Dispersible)</i> | Maximum of 12 tablets per 30 days |
| <i>Zolpidem Tartrate (Oral Tablet Immediate Release)</i> | Maximum of 1 tablet per day |
| ZUBSOLV (0.7-0.18MG TABLET SUBLINGUAL, 1.4-0.36MG TABLET SUBLINGUAL, 5.7-1.4MG TABLET SUBLINGUAL) | Maximum of 3 tablets per day |
| ZUBSOLV (11.4-2.9MG TABLET SUBLINGUAL) | Maximum of 1 tablet per day |
| ZUBSOLV (2.9-0.71MG TABLET SUBLINGUAL) | Maximum of 5 tablets per day |
| ZUBSOLV (8.6-2.1MG TABLET SUBLINGUAL) | Maximum of 2 tablets per day |
| ZURZUVAE (20MG ORAL CAPSULE, 25MG ORAL CAPSULE) | Maximum of 28 capsules per 14 days |
| ZURZUVAE (30MG ORAL CAPSULE) | Maximum of 14 capsules per 14 days |
| ZYPITAMAG (ORAL TABLET) | Maximum of 1 tablet per day |

Required information

Benefits, Drug List (Formulary), pharmacy network and/or copays/coinsurance may change from time to time during each plan year. You will receive notice when necessary.

This information is available for free in other languages. Please call our Customer Service number located on the cover.

UnitedHealthcare does not discriminate on the basis of race, color, national origin, sex, age, or disability in health programs and activities. UnitedHealthcare provides free services to help you communicate with us such as letters in other languages, braille, large print, audio, or you can ask for an interpreter. For more information, please call our Customer Service number located on the cover.

For more up-to-date information or if you have other questions, please call Customer Service at:



Toll-free **1-877-298-2341**, TTY **711**

8 a.m.-8 p.m. local time, Monday-Friday



retiree.uhc.com/peehip